

PRODUCT CATALOGUE 2020



CONTENTS

- 04 Our Story
- 08 The EGO Power+ System
- 12 EGO Power⁺ Warranties
- 14 EGO Power⁺ Batteries & Chargers
- 25 EGO Power+ vs. Petrol
- **30** EGO Power⁺ Professional-X Range
- **36** EGO Power⁺ Professional-X Line Trimmers / Brush Cutters
- 38 EGO Power⁺ Professional-X Rotocut

- 44 EGO Power+ Multi-Tool
- 56 EGO Power+ Mowers
- 64 EGO Power+ Line Trimmers & Brush Cutter
- 72 EGO Power+ Hedge Trimmers
- 78 EGO Power⁺ Shrub / Grass Shears
- 80 EGO Power+ Chainsaws
- 86 EGO Power+ Blowers
- 94 EGO Power⁺ Accessories
- 99 EGO Power⁺ Product Features







OUR STORY

EGO is part of a global manufacturing business established in 1993, employing over 7,000 people and producing over 10 million units each year, which are sold in over 30,000 outlets in 65 countries worldwide. As a market leader in cordless outdoor power equipment, our strength in depth and desire to break new ground has helped us achieve exceptional growth while being environmentally conscious.

Launched into Europe in 2014, E60 continues to push the boundaries of cordless technology with a range of award-winning products that are creating a cleaner, quieter and safer future whilst delivering superior performance.

Our commitment to a greener environment

EGO's commitment to innovation is driven by a talented team of over 400 highly qualified technicians responsible for developing and delivering clean, reliable power tools for today's switched-on customers. Our desire to create a greener future is brought to life through our **Challenge 2025** initiative, but isn't limited to the products we develop, it also pervades the ways we operate and the places we work.

In 2004 we installed a 7,000m² Green Roof system to our dedicated R&D facility. This has saved the equivalent of 5 litres of petrol per m² each year.

The roof of our Green Power Industrial Park features

a 2-megawatt photovoltaic power station. Known as 'The Blue Roof' the power this generates, year-on-year, saves the equivalent of 755 tonnes of coal, as well as cutting Sulphur Dioxide emissions by 50 tonnes and Carbon Dioxide emissions by 1677 tonnes annually. The Green Power Industrial Park also utilises the latest in ground-source heating, air-conditioning and water-storage technologies. The ground-source heating system alone saves a massive 1 million KWh of electricity annually, the equivalent of 378 tonnes of coal. Cutting Sulphur Dioxide emissions by around 25 tonnes and Carbon Dioxide emissions by 839 tonnes each year.

Our passion for improving the environment won't stop here. This is only the beginning.

CHALLENGE 20 25

Challenge 2025 is our commitment to changing the future of gardening for the better. People use their tools to improve the environment around them, so why use petrol – a power source that will ultimately destroy the atmosphere?

We believe that the future for outdoor power equipment is battery powered, and we want you to join us in making battery the number one choice within five short years.

The time has come to take up the challenge, and together, create a cleaner, quieter and safer future.





For more information on Challenge 2025 and our five-year vision, visit our website **challenge2025.eu**.

4 | OUR STORY | 5







ALL THE POWER OF PETROL. MINUS THE PETROL

For the first time in generations the outdoor power equipment market is changing. In the single biggest advancement in technology since petrol-powered mowers arrived on the scene over 100 years ago, fossil fuels are being replaced by cleaner, greener energy.

Introducing the innovative EGO Power⁺ system from the cordless specialists. A smarter way to power through gardening and landscaping tasks.

EGO Power⁺ delivers petrol-matching power, just without the noise, fuss or fumes. Our industry-leading 56V Arc Lithium battery technology offers a new level of performance, giving you the dependable power you need to keep working hard until the job's done.

The minute you try this revolutionary cordless system you'll never look back. Comfortable to use, with impressive run times and fast recharge, there are no trips to the petrol station for fuel and no more having to store highly flammable liquids. Instead, you get the freedom to work exhaust and emission free.

For total compatibility, the same 56V Arc Lithium battery fits almost every tool in the EGO Power⁺ range*. Just click the battery and you're ready to go.

For peace of mind, all EGO Power⁺ tools come with a domestic user 5-year tool warranty and 3-year battery warranty, when you register your purchase within 30 days. Our improved warranties for professional users now vary from 1 to 3 years on tools and batteries when registered within 30 days of purchase, please see pages 12-13 for full details.

*12V Shrub Shears not compatible with Arc Lithium 56V battery system

NEW FOR 2020

MORE IMPRESSIVE TOOLS MORE GROUND-TECHNOLOGY

The latest tools from EGO Power⁺ offer technological advancements that make even the toughest tasks a breeze. Whether you're cutting grass, sawing logs, cleaning hard surfaces or harvesting olives, there's a tool for every task.

Fully compatible with EGO's 56V Arc Lithium battery system, you can expect the same impressive run times and super fast recharge times as standard.

















MULTIPLE TOOLS



EGO POWER* HEDGE TRIMMERS











Our industry-leading 56V Arc Lithium battery works with all EGO Power⁺ tools, even our Professional-X range. With great performance and long run times, simply select your tool, click in and go

8 | THE EGO POWER* SYSTEM







KINDER TO YOU, YOUR WALLET

There are so many reasons to change to battery powered tools

Powered by our industry-leading 56V Arc Lithium battery, the EGO Power⁺ system delivers petrolmatching power but without any of the downsides. It's simpler, cleaner, quieter, and with less vibration, it's more comfortable to use. Lower running and maintenance costs means switching to EGO Power+ will lead to long term savings. Plus, with zero emissions during use, you can do your bit to reduce your impact on the environment too.




BETTER FOR THE

With zero emissions during use, our 56V Arc Lithium battery gives petrol-matching power but without the fuss and fumes



EGO Power⁺ tools always operate at lower noise and vibration levels than traditional petrol-powered tools





EASY SET UP

No filling up with fuel; with EGO Power+ just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running an EGO Power⁺ product for a month is around the same as using a 2 stroke product for a day^



SAVE TIME

No more trips to the petrol station. No time-consuming servicing and maintenance to slow you down



FOLD FLAT, EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power⁺ fold-flat design makes storage and cleaning simple



NO PETROL TO STORE

Instead, EGO's rapid charger refuels batteries in as little as 30 minutes - less than the run time you get from a full charge

*Based on average daily use of 3 litres of post mix fuel per day



LONG-LASTING WARRANTIES FOR LONG-LASTING PRODUCTS

At EGO we pride ourselves on manufacturing products that not only have petrol-matching power, but are reliable and robust too. That's why all our products are covered by extended warranties* that you can rely on.

The support of our service dealer network

With a nationwide network of EGO approved service dealers, you're never too far from the support you need. We can select the most suitable tools for your needs, give you face-to-face advice whenever you need it and provide a diagnostic service to keep your tools running for years to come.

30-day money back guarantee



We also offer a 30-day money back guarantee for any domestically used EGO Power+ tools, so if you're not completely satisfied you can return your product for a full refund.

Tool categories and warranties

| | 100 | 1179 | BAITERIES | | | |
|--|-------------------------|-------------------------|----------------------------|---------------------------|--|--|
| | DOMESTIC USE | PROFESSIONAL USE | DOMESTIC USE | PROFESSIONAL USE | | |
| FOR DOMESTIC, SMALL TO MEDIUM SIZED GARDENS | 5 YEAR TOOL WARRANTY | 1 YEAR TOOL WARRANTY | 3 YEAR BATTERY WARRANTY | N/A | | |
| PROFESSIONAL FOR LARGE GARDENS AND PROFESSIONAL USE | 5 YEAR TOOL WARRANTY | 2 YEAR TOOL WARRAMIT | 3 YEAR BATTER! WARRANTY | 2 YEAR BATTERY WARRANT | | |
| POFESSIONAL X FOR USE BY PROFESSIONALS AND SPECIALISTS | 5 YEAR TOOL WARRANTY | 3 YEAR TOOL WARRANTY | 3 YEAR BATTERY WARRANTY | 3 YEAR BATTERY MARRANTY | | |

Industry-leading professional warranties*


We're so confident in the performance of our tools that we offer professional users a 3-year warranty on the Professional-X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries when registered within 30 days of purchase.

| | MODEL | PRODUCT NAME | POWER | PROFESSIONAL | POFESSIONAL X | USE Warranty | USE Warrant |
|----------|--------------|--|------------|--------------|---------------|---|----------------|
| | EGO Power+ N | lowers | | | | | |
| | LM1700E | 42cm Mower | • | | | 5 years | 1 year |
| | LM1700E-SP | 42cm Self-Propelled Mower | • | | | 5 years | 1 year |
| | LM1900E-SP | 47cm Self-Propelled Mower | • | | | 5 years | 1 year |
| | LM2020E-SP | 50cm Self-Propelled Mower | Syears 1 | 2 year | | | |
| | LM2120E-SP | 52cm Self-Propelled Mower | | • | | 5 years | 2 year |
| | EGO Power+ L | ine Trimmers, Brush Cutter and Rotocut | | | | | |
| | ST1300E | 33cm Line Trimmer | • | | | 5 years | 1 year |
| 9 | ST1500E-F | 38cm Line Trimmer with Rapid Reload | • | | | 5 years | 1 year |
| A | ST1510E | 38cm Line Trimmer with Powerload™ Technology | • | | | 5 years | 1 year |
| % | BC1500E-F | 38cm Bike Handled Line Trimmer | • | | | 5 years | 1 year |
| | ST1530E | 38cm Loop Handled Line Trimmer | | • | | 5 years | 2 year |
| | BC3800E | 38cm Bike Handled Brush Cutter | | • | | 5 years | 2 year |
| | BCX3800 | Bike Handled Line Trimmer/Brush Cutter | | | • | 5 years | 3 year |
| | STX3800 | Loop Handled Line Trimmer/Brush Cutter | | | • | 5 years | 3 year |
| | RTX2300 | Rotocut | | | • | 5 years | 3 year |
| | EGO Power+ H | ledge Trimmers | | | | | |
| | CHT2001E | 12V Grass Shear/Shrub Trimmer | • | | | 5 years | _ |
| | HT2400E | 61cm Hedge Trimmer | • | | | - | 1 yea |
| | HT2410E | 61cm Hedge Trimmer | • | | | , | 1 yea |
| | HT5100E | 51cm Hedge Trimmer | | • | | - | 2 year |
| Control | HT6500E | 65cm Hedge Trimmer | | | | - | 2 year |
| | HTX6500 | 65cm Hedge Trimmer | | | • | | 3 year |
| | HTX7500 | 75cm Hedge Trimmer | | | • | • | 3 year |
| | EGO Power+ C | | | | | . , | - , |
| | CS1400E | 35cm Chainsaw | | | | 5 years | 1 yea |
| | CS1600E | 40cm Chainsaw | | | | | 1 year |
| | CS1800E | | | 2 year | | | |
| | EGO Power+ B | • | | | | J years | 2 your |
| AC. | | | | | | 5 years | |
| | LB5300E | Blower 900m³/h | • | | | | 1 year |
| | LB5800E | Blower 986m³/h | | _ | | 5 years | 2 year |
| | LB6000E | Backpack Blower 1020m³/h | | • | | | 2 year |
| | LBX6000 | Blower 1014m³/h | | | • | 5 years | 3 year |
| | EGO Power+ N | | | | | | |
| | PH1400E | Multi-Tool Power Head | | _ | | 5 years | 2 year |
| 4 | STA1500 | Multi-Tool Line Trimmer Attachment | | • | | 5 years | 2 year |
| CV" | BCA1200 | Multi-Tool Brush Cutter Attachment | | - | | - | 2 year |
| 20 | HTA2000 | Multi-Tool Hedge Trimmer Attachment | | • | | 5 years | 2 year |
| | HTA2000S | Multi-Tool Short Hedge Trimmer Attachment | | • | | 5 years | 2 year |
| cit -/ | PSA1000 | Multi-Tool Pole Saw Attachment | | • | | 5 years | 2 year |
| | EA0800 | Multi-Tool Edger Attachment | | • | | 5 years | 2 year |
| / | EP7501 | Multi-Tool Extension Pole | | • | | 5 years | 2 year |
| 1 1 | CTA9500 | Multi-Tool Cultivator Attachment | | • | | 5 years | 2 year |
| 53 - F | BBA2100 | Multi-Tool Bristle Brush Attachment | | • | | 5 years | 2 year |
| - 1 | 0SA1000 | Multi-Tool Olive Shaker Attachment | | • | | 5 years | 2 year |
| | EGO Power+ B | atteries & Chargers | | | | | |
| | CBA0240 | 12V 2.0Ah Battery | • | | | 3 years | _ |
| | CCH0450E | 12V Standard Charger | • | | | 3 years | _ |
| er # | BA5600T | 56V 10.0Ah Battery | | • | | 3 years | 2 year |
| | BA4200T | 56V 7.5Ah Battery | | • | | 3 years | 2 years |
| | BA2800T | 56V 5.0Ah Battery | | • | | 3 years | 2 years |
| | BA1400T | 56V 2.5Ah Battery | | • | | 3 years | 2 year |
| | CH5500E | 56V Rapid Charger | | • | | 3 years | 2 year |
| | CH2100E | 56V Standard Charger | | • | | 3 years | 2 year |
| | BH1000 | Battery Backpack Harness | | • | | 3 years | 2 year |
| | BAX1300 | 56V 23Ah/1299Wh Backpack Battery | | | • | 3 years | 3 years |
| | BHX1000 | Backpack Harness | | | • | 3 years | 3 year |
| | BAX1500 | 56V 28Ah/1568Wh Backpack Battery | | | • | | 3 year |
| | CHX5500E | Charger | | | | | 3 years |

12 | EGO POWER* WARRANTIES EGO POWER* WARRANTIES | 13

^{†30} day money-back guarantee is not available on tools used for professional purposes, 12V shrub/grass shears, batteries and chargers (unless purchased as part of a set). *For defects caused by material or manufacturing fault. This does not cover wear and tear.





WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.













EGO POWER* ARC LITHIUM DELIVERS THE INDUSTRY'S HIGHEST ENERGY CAPACITY*

*For portable handheld batteries

Our unique patented 56V Arc Lithium technology is designed like no other battery. It's why it performs like no other battery

Let's start talking about petrol beating performance.

The EGO Power⁺ 56V Arc Lithium battery has an innovative design to maximise battery cooling. It's simpler, cleaner, quieter and with less vibration is more comfortable to use. Impressive run times and fast recharge offer the ultimate in convenience.

Unique Arc design

Unlike conventional brick-shaped batteries where the cells are packed together, the Arc design increases surface area, places the cells close to the surface and fits onto the outside of our tools. This dissipates heat more effectively, preventing overheating and shut downs.

Why 56V?

Our team of experts have completely revolutionised battery technology to deliver the optimum power and performance for outdoor cordless equipment. The 56V Arc Lithium battery is a marvel of engineering that surpasses the competition on every level. Our 56V batteries deliver more usable power than any other hand-held battery. The four portable batteries in our range optimally cover all applications, from leaf blowing to heavy duty cutting.



Fast recharge

All this clever thinking not only delivers the industry's highest energy capacity in a portable hand-held battery. It also means when it's time to recharge, the EGO Power⁺ 56V Arc Lithium battery is the quickest around.





16 | EGO POWER* BATTERY TECHNOLOGY | 17





EGO POWER* ARC LITHIUM BATTERY, DESIGNED TO MAXIMISE PERFORMANCE




The patented 56V Arc Lithium battery doesn't just manage heat, it maximises cooling

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance run time and battery life.


Our batteries have been designed to cool effectively in three innovative ways: mechanically, chemically and electronically.

Increased surface area


The battery Arc shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



Unique Arc shape battery technology




Traditional brick shape battery



Keep Cool™ Technology

It's not just the innovative Arc design that helps prevent overheating. The battery has another clever way to keep cool.

Each and every cell is surrounded by our unique Keep Cool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.




Intelligent power

Power is nothing without control. It's why the EGO Power⁺ 56V Arc Lithium battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, so you always get the very best power, performance and run time.

Exterior mounted battery

Unlike other manufacturers, our batteries fit onto the outside of our tools and are not encased on the inside which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.





For more information on how EGO Power* batteries

so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload

18 | EGO POWER* BATTERY TECHNOLOGY | 19











A BATTERY FOR EVERY TASK

From the lightest 2.5Ah to the largest in the range, as the batteries go up in size, so do the power and run time. Whatever model you decide on they have all been engineered for the best protection against heat, and are designed to fit all of our tools.

EGO Power⁺ 56V Arc Lithium battery

| BA1400T | 2.5AH BATTERY | 140WH. 1P





BA4200T 7.5AH BATTERY 420WH, 3P



BA5600T 10.0AH BATTERY 560WH, 4P



Power and comfort, combined

The ergonomic EGO Power⁺ backpack harness is the most comfortable way to enjoy our industry-leading power. An alternative option to attaching the battery directly to the tool, weight is distributed evenly for a lighter, more comfortable way to work.



BH1000 BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



BHX1000 PROFESSIONAL-X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Professional-X series and with the ADB1000 adaptor can be used with all other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Professional-X backpack battery.





lmage shown as a kit

| | BH1000 | BHX1000 |
|--------------------------|--|--|
| CONNECTION METHOD | Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools | Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools |
| CARRYING HANDLE | Yes | Yes |
| HIP PAD FOR BRUSH CUTTER | AHP1300 (optional) | AHP1500 (optional) |
| UPRIGHT STAND STORAGE | Yes | Yes |
| WEIGHT WITHOUT BATTERY | 2.2kg | 2.9kg |
| DOMESTIC WARRANTY | 3 years | 3 years |
| PROFESSIONAL WARRANTY | 2 years | 3 years |
| AVAILABLE AS A KIT | BH1001: Includes ADB1000 adapter | BHX1000-K0002: Includes AFH1500 harness/hip belt and ADB1000 adapter |

20 | EGO POWER* BATTERIES, HARNESS & ADAPTER | 21

BACKPACK BATTERIES THAT WORK **AS HARD** AS YOU DO



Team up your EGO Power+ tools with one of our Lithium-ion backpacks

Balancing exceptional run time with user comfort, EGO's Lithium-ion BAX1300 and BAX1500 backpacks are ergonomically designed to keep you working all day long. The battery pack can be removed from the harness* allowing the battery to be shared amongst multiple users, each with their own harness. To ensure optimum performance, efficiency and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when it's powering a tool and when it's recharging.

Designed to perform, built to last

Delivering the run times you demand, EGO Power⁺ backpack batteries can give you a full day's work** from a single charge. The high-quality cells, with both high power rating and high energy density, can handle in excess of 1,000 charge cycles. Plus, with fast recharging, you can go from empty to full in just 3.5 hours.

Flexible performance

They're compatible with all EGO Power+ tools, and as the battery is on the harness and not on the tool, the tools are even lighter and easier to use.







For long life and comfort



BAX1300 PROFESSIONAL-X BACKPACK BATTERY

Power through a full day's work on a single charge.** Robust and weatherproof, the ergonomic design is also comfortable to wear.

| | BAX1300 |
|-----------------------|---|
| CAPACITY | 1299Wh at 56V rated |
| BATTERY WEIGHT | 7.8kg without harness |
| HARNESS | Detachable |
| CHARGER | CH5500E |
| CYCLE LIFE | Up to 1000 cycles |
| DOMESTIC WARRANTY | 3 years |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT | BAX1301: Includes AFH1300 harness and ADB1000 adapter |

*Note the harness straps are supplied with padded comfort straps and may appear different
**Dependent on the tool and based on an 8 hour working day.

22 | EGO POWER* PROFESSIONAL-X BACKPACK BATTERIES EGO POWER* PROFESSIONAL-X BACKPACK BATTERIES | 23











BAX1500 PROFESSIONAL-X BACKPACK BATTERY

The EGO Power⁺ Professional-X backpack battery delivers the power output and run times needed for demanding jobs. In fact, it outperforms many of the petrol products currently in use. All minus the noise, fumes and vibration.

To make sure it's extremely tough and durable, we tested it to the extreme too. The Professional-X backpack battery can handle the heaviest downpours and still power the tool. Plus, the super robust casing is designed to take all of the knocks you can throw at it.

| | BAX1500 |
|-------------------------|---|
| CAPACITY | 1568Wh at 56V rated |
| CONNECTION METHOD | Adapter / Plug-in |
| BATTERY WEIGHT | 9.0kg w/o harness |
| HARNESS | Detachable |
| WEATHERPROOF PROTECTION | IP56 |
| CHARGER | CHX5500E |
| CYCLE LIFE | Up to 1000 cycles |
| DOMESTIC WARRANTY | 3 years |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT | BAX1501: Includes a AFH1500 harness and ADB1000 adapter |

SO MUCH

HIGH-EFFICIENCY BATTERY LIFE

DETACHABLE BATTERY AND HARNESS

can be tailored to individual user for improved comfort and hygiene

WORK HEALTHIER

without strains, musculoskeletal problems or fumes

MASSIVE SAVINGS

based on 1,000 charge cycles versus daily fuel costs of £5, the backpack batteries will pay for themselves in just over 200 charges (cost per charge of backpack is 30p). Total return on investment on the lifetime of the battery is £4,442

EGO POWER* VS PETROL

Based on a professional user purchasing a hedge trimmer, line trimmer and blower.



- Cost estimates are based on purchasing a brush cutter, hedge trimmer and blower in year 1 and replacing again in year 4

24 | EGO POWER⁺ PROFESSIONAL-X BACKPACK BATTERIES EGO POWER* PROFESSIONAL-X BACKPACK BATTERIES | 25







A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of four batteries and two battery backpacks, choose the one that gives you the power and run time* you need.

| I/ | Г١ |
|----|----|
| ĸ | ŀ۱ |

RECOMMENDED / OPTIMAL

COMPATIBLE / NOT OPTIMAL

- NOT RECOMMENDED

| | | BACKPAC | K BATTERY |
|----------------|---|----------------------------------|----------------------------------|
| CODE | PRODUCT NAME | POWER PROFESSIONAL V | POWER PROFESSIONAL Y |
| | | BAX1500 28Ah / 1568Wh (Up to) | BAX1300 23Ah / 1299Wh (Up to) |
| EGO Power+ Mo | wers | | |
| LM1700E | 42cm Mower | _ | - |
| LM1700E-SP | 42cm Self-Propelled Mower | _ | - |
| LM1900E-SP | 47cm Self-Propelled Mower | _ | _ |
| LM2020E-SP | 50cm Self-Propelled Mower | _ | _ |
| LM2120E-SP | 52cm Self-Propelled Mower | _ | _ |
| EGO Power+ Lin | e Trimmers, Brush Cutter and Rotocut | ` | |
| ST1300E | 33cm Line Trimmer | _ | - |
| ST1500E-F | 38cm Line Trimmer with Rapid Reload | 300 mins | 260 mins |
| ST1510E | 38cm Line Trimmer with Powerload Technology | _ | _ |
| BC1500E-F | 38cm Bike Handled Line Trimmer | 300 mins | 260 mins |
| ST1530E | 38cm Loop Handled Line Trimmer | 240 mins | 200 mins |
| BC3800E | 38cm Bike Handled Brush Cutter | 280 mins | 230 mins |
| BCX3800 | Bike Handled Line Trimmer/Brush Cutter | 300 / 420 mins | 240 mins |
| STX3800 | Loop Handled Line Trimmer/Brush Cutter | 300 / 420 mins | 240 mins |
| RTX2300 | Rotocut (Assembled on BCX/STX3800) | 325 mins | 260 mins |
| EGO Power+ He | dge Trimmers | | |
| HT2400E | 61cm Hedge Trimmer | _ | _ |
| HT2410E | 61cm Hedge Trimmer | _ | _ |
| HT5100E | 51cm Hedge Trimmer | 490 mins | 400 mins |
| HT6500E | 65cm Hedge Trimmer | 420 mins | 350 mins |
| HTX6500 | 65cm Hedge Trimmer | 420 mins | 360 mins |
| HTX7500 | 75cm Hedge Trimmer | 380 mins | 310 mins |
| EGO Power+ Cha | - | | |
| CS1400E | 35cm Chainsaw | _ | - |
| CS1600E | 40cm Chainsaw | _ | _ |
| CS1800E | 45cm Chainsaw with Auto Chain Tensioning | _ | _ |
| EGO Power+ Blo | | | |
| | | Max* | Max* |
| LB5300E | Blower 900m³/h | 105 mins | 90 mins |
| LB5800E | Blower 986m³/h | 480 mins | 400 mins |
| LB6000E | Backpack Blower 1020m³/h | _ | _ |
| LBX6000 | Blower 1014m³/h | 350 mins | 280 mins |
| EGO Power+ Mu | lti-Tool | | |
| STA1500 | Multi-Tool Line Trimmer Attachment | 300 mins | 240 mins |
| BCA1200 | Multi-Tool Brush Cutter Attachment | 375 mins | 305 mins |
| HTA2000 | Multi-Tool Hedge Trimmer Attachment | 490 mins | 400 mins |
| HTA2000S | Multi-Tool Short Hedge Trimmer Attachment | 490 mins | 400 mins |
| PSA1000** | Multi-Tool Pole Saw Attachment | 660 cuts | 600 cuts |
| EA0800 | Multi-Tool Edger Attachment | 530 mins | 320 mins |
| CTA9500 | Multi-Tool Cultivator Attachment | 480 mins | _ |
| BBA2100 | Multi-Tool Bristle Brush Attachment | 420 mins | 360 mins |
| 0SA1000 | Multi-Tool Olive Shaker Attachment | 600 mins | 520 mins |

^{*}Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique **Run time based on a 10cm x 10cm timber









| | | | | | | | BATTERY | | | | | | |
|-----------------|---|------|---------------------|------|--------------------|--------------------|--------------------|----------|--------------------|--------------------|---------|-----------------------------------|-------|
| CODE | PRODUCT NAME | | POWER PROFESSIONAL | | POWER PROFESSIONAL | | POWER PROFESSIONAL | | R | POWER PROFESSIONAL | | | |
| | | | BA1400 1 / 140Wh | T | | BA28007 / 280Wh | Г | | BA42007 / 420Wh | Г | | BA5600T 10.0Ah / 560Wh (Up to) | |
| EGO Power+ Mo | wers | | | | | | | | | | | | |
| LM1700E | 42cm Mower | 20 r | nins / 40 | 0sqm | 40 m | nins / 800 | Osqm | 55 m | ins / 110 | 0sqm | 75 m | ins / 150 |)Osqm |
| LM1700E-SP | 42cm Self-Propelled Mower | 15 r | nins / 30 | 0sqm | 35 m | nins / 700 | Osqm | 50 mi | ins / 100 | 00sqm | 70 m | ins / 140 |)Osqm |
| LM1900E-SP | 47cm Self-Propelled Mower | | _ | | 35 m | nins / 800 | Osqm | 50 m | ins / 110 | 00sqm | 70 m | ins / 150 |)Osqm |
| LM2020E-SP | 50cm Self-Propelled Mower | | - | | 28 n | nins / 700 | Osqm | 45 m | ins / 100 | 00sqm | 60 m | ins / 140 |)Osqm |
| LM2120E-SP | 52cm Self-Propelled Mower | | - | | | - | | 50 m | ins / 120 | 0sqm | 65 m | ins / 165 | 50sqm |
| EGO Power+ Lin | e Trimmers, Brush Cutter and Rotocut | | | | | | | | | | | | |
| ST1300E | 33cm Line Trimmer | | 70 mins | 3 | | 140 mins | 3 | | 210 mins | S | | 280 min | s |
| ST1500E-F | 38cm Line Trimmer with Rapid Reload | | 30 mins | 3 | | 60 mins | | | 90 mins | | | 120 min | S |
| ST1510E | 38cm Line Trimmer with Powerload Technology | | 30 mins | 3 | | 60 mins | | | 90 mins | | | 120 min | S |
| BC1500E-F | 38cm Bike Handled Line Trimmer | | 30 mins | 3 | | 60 mins | | | 90 mins | | | 120 min | S |
| ST1530E | 38cm Loop Handled Line Trimmer | | 18 mins | 3 | | 45 mins | | | 72 mins | | | 90 mins | 3 |
| BC3800E | 38cm Bike Handled Brush Cutter | | 20 mins | 3 | | 40 mins | | | 65 mins | | | 80 mins | 3 |
| BCX3800 | Bike Handled Line Trimmer/Brush Cutter*** | | - | | | 50 mins | | | 75 mins | | | 97 mins | 3 |
| STX3800 | Loop Handled Line Trimmer/Brush Cutter*** | | - | | | 50 mins | | 72 mins | | | 97 mins | | 3 |
| RTX2300 | Rotocut (Assembled on BCX/STX3800) *** | | 25 mins | 3 | | 52 mins 80 mins | | | 105 mins | | | | |
| EGO Power+ He | dge Trimmers | | | | | | | | | | | | |
| HT2400E | 61cm Hedge Trimmer | | 75 mins | 3 | 150 mins | | 3 | 225 mins | | | 300 min | s | |
| HT2410E | 61cm Hedge Trimmer | | 75 mins | 3 | 150 mins 225 mins | | S | 300 mins | | | | | |
| HT5100E | 51cm Hedge Trimmer | | 40 mins | 3 | 82 mins 125 mins | | S | 164 mins | | | | | |
| HT6500E | 65cm Hedge Trimmer | | 33 mins | 3 | 72 mins 110 mins | | S | | 144 min | S | | | |
| HTX6500 | 65cm Hedge Trimmer*** | | - | | 70 mins | | 105 mins | | 140 mins | | | | |
| HTX7500 | 75cm Hedge Trimmer*** | | - | | | 60 mins 90 mins | | 90 mins | ; | 120 mins | | | |
| EGO Power+ Ch | ainsaws | | | | | | | | | | | | |
| CS1400E | 35cm Chainsaw | | 130 cuts | S | | 300 cuts | ; | | 450 cuts | 3 | | 600 cut | S |
| CS1600E | 40cm Chainsaw | | 130 cuts | S | 300 cuts 450 cuts | | 3 | 600 cuts | | | | | |
| CS1800E | 45cm Chainsaw with Auto Chain Tensioning | | 130 cuts | S | 300 cuts 450 cuts | | 600 cuts | | | | | | |
| EGO Power+ Blo | wers | | | | | | | | | | | | |
| Run time in Min | S | Low | High | Max | Low | High | Max | Low | High | Max | Low | High | Max |
| LB5300E | Blower 900m³/h | 75 | 22 | 10 | 150 | 44 | 20 | 225 | 66 | 30 | 300 | 88 | 40 |
| LB5800E | Blower 986m³/h | 100 | 15 | 9 | 200 | 30 | 18 | 300 | 45 | 27 | 400 | 60 | 36 |
| LB6000E | Backpack Blower 1020m³/h | 75 | 13 | 9 | 120 | 22 | 15 | 180 | 33 | 23 | 240 | 44 | 30 |
| LBX6000 | Blower 1014m ³ /h*** | | _ | | | 60 mins | | | 90 mins | | | 120 min | S |
| EGO Power+ Mu | Iti-Tool | | | | | | | | | | | | |
| STA1500 | Multi-Tool Line Trimmer Attachment | | 18 mins | 3 | | 45 mins | | | 72 mins | | | 93 mins | 3 |
| BCA1200 | Multi-Tool Brush Cutter Attachment | | 27 mins | | | 60 mins | | | 95 mins | | | 125 min | S |
| HTA2000 | Multi-Tool Hedge Trimmer Attachment | | 37 mins | | 82 mins | | | | 122 mins | S | | 157 min | S |
| HTA2000S | Multi-Tool Short Hedge Trimmer Attachment | | 37 mins | | | 82 mins | | | 122 mins | S | | 157 min | S |
| PSA1000** | Multi-Tool Pole Saw Attachment | | 70 cuts | | | 140 cuts | 140 cuts 210 cuts | | 3 | | 285 cut | 3 | |
| EA0800 | Multi-Tool Edger Attachment | | - | | | 60 mins | | | 100 mins | S | | 132 min | S |
| CTA9500 | Multi-Tool Cultivator Attachment | | 40 mins | 3 | | 80 mins | | | 120 mins | S | | 160 min | S |
| BBA2100 | Multi-Tool Bristle Brush Attachment | | 40 mins | 3 | | 80 mins | | | 120 mins | S | | 160 min | S |
| 0SA1000 | Multi-Tool Olive Shaker Attachment | | 50 mins | 3 | | 100 mins | 3 | | 160 mins | S | | 210 min | S |

^{***}Portable batteries must be used with either BH1000 or BHX1000 harnesses

26 | BATTERY COMPATIBILITY & RUN TIMES | 27











FROM EMPTY TO FULLY CHARGED IN JUST 30 MINS

With a range of battery sizes available from 2.5Ah to 28Ah, you can choose the power you need to tackle any task. When it's time to recharge, the EGO Power+ rapid charger is the fastest on the market.


The intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. In fact with the rapid charger, the 2.5Ah battery takes just 30 minutes. So with two batteries on the go, you'll have all the power you need, all day long.

CH5500E Rapid Charger



CH2100E Standard Charger




CHX5500E Professional-X Charger



| PERFORMANCE STATISTICS | | | | | | | | | |
|------------------------|-------------------------------------|---------|----------|----------|----------|---------------------------------|--------------------------------------|--|--|
| BATTERY N | MODEL | BA1400T | BA2800T | BA4200T | BA5600T | BAX1300 | BAX1500 | | |
| BATTERY (| Ah) | 2.5Ah | 5.0Ah | 7.5Ah | 10.0Ah | _ | _ | | |
| CAPACITY | (Wh) | 140 | 280 | 420 | 560 | 1299Wh at 56V rated | 1568Wh at 56V rated | | |
| | RAPID CHARGER: CH5500E | 30 mins | 40 mins | 60 mins | 70 mins | 200 mins | 210 mins | | |
| CHARGE TIMES | STANDARD CHARGER: CH2100E | 50 mins | 100 mins | 145 mins | 190 mins | - | - | | |
| | PROFESSIONAL-X CHARGER: CHX5500E | - | - | - | - | Default: 320 mins Rapid: N/A | Default: 420 mins Rapid: 210 mins | | |
| WEIGHT | | 1.2kg | 2.2kg | 2.8kg | 3.4kg | 7.8kg | 9.0kg | | |
| DOMESTIC | WARRANTY | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years | | |
| PROFESSIO | ONAL WARRANTY | 2 years | 2 years | 2 years | 2 years | 3 years | 3 years | | |

28 | EGO POWER* CHARGERS | 29





PETROL-MATCHING BATTERY POWER MEETS SUPER TOUGH DESIGN AND CONSTRUCTION IN OUR PROFESSIONAL-X RANGE.



30 | EGO POWER* PROFESSIONAL-X RANGE





When we created our EGO Power⁺ Professional-X range we set our standards high. Not content with developing a range of tools that redefined what cordless tools can do – we looked to deliver power and performance that exceeds their petrol-powered equivalents.

Designed to work harder, all-day every day, in the most challenging conditions. This range of high-spec tools and backpack battery take petrol-free working to a whole new level, ensuring productivity levels remain high.

Built to last and last

All tools in the Professional-X range are engineered to last longer, so you can cut maintenance time down to size. And because they are quieter, lighter with no fumes and less vibration, you can work comfortably for longer.

New range - same compatibility

EGO is a name you can rely on. With a history of cordless power innovation, we know the ability to mix and match batteries, backpacks, harnesses and tools is vital. This level of complete flexibility continues with the Professional-X range.






Download our latest whitepape to find out how

to increase safety, productivity, sustainability and cost-effectiveness

egopowerplus.co.uk/whitepaper



SUPER TOUGH. SUPER POWERFUL. INTRODUCING THE EGO PROFESSIONAL-X RANGE





32 | EGO POWER* PROFESSIONAL-X RANGE | 33


LESS VIBRATION, LESS NOISE, MORE USER FRIENDLY

Another great reason for choosing EGO is that you can power through any job, without the excess physical stresses and strains associated with heavy, noisy and vibrating petrol-powered tools.

A big benefit of choosing EGO's low-vibration cordless tools is how they help users avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger' it causes painful and disabling disorders of the blood vessels, nerves and joints.







Designed so you can work comfortably all day long

With a smooth brushless motor and fewer moving parts, all EGO Power⁺ tools have been designed to operate with low levels of vibration, often under the 2.5m² Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV).

This allows you to comfortably work with them all day long without any risk to your health. So, choose EGO Power⁺ and protect yourself every working day.

They are much quieter too

Let's face it. Petrol tools are noisy and daily exposure can lead to hearing loss and also tinnitus - a permanent ringing sensation in the ears. Fortunately the EGO Power⁺ range is much quieter than petrol-powered alternatives, reducing the risk of potential damage, especially over long-term use.


Operating noisy equipment can also lead to an increase in work-related stress. Many factors are known to contribute to this condition and rarely there is a single cause. However, because EGO Power⁺ tools operate at lower sound levels, the working environment is quieter and less stressful for the user.





4000-6000_{rl}

THE TOUGH **ANSWER TO** ROUGH GROUND



Perfectly balanced for comfortable use, EGO's Professional-X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.

Includes AHP1500 Hip Pad Harness

PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (BIKE HANDLE)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.

EFFICIENT AND POWERFU BRUSHLESS MOTOR

For longer running times

STX3800

PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (LOOP HANDLE)

Our Professional-X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.





NOISE: LpA 81dB(A) | VIBRATION: 1.9m/s²

CARBON FIBRE DRIVE SHAFT

can be used with

DOMESTIC WARRANT

PROFESSIONAL

WARRANTY

5 years

3 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique

EGO POWER* PROFESSIONAL-X LINE TRIMMERS/BRUSH CUTTERS 37

5 years

3 years

VARIABLE SPEED Trigger with SAFETY LOCK-OFF

















for free movement and longer life

TAKE TRIMMING TO THE NEXT LEVEL.



The EGO Professional-X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades instead of line, it maximises run-time and most importantly, prevents debris from being thrown, making it ideal for use in built up areas where risk of damage or injury is particularly acute. With a low profile on the gear box, it can take on the most difficult to reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool and reducing pavement damage. The blades have been designed to ensure clean and efficient cutting performance whilst maintaining durability.

Rotocut can be used with any rear motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and power.



RTX2300 PROFESSIONAL-X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.





| | RTX2300 |
|-------------------------|--|
| CUTTING WIDTH | 23cm |
| RUN TIME* | 2.5Ah Up to 25 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins BAX1500 Up to 325 mins |
| ROTATING DIRECTION | Two blades counter rotation |
| BLADE TYPE | High strength alloy steel |
| WEIGHT | 1.9kg |
| VIBRATION (M/S²) | 1.1/1.5 |
| NOISE RATING Lpa/Lwa | 79.3dB(A) 93dB(A) |
| CUTTING SPEED | 450rpm |
| COMPATIBLE EGO TOOLS | STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200 |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 3 years |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.

to most rear motored

line and brush cutters



CUTS CLEANER, RUNS LONGER. **MAKES CUTTING** HEDGES **SHORT WORK**

Designed for professionals, the Professional-X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, fumes and noise of a petrol engine.

Blades that cut cleanly

The high-quality EGO Power⁺ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.








HTX7500 75CM PROFESSIONAL-X HEDGE TRIMMER

An all-new addition to the Professional-X range, a longer blade offers greater coverage, making even the biggest jobs a breeze.





INCLUDES SCABBARD



| | HTX6500 | HTX7500 |
|---------------------------------|--|--|
| LADE LENGTH | 65cm | 75cm |
| UTTING CAPACITY | 33mm | 33mm |
| LADE GAP | 33mm | 33mm |
| LADE TOOTH DEPTH | 20mm | 20mm |
| UN TIME* WITH AX1500 BATTERY | Up to 420 mins | Up to 380 mins |
| PEED CONTROL | Variable speed | Variable speed |
| IO LOAD SPEEDS | 3200spm | 3200spm |
| LADE TYPE | Double-sided cutting | Double-sided cutting |
| UTTING ACTION | Dual action; double-sided cutting | Dual action; double-sided cutting |
| LADE TIP PROTECTOR | Yes | Yes |
| OTATING HANDLE | No | No |
| VEIGHT | 3.9kg | 4.0kg |
| NOTOR TYPE | Brushless | Brushless |
| IOISE RATING pa/Lwa | 80 dB(A) 90.1dB(A) | 83.9 dB(A) 95.4dB(A) |
| IBRATION (M/S²) | 3.2/3.9 | 2.9/3.5 |
| OMESTIC WARRANTY | 5 years | 5 years |
| ROFESSIONAL WARRANTY | 3 years | 3 years |
| *Bun time may vary and dene | nd on the battery used, charge level of battery or | ondition of hedge and user's operation technique |





1.67m/s²





VARIABLE SPEED TRIGGER For increased control



For extra safety

 $P = \frac{FxD}{}$

FEET

For stable storage

OUTPOWERS PETROL POWERED **BLOWERS**

The LBX6000 is our most powerful handheld blower yet. Delivering more blowing time, more comfort and more power than petrol.

AIR SPEED: 212km/h

1014m³/I

With the ability to blow over 1014m³ of air per hour on Boost mode, the leaves and the competition don't stand a chance.

LBX6000 PROFESSIONAL-X BLOWER


Designed to be used with the Professional-X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.












| | LBX6000 | | | | | | | | | |
|-------------------------------|------------------|----------------|----------------|----------------|---------------|--|--|--|--|--|
| CONSTANT SPEED | Yes | Yes | | | | | | | | |
| RUN TIME* WITH | Level 1 | Level 2 | Level 3 | Level 4 | Boost | | | | | |
| BAX1500 BATTERY | Up to 350 mins | Up to 210 mins | Up to 140 mins | Up to 100 mins | Up to 70 mins | | | | | |
| AIR VOLUME (M3/H) | 1014m³/h Max | | | | | | | | | |
| AIR SPEED (KM/H) | 212km/h | | | | | | | | | |
| FORCE (N) | 19.2 Max | | | | | | | | | |
| SPEED SETTING | 4 level settings | and boost | | | | | | | | |
| WEIGHT | 2.7kg | | | | | | | | | |
| MOTOR TYPE | Brushless | | | | | | | | | |
| NOISE RATING LpA/LwA | 80dB(A) | | | | | | | | | |
| • | 93dB(A) | | | | | | | | | |
| VIBRATION (M/S ²) | 1.2 | | | | | | | | | |
| DOMESTIC WARRANTY | 5 years | 5 years | | | | | | | | |
| PROFESSIONAL WARRANTY | 3 years | | | | | | | | | |
| | | | | | | | | | | |

*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique

EGO POWER* PROFESSIONAL-X BLOWER | 43

42 | EGO POWER* PROFESSIONAL-X BLOWER





WE'VE RE-DEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND











THE EGO POWER* MULTI-TOOL. ONE TOOL, LOTS OF OPTIONS

With a single power unit and a range of high-tech attachments, the E60 Power⁺ multi-tool lets you breeze through a variety of jobs. Whether you're cutting grass, edging lawns, trimming hedges, sawing branches or tilling soil, switching between attachments is quick and easy thanks to our simple and secure tool-free coupling system. Plus our extension pole gives you the reach to tackle any height. Add to that our innovative 56V Arc Lithium battery and you have all the power you need, without the fuss or fumes and with less noise than traditional petrol-powered tools.

Attachments available:

• Brush cutter

Hedge trimmer
 Short hedge trimmer
 Pole saw
 Line trimmer
 Bristle brush

Olive shaker



46 | EGO POWER* MULTI-TOOL | 47



ARC LITHIUM 56V

THE POWER TO TACKLE ANY TASK

One revolutionary power unit. Nine ways to use it.

Our most versatile tool yet, the EGO Power⁺ multitool makes more possible. Featuring nine different attachments, easily switch from trimming to cutting to sawing to edging to tilling.



HEDGE TRIMMERS

With our standard version ideal for shaping high and wide hedges and branches, and our short version for lower tasks, the head angle is adjustable to suit the job at hand and allows for storage in small spaces.



POLE SAW

Slices through tree branches fast and efficiently. Combine with the carbon fibre extension pole to reach further and cut more.



LINE TRIMMER

Trim grass along fences and walls with professional precision. Includes our Rapid Reload head, making it easier than ever to replace line.



BRUSH CUTTER

Made tougher, the brush cutter is built to deal with difficult undergrowth.

From thick grass to tough weeds and undergrowth, cut through the most troublesome tasks with ease.



EDGER

Give lawns a professional finish with the edger attachment.
Ideal for neatening edges along paths, driveways or flowerbeds.





CULTIVATOR

The cultivator's teeth prepare soil prior to planting. Removing weeds and introducing air, it creates a loose bed, encouraging the growth of healthy plant life.



BRISTLE BRUSH

Make short work of sweeping hard surfaces with our easy-to-attach bristle brush. The 1.5mm bristles make it ideal for cleaning the toughest areas whilst protecting the operator from flying debris.



OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per second, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.











PH1400E **MULTI-TOOL POWER HEAD**

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.











| | PH1400E |
|-----------------------|------------------------|
| MOTOR TYPE | Brushless |
| SPEED CONTROL | Variable speed |
| DRIVE SHAFT MATERIAL | 7mm solid steel |
| DRIVE TUBE TYPE | Aluminium |
| COUPLING MECHANISM | Tool-free quick change |
| WEIGHT | 2.7kg |
| TOTAL LENGTH | 97cm |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 2 years |

EP7501 **EXTENSION POLE**

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.








WHEELED MULTI-TOOL BAG

Wheeled bag for easily transporting multi-tool power head and attachments. Separate pockets for storing accessories.











HTA2000 **HEDGE TRIMMER ATTACHMENT**

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.



HTA2000S SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this all-new attachment makes short work of low, deep hedges.



PSA1000 POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.







CTA9500 **CULTIVATOR ATTACHMENT**

The easier way to prepare soil for planting, the cultivator's rotating teeth removes weeds and aerates soil.





BBA2100 **BRISTLE BRUSH ATTACHMENT**

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.



10 carbon fibre fingers shake and drop olives from

OLIVE SHAKER ATTACHMENT

their branches in no time at all.

OSA1000





STA1500 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



BCA1200 **BRUSH CUTTER ATTACHMENT**

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.







EA0800 **EDGER ATTACHMENT**

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.









52 | EGO POWER* MULTI-TOOL EGO POWER+ MULTI-TOOL 53





| | HTA2000 | HTA2000S | PSA1000 | STA1500 | BCA1200 |
|-------------------------|---|---|--|---|--|
| WEIGHT | 2.3kg | 2.2kg | 1.9kg | 1.6kg | 1.8kg |
| TOTAL LENGTH | 160cm / 99cm folded | 120cm | 142cm | 97cm | 102cm |
| RUN TIME [*] | 2.5Ah Up to 37 mins 5.0Ah Up to 82 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins | 2.5Ah Up to 37 mins 5.0Ah Up to 82 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins | 2.5Ah Up to 70 cuts 5.0Ah Up to 140 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts | 2.5Ah Up to 18 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins | 2.5Ah Up to 27 mins 5.0Ah Up to 60 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins |
| BLADE LENGTH | 51cm | 51cm | _ | _ | - |
| CUTTING WIDTH | - | - | _ | 38cm | 30cm |
| LINE DIAMETER SUPPLIED | - | - | - | 2.4mm dual line | - |
| CUTTING HEAD | - | - | - | Rapid reload trimmer head | - |
| SHAFT TYPE | - | - | - | Straight | - |
| ARBOUR SIZE | - | - | _ | - | 25.4mm |
| CUTTING CAPACITY | 26mm | 26mm | - | - | - |
| BLADE MATERIAL AND TYPE | Double-sided laser cut steel blade | Double-sided laser cut steel blade | - | - | Three-sided steel blade |
| FIXED CUTTING ANGLES | 12 articulating cutting angles | 9 articulating cutting angles | - | - | - |
| GUIDE BAR LENGTH | - | - | 25cm | - | - |
| CHAIN PITCH / GAUGE | - | - | 9.5mm, 1.1mm | - | - |
| MAX. CUTTING DIAMETER | - | - | 200mm | _ | - |
| OIL TANK CAPACITY | - | _ | 220ml | _ | - |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 2 years | 2 years | 2 years | 2 years | 2 years |

| | EA0800 | CTA9500 | BBA2100 | OSA1000 |
|-----------------------|---|---|---|--|
| WEIGHT | 2.3kg | 3.9kg | 5kg | 2.24kg |
| TOTAL LENGTH | 92cm | 92cm | 102cm | 140cm |
| RUN TIME* | 2.5Ah N/A 5.0Ah Up to 60 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins | 2.5Ah Up to 40 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins | 2.5Ah Up to 40 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins | 2.5Ah Up to 50 mins 5.0Ah Up to 100 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins |
| BLADE LENGTH | 20cm | 24cm | - | - |
| ROD LENGTH / DIAMETER | - | - | - | 33cm/0.5cm |
| CUTTING DEPTH | Up to 75mm | - | - | - |
| BLADE THICKNESS | 3mm | - | - | - |
| ROD QUANTITY | - | - | - | 10 (5+5) |
| DEBRIS GUARD MATERIAL | Aluminium with rubber skirt | Plastic | Plastic | - |
| CUTTING WIDTH | - | 21/24cm | - | - |
| CLEANING SWATH | - | - | 560mm | - |
| TILLING SPEED | - | - | High 240rpm, Low 210rpm | - |
| WORKING RANGE | - | - | _ | 58cm-33cm |
| BRISTLE GAUGE | - | - | 1.5mm | - |
| ARBOUR SIZE | 25.4mm | - | - | - |
| DIMENSION | - | - | 102 x 56.5 x 29.5cm | - |
| ROD MATERIAL | - | - | - | Carbon fibre |
| STROKES PER MINUTE | - | - | - | 1780/2120spm |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 2 years | 2 years | 2 years | 2 years |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique.

BE READY FOR ANYTHING WITH EGO POWER MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power+ multi-tool kits combine the tools you need, with the power and performance to get the job done.





MULTI-TOOL KIT MHCC1002E

With everything you need to tackle all jobs above the ground, this kit includes the power head with hedge trimmer and pole saw attachments together with a 2.5Ah battery and rapid charger.

Includes:

PH1400E - Power head

HTA2000 - Hedge trimmer attachment

PSA1000 - Pole saw attachment

BA1400T - 2.5Ah battery

CH5500E - Rapid charger



MULTI-TOOL KIT MHSC2002E

Our ultimate multi-tool kit includes the power head with line trimmer, hedge trimmer, pole saw and edger attachments, along with a 5.0Ah battery and rapid charger.

Includes:

PH1400E - Power head

STA1500 - Line trimmer attachment

HTA2000 - Hedge trimmer attachment

PSA1000 - Pole saw attachment


EA0800 - Edger attachment

ABB1203 - Brush cutter blade

BA2800T - 5.0Ah battery

CH5500E - Rapid charger

54 | EGO POWER* MULTI-TOOL KITS





WITH A RANGE OF CUTTING CAPACITIES, POWERFUL VARIABLE SPEED MOTORS AND SELF-PROPELLED MODELS, TACKLE ANY SIZE LAWN WITH EASE.















VARIABLE SPEED SELF-PROPELLED MOTOR KEEPS YOU IN CONTROL AS YOU CUT

VARIABLE SPEED
SELF-PROPELLED MOTOR
Cut at a speed that suits you

LARGE DIAMETER

For easy motion

6-POSITION SPRING Loaded Deck Height

Set heights from 20-95mm

PUSH BUTTON START Power up in seconds OUICK RELEASE TELESCOPIC HANDLE HIGH TORQUE, HIGH-EFFICIENCY MOTOR For operation in all conditions LED HEADLIGHTS Work further into the day

CUTS LIKE A PETROL MOWER. JUST CUTS OUT THE PETROL

Significantly quieter than a petrol mower with far lower service costs and zero emissions during use, the EGO Power⁺ mower range offers a variety of cutting capacities.

The variable speed self-propelled motor keeps you in control as you cut. Plus on a single charge our battery gives you up to 1650 sqm cutting area*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

The 3-in-1 functionality lets you cut, bag or drop clippings while the LED headlights let you work further into the day. And when you're done, the easy-fold design makes cleaning and storage simple.

Please note: some features are not available on all mod-

42-52 cm

BAG FULL INDICATOR Lets you know when

LARGE CAPACITY BAG

and requires emptying less frequently

Collects more grass

FOLDS IN SECONDS

For convenient storage

ADJUSTABLE Handle Height the bag needs emptying









A MOWER FOR EVERY LAWN. THE RIGHT TOOL FOR THE JOB

The EGO Power+ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 52cm cutting width, there's an option for every task.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary Arc Lithium 56V battery system, they make minimal noise, emit zero fumes, and start up at the touch of a button. Plus, with an easy-fold design, they're surprisingly simple to store.

While these benefits apply to all EGO Power* mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram above to identify the size of the space you need to cover on a single charge, and therefore the mowers that are suitable for you.

CHOOSING THE RIGHT MOWER:



Small, tight spaces, or close to trees

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

LESS ROOM TO WORK WITH?

Our compact 42cm model LM1700E is perfect for smaller spaces.



Bigger, open spaces

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will automatic cutting speed control. For a quick clean-up, a larger capacity bag can collect more grass and needs emptying less often.

LARGER LAWN?

Try our 52cm model LM2120E-SP which makes even the biggest jobs feel small.



Sloping ground

Using a self-propelled mower takes the strain out of pushing the mower uphill.



Additional comfort

If comfort is a priority, poly deck models are the lightest option. Self-propelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.



Finishes

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.



Grass collection

There are 3 different ways that EGO Power⁺ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Having a side discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.

60 | EGO POWER $^+$ MOWERS | 61





LM1700E 42cm MOWER



With 42cm cutting capacity, brushless motor and 55L collection bag.

Mulching kit ABP1700 and rear roller kit AR1700 are available to purchase.



LM1900E-SP 47cm SELF-PROPELLED MOWER



Self-propelled mower with a 47cm cutting capacity, brushless motor and 55L collection bag. Mulching kit ABP1900 and rear roller kit AR1900 are available to purchase.



LM1700E-SP

42cm SELF-PROPELLED MOWER



Self-propelled mower with a 42cm cutting capacity, brushless motor and 55L collection bag. Mulching kit ABP1700 and rear roller kit AR1700 are available to purchase.



LM2020E-SP 50cm SELF-PROPELLED MOWER



Self-propelled mower with a 50cm cutting capacity, brushless motor and 60L collection bag.



LM2120E-SP

52cm SELF-PROPELLED MOWER



Self-propelled mower with a 52cm cutting capacity, brushless motor and 70L collection bag.








| | LM1700E | LM1700E-SP | LM1900E-SP | LM2020E-SP | LM2120E-SP |
|-------------------------|---|---|---|---|---|
| CUTTING CAPACITY | 42cm | 42cm | 47cm | 50cm | 52cm |
| SELF-PROPELLED SPEED | No | 0.5-1.4m/s (1.8-5.0km/h) | 0.6-1.4m/s (2.2-5.0km/h) | 0.6-1.4m/s (2.2-5.0km/h) | 0.6-1.4m/s (2.2-5.0km/h) |
| CUTTING DECK MATERIAL | Poly | Poly | Poly | Steel | Poly |
| CUTTING AREA | 400 sqm (2.5Ah) | 300sqm (2.5Ah) | 800 sqm (5.0Ah) | 700sqm (5.0Ah) | 1200 sqm (7.5Ah) |
| RUN TIME* | 2.5Ah Up to 20 mins 5.0Ah Up to 40 mins 7.5Ah Up to 55 mins 10.0Ah Up to 75 mins | 2.5Ah Up to 15 mins 5.0Ah Up to 35 mins 7.5Ah Up to 50 mins 10.0Ah Up to 70 mins | 2.5Ah N/A 5.0Ah Up to 35 mins 7.5Ah Up to 50 mins 10.0Ah Up to 70 mins | 2.5Ah N/A 5.0Ah Up to 28 mins 7.5Ah Up to 45 mins 10.0Ah Up to 60 mins | 2.5Ah N/A 5.0Ah N/A 7.5Ah Up to 50 mins 10.0Ah Up to 65 mins |
| CUTTING SPEED CONTROL | - | _ | _ | Automatic Variable Speed** | Automatic Variable Speed* |
| NO LOAD SPEED | 3,000rpm | 3,000rpm | 2,850rpm | 2,850rpm | 2,800rpm |
| CUT HEIGHT SETTINGS | 20/27/35/45/58/70/80mm | 20/27/35/45/58/70/80mm | 20/27/35/45/58/70/80mm | 25/35/50/65/80/95mm | 28/38/52/64/80/94mm |
| HANDLE HEIGHTS | Three - user adjustable | Three - user adjustable | Three - user adjustable | Three - user adjustable | Three - user adjustable |
| REAR COLLECTION | 55L | 55L | 55L | 60L | 70L |
| FUNCTIONS | Mulch [†] , collect, rear discharge | Mulch [†] , collect, rear discharge | Mulch [†] , collect, rear discharge | Mulch, collect, side discharge | Mulching and collect |
| NOISE RATING Lpa/Lwa | 78dB(A) 95dB(A) | 78dB(A) 95dB(A) | 80dB(A) 95dB(A) | 80dB(A) 93dB(A) | 87dB(A) 92dB(A) |
| /IBRATION (M/S²) | 2.4 | 1.5 | 1.36 | 1.0 | 1.0 |
| /ERTICAL STORAGE | Yes | Yes | Yes | Yes | Yes |
| VEIGHT WITHOUT BATTERY | 22kg | 25kg | 25kg | 27kg | 28kg |
| MOTOR TYPE | Brushless | Brushless | Brushless | Brushless | Brushless |
| OOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 1 year | 2 years | 2 years |
| AVAILABLE AS A KIT | LM1701E: Inc. 2.5Ah battery & standard charger | LM1701E-SP: Inc. 2.5Ah battery & standard charger | LM1903E-SP: Inc. 5.0Ah battery & rapid charger | LM2021E-SP: Inc. 5.0Ah battery & rapid charger | LM2122E-SP: Inc. 7.5Ah battery & rapid charger |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1700E, LM1700E-SP and LM1900E-SP are available separate to purchase (ABP1700 and ABP1900).

62 | EGO POWER $^+$ MOWERS | 63





THE PERFECT COMBINATION OF POWER, BALANCE AND COMFORT, OUR LINE TRIMMERS AND BRUSH CUTTER CUT EVERY JOB DOWN TO SIZE.











TRIM WITH POWER AND PRECISION

Powered by the 56V Arc Lithium battery, EGO Power⁺ line trimmers give you all the power you need to tackle the toughest jobs. The quickadjust handle offers optimum balance and control, while the large cutting swathe cuts any task down to size. Plus, the soft-start function and constant speed control ensures consistent trimming every time.

Built with ease-of-use in mind, ergonomic design, super-fast charging and groundbreaking Powerload™ technology* combine to create a truly revolutionary tool.

POWERLOAD™ TECHNOLOGY



BRUSHLESS MOTOR Delivers more power and greater run time



LARGE CUTTING SWATHE For faster, more efficient trimming

Please note: some features are not available on all models







Solving one of the biggest frustrations of line replacement, EGO's ground-breaking Powerload™ technology automatically winds your trimmer. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E and ST1511E.



STEP 1 Thread the line



STEP 2 Press the Powerload™ button to load line

Our first line trimmer with Powerload™ technology for automatic line replacement. Features variable speed and large 38cm cutting swathe.



Includes AP1500 Single Shoulder Harness





ST1300E 33cm LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement.





ST1500E-F **38cm LINE TRIMMER**

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.





ST1530E **38cm LINE TRIMMER**

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



| | ST1510E | ST1300E | ST1500E-F | ST1530E |
|--------------------------------------|--|--|--|---|
| CUTTING WIDTH - Line trimmer head | 38cm | 33cm | 38cm | 38cm |
| TOTAL LENGTH | 173cm | 173cm | 186cm | 167cm |
| RUN TIME [*] | 2.5Ah Up to 30 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins | 2.5Ah Up to 70 mins 5.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins | 2.5Ah Up to 30 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins | 2.5Ah Up to 18 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins |
| SPEED CONTROL | Constant speed | Constant speed | Constant speed | Constant speed |
| SPEED GUIVINUL | Variable speed | Two-speed | Variable speed | Two-speed |
| NO LOAD SPEEDS | 4,000-5,800rpm | 5,200/6,500rpm | 4,000-5,800rpm | 6,000/7,000rpm |
| SOFT-START | Yes | Yes | Yes | Yes |
| LINE DIAMETER SUPPLIED | 2.4mm | 2.0mm | 2.4mm | 2.4mm |
| LINE FEED | Powerload™ head | Bump feed head | Rapid reload bump feed head | Rapid reload bump feed head |
| DUAL LINE | Yes | Yes | Yes | Yes |
| ROTATING DIRECTION | Clockwise | Clockwise | Clockwise | Anti clockwise |
| AUXILIARY HANDLE | Loop and quick-adjust | Loop and quick-adjust | Loop and quick-adjust | Loop and quick-adjust |
| HARNESS | Single shoulder | N/A | Single shoulder | Single shoulder |
| WEIGHT WITHOUT BATTERY | 3.2kg | 2.7kg | 3.2kg | 4.2kg |
| VIBRATION (M/S²) | 1.1/1.5 | 2.1/1.2 | 2.2/1.7 | 3.9/2.7 |
| MOTOR TYPE | Brushless | Brushless | Brushless | Brushless |
| NOISE RATING Lpa/Lwa | 79.3dB(A) 93dB(A) | 75dB(A) 93dB(A) | 79dB(A) 96dB(A) | 82.6dB(A) 96dB(A) |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 1 year | 2 years |
| AVAILABLE AS A KIT | ST1511E: Includes 2.5Ah battery and standard charger | ST1301E: Includes 2.5Ah battery and standard charger | - | - |
| | | | | |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.



POWER LINE TRIMMER & BRUSH CUTTER









BC1500E-F 38cm LINE TRIMMER

Variable speed, large 38cm cutting swathe with bump head line feed and easy line replacement.



Includes AP1500 Single Shoulder Harness

| | BC1500E-F |
|-------------------------|--|
| CUTTING WIDTH | 38cm |
| TOTAL LENGTH | 186cm |
| RUN TIME* | 2.5Ah Up to 30 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins |
| SPEED CONTROL | Constant variable speed |
| LINE DIAMETER SUPPLIED | 2.4mm |
| LINE FEED | Rapid reload bump feed head |
| ROTATING DIRECTION | Clockwise |
| WEIGHT WITHOUT BATTERY | 3.4kg |
| VIBRATION (M/S²) | 4.3/2.9 |
| MOTOR TYPE | Brushless |
| NOISE RATING Lpa/Lwa | 70 dB(A) 86 dB(A) |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 1 year |



BC3800E 30/38cm BRUSH CUTTER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.


| 30CM CUTTING WIDTH | 38CM CUTTING WIDTH | VARIABLE SPEED | 2.4MM LINE DIAMETER | CAN BE USED WITH ROTOCUT |
|--------------------------|--------------------------|--------------------|------------------------------------|--------------------------|
| | | | 7 | |
| BUMP LINE FEED | RAPID RELOAD HEAD | BRUSHLESS MOTOR | USE WITH EGO POWER+ BACKPACK | |

Includes AP1500D Double Shoulder Harness

| | - |
|-------------------------------|---|
| | BC3800E |
| CUTTING WIDTH | |
| - Three-sided blade | 30cm |
| - Line trimmer head | 38cm |
| TOTAL LENGTH | 186cm |
| RUN TIME* | 2.5Ah Up to 20 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins |
| BLADE MATERIAL | Three-sided steel blade |
| SPEED CONTROL | Constant variable speed |
| LINE DIAMETER SUPPLIED | 2.4mm |
| LINE FEED | Rapid reload bump feed head |
| ROTATING DIRECTION | Anti clockwise |
| WEIGHT WITHOUT BATTERY | |
| - Three-sided blade | 4.64kg |
| – Line trimmer head | 4.35kg |
| VIBRATION (M/S ²) | |
| - Three-sided blade | 1.5/1.9 |
| - Line trimmer head | 2.3/2.4 |
| MOTOR TYPE | Brushless |
| NOISE RATING Lpa/Lwa | 80dB(A) 96dB(A) |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 2 years |

 ${}^{\star}\text{Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.}$

70 EGO POWER* LINE TRIMMER





LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.







Select the correct speed for each trimming task






DIAMOND GROUND LASER CUT BLADES FOR PRECISE CLEAN CUTS

BALANCED, PRECISE, POWERFUL

Powered by the petrol-matching 56V Arc Lithium battery, a single charge delivers such impressive run times that you'll be amazed at how much hedge you can cut.

The well-balanced design also has a number of clever features to make using for long periods of time more comfortable. The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, fumes and noise of a petrol engine.



74 | EGO POWER* HEDGE TRIMMERS EGO POWER* HEDGE TRIMMERS | 75













HT2400E **61cm HEDGE TRIMMER**

Single speed 61cm blade length, 22mm blade gap with single knife-edge cutting action.













HT2410E **61cm HEDGE TRIMMER**

Single speed 61cm blade length, 26mm blade gap with single knife-edge cutting action.














HT5100E 51cm HEDGE TRIMMER

Two-speed 51cm blade length, 33mm blade gap with double-sided knife-edge cutting action and rotating rear handle for comfort and control.








HT6500E 65cm HEDGE TRIMMER

Two-speed 65cm blade length, 33mm blade gap with double-sided knife-edge cutting action and rotating rear handle for comfort and control.





Available in lengths from 51cm to 65cm, there's an EGO Power⁺ hedge trimmer for every size job.

EGO Power⁺ hedge trimmers feature double-sided knife-edge[†], laser cut diamond ground blades for precise clean cuts. The two-speed selector lets you choose the right speed for every task and the large

cutting capacity means you can get to work on larger hedges with thicker branches and stems.

Blade-tip protection stops damage from fences and walls. For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.

IT'S LIGHT, COMFORTABLE TO USE AND HAS ALL THE POWER YOU NEED

| | HT2400E | HT2410E | HT5100E | HT6500E |
|-------------------------------|--|--|---|---|
| BLADE LENGTH | 61cm | 61cm | 51cm | 65cm |
| BLADE GAP | 22mm | 26mm | 33mm | 33mm |
| BLADE TOOTH DEPTH | 17mm | 17mm | 20mm | 20mm |
| RUN TIME [*] | 2.5Ah Up to 75 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins | 2.5Ah Up to 75 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins | 2.5Ah Up to 40 mins 5.0Ah Up to 82 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins | 2.5Ah Up to 33 mins 5.0Ah Up to 72 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins |
| SPEED CONTROL | Single speed | Single speed | Two-speed | Two-speed |
| NO LOAD SPEEDS | 2,600spm | 3,000spm | 2,800/3,200spm | 2,800/3,200spm |
| BLADE TYPE | Laser cut; diamond ground | Laser cut; diamond ground | Laser cut; diamond ground | Laser cut; diamond ground |
| CUTTING ACTION | Dual action; single-sided cutting blade | Dual action; single-sided cutting blade | Dual action; double-sided cutting blade | Dual action; double-sided cutting blade |
| BLADE TIP PROTECTOR | Yes | Yes | Yes | Yes |
| NOISE RATING LpA/LwA | 83dB(A) 94dB(A) | 83 dB(A) 96dB(A) | 81dB(A) 92dB(A) | 81.4dB(A) 93dB(A) |
| ROTATING HANDLE | No | No | 45° and 90° left and right | 45° and 90° left and right |
| WEIGHT WITHOUT BATTERY | 2.8kg | 3.0kg | 3.6kg | 3.8kg |
| MOTOR TYPE | Brushed | Brushless | Brushless | Brushless |
| VIBRATION (M/S ²) | 1.1/1.7 | 1.8/1.7 | 3.4/1.9 | 5.3/3.1 |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 2 years | 2 years |
| AVAILABLE AS A KIT | HT2401E: Includes 2.5Ah battery and standard charger | - | - | - |

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique

76 | EGO POWER* HEDGE TRIMMERS EGO POWER+ HEDGE TRIMMERS 77















GRASS TRIMMER ATTACHMENT

Quick and easy edge trimming – 11.5cm cutting width

COMFORTABLE GRIP Excellent comfortable controls for easy use

SIMPLE ATTACHMENT

For different blade sets

POWERFUL MOTOR 2400 spm 2.0Ah battery

COMPACT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium Ion battery, the EGO Power⁺ shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach. A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they're are an essential addition to every gardener's arsenal.



CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.










HEDGE SHRUB SHEAR ATTACHMENT Easy to change 20cm laser cut blade with 8mm blade gap

| | CHT2001E |
|-----------------------|---|
| BLADE LENGTH | 20cm |
| BLADE GAP | 8mm |
| RUN TIME | Up to 70 mins |
| SPEED CONTROL | Single-speed |
| NO LOAD SPEEDS | 2400 spm |
| BLADE TYPE | Laser cut |
| CUTTING ACTION | Dual action; double-sided cutting blade |
| BLADE TIP PROTECTOR | No |
| STANDARD BATTERY | 2.0Ah |
| CHARGE TIME | 3.5 hours |
| WEIGHT WITH BATTERY | 1.1kg |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | - |
| | |

78 | EGO POWER* 12V SHRUB/GRASS SHEARS





BUILT FOR THE TOUGHEST JOBS, POWERED BY OUR 56V ARC LITHIUM BATTERY TECHNOLOGY, NOTHING GETS IN THEIR WAY.
















CHAIN BRAKE for safe operation LED LIGHT for use in low light conditions EFFICIENT ——— And Powerful Brushless motor

BATTERY COMPATIBLE WITH ALL EGO TOOLS

for control when cutting logs

AUTOMATIC CHAIN OILING for better cutting

performance

OPAQUE OIL LEVEL INSPECTION WINDOW

> AUTO CHAIN TENSIONING

For simple safe tensioning turn over to discover more >>>

IT CUTS, CUTS AND **CUTS SOME MORE**

The EGO Power⁺ chainsaws are built tough to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

It really cuts it when it comes to safety too. The chain kickback and electric brake protect you while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus with EGO's 56V Arc Lithium battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.









NEW FOR 2020

SIMPLE, SAFE CHAIN TENSIONING

AUTO CHAIN TENSIONING

The EGO Power⁺ 18 inch chainsaw with Auto Chain Tensioning is built tough to tackle even the hardest jobs. With a high speed 20m/s chain speed and a powerful motor, nothing will get in the way.

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw, re-tighten and you're ready to go.

It's perfect for low light too thanks to a powerful LED light.



SIMPLE ADJUSTMENT
For simple safe tensioning



POWERFUL LED LIGHT Ideal for low light



CS1800E 45cm CHAINSAW

Featuring a 45cm bar length and 20.0m/s chain speed and Auto Chain Tensioning.















CS1400E

35cm CHAINSAW

Featuring a 35cm bar length and 13.5m/s chain speed.













CS1600E

40cm CHAINSAW

Featuring a 40cm bar length and 13.5m/s chain speed.













BCS1000 Chainsaw Bag

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately see page 98.

| | CS1400E | CS1600E | CS1800E |
|-------------------------|---|---|---|
| BLADE LENGTH | 35cm | 40cm | 45cm |
| CHAIN SPEED | 13.5m/s | 13.5m/s | 20m/s |
| CUTS UP TO* | 2.5Ah Up to 130 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts | 2.5Ah Up to 130 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts | 2.5Ah Up to 130 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts |
| CHAIN BAR | AG1400 | AG1600 | AG1800 |
| CHAIN TYPE | AC1400 (90PX - 3/8" x 1.1mm) | AC1600 (90PX - 3/8" x 1.1mm) | AC1800 (90PX - 3/8" x 1.3mm) |
| OIL RESERVOIR | 150ml | 150ml | 200ml |
| CHAIN OIL | Automatic | Automatic | Automatic |
| CHAIN BRAKE | Yes | Yes | Yes |
| NOISE RATING Lpa/Lwa | 86dB(A) 100dB(A) | 85dB(A) 99dB(A) | 93dB(A) 104dB(A) |
| VIBRATION (M/S2) | 5.4/4.1 | 3.0/3.2 | 5.1/3.5 |
| CHAIN TENSIONING | Tool free | Tool free | Automatic |
| WEIGHT WITHOUT BATTERY | 3.8kg | 3.9kg | 4.47kg |
| MOTOR TYPE | Brushless | Brushless | Brushless |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 2 years |
| AVAILABLE AS A KIT | CS1401E: Includes 2.5Ah battery and standard charger | - | - |

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.





WITH HIGH-EFFICIENCY BRUSHLESS MOTORS AND














THE BACKPACK **BLOWER** THAT PACKS **A PUNCH**

Big jobs need big power. And that's what the EGO Power+ backpack blower delivers. With the ability to blow over 1020m³ of air per hour on Max mode, the leaves don't stand a chance. With up to 2 hours run time* you can cover plenty of ground too.

But there's more to this clever blower than simply packing a punch. The smooth brushless motor significantly reduces vibration compared to its petrol-powered equivalents. It's a lot quieter too. The comfortable padded backpack frame supports the blower, taking the strain off your arm and distributing the weight more ergonomically, making the backpack blower perfect for those really big jobs.





LB6000E **BACKPACK BLOWER**

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.











| | LUUUUUL | | | | |
|-----------------------------------|--|------------|---------|--|--|
| | Low | High | Max | | |
| RUN TIME** WITH 5.0Ah BATTERY | 120 mins | 22 mins | 15 mins | | |
| RUN TIME** WITH 10.0Ah BATTERY | 240 mins | 44 mins | 30 mins | | |
| AIR VOLUME (M3/H) | 440 | 850 | 1020 | | |
| AIR SPEED (KM/H) | 80 | 160 | 193 | | |
| SPEED SETTING | Variable speed v | vith boost | | | |
| FORCE (N) | 19.2 Max | | | | |
| MOTOR TYPE | Brushless | | | | |
| NOISE RATING Lpa/Lwa | 83dB(A) 97dB(A) | | | | |
| VIBRATION (M/S ²) | 1.5 | | | | |
| WEIGHT WITHOUT BATTERY | 5.7kg | | | | |
| DOMESTIC WARRANTY | 5 years | | | | |
| PROFESSIONAL WARRANTY | 2 years | | | | |
| AVAILABLE AS A KIT | LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah battery and rapid charger | | | | |
| | | | | | |

*120min. at 440 m³/h with 5.0Ah battery - Low air setting












JET TURBINE TECHNOLOGY WITH LARGE DIAMETER TUBE TO GIVE MAXIMUM AIRFLOW



BLOWS PETROL-POWERED BLOWERS **OUT OF THE WATER**

Powered by a high-efficiency brushless motor, EGO Power⁺ blowers feature jet turbine technology and a large diameter tube to give maximum airflow. With a variable speed function designed to keep you in control, selected models also feature a Boost mode, delivering extra power for those hard to move objects, more than most handheld petrol blowers on the market. That's more than enough power to clear up even the biggest windfall.

Greater diameter delivers

90 EGO POWER* BLOWERS EGO POWER* BLOWERS | 91

LARGE BLOWER TUBE

maximum airflow















LB5300E **BLOWER**

Variable speed setting, large blower tube, up to 900m³/h output in Boost mode













LB5800E

BLOWER





| m³/h output in Boost mode | | | | | |
|---------------------------|--|--|--|--|--|
| | | | | | |

Variable speed thumb selector for added

airflow control with single handed use,



| LB5300E | | | LB5800E | | | | |
|--|---|----------------------------|--|---|----------------------------|----------------------------|----------------------------|
| BATTERY SIZE | | | BATTERY SIZE | | | | |
| 2.5Ah | 5.0Ah | 7.5Ah | 10.0Ah | 2.5Ah | 5.0Ah | 7.5Ah | 10.0Ah |
| Up to 75 mins Up to | Up to 150 mins Up to | Up to 225 mins Up to | Up to 300 mins Up to | Up to 100 mins Up to | Up to 200 mins Up to | Up to 300 mins Up to | Up to 400 mins Up to |
| 22 mins | 44 mins | 66 mins | 88 mins | 15 mins | 30 mins | 45 mins | 60 mins |
| Up to 10 mins | Up to 20 mins | Up to 30 mins | Up to 40 mins | Up to 9 mins | Up to 18 mins | Up to 27 mins | Up to 36 mins |
| Max | | | Max | | | | |
| 900 | | | 986 | | | | |
| 176 | | | 270 | | | | |
| 16 | | | 18 | | | | |
| Variable speed with boost | | | Constant variable speed with lock-on + boost | | | | |
| 2.2kg | | | 2.2kg | | | | |
| Brushless | | | Brushless | | | | |
| 82 dB(A) 100 dB(A) | | | 78.4dB(A) 95dB(A) | | | | |
| 1.35 | | | 0.18 | | | | |
| 5 years | | | 5 years | | | | |
| 1 year | | | 2 years | | | | |
| LB5301E: Includes 2.5Ah battery and standard charger | | | - | | | | |
| | BATTERY SIZE 2.5Ah Up to 75 mins Up to 22 mins Up to 10 mins Variable speed w 2.2kg Brushless 82dB(A) 100 dB(A) 1.35 5 years 1 year | ### STERY SIZE 2.5Ah | ### STERY SIZE 2.5Ah | ### STREM STATE 2.5Ah 5.0Ah 7.5Ah 10.0Ah Up to | ## BATTERY SIZE 2.5Ah | ## BATTERY SIZE 2.5Ah | BATTERY SIZE |

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.









EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

We've got everything you need to keep you working. And everything in the EGO Power+range is made with the same care and precision as our power tools.

EGO POWER[†] Multi-tool blades, Chains and bars

AEB0800

Multi-tool edger blade for EA0800



AC1000

Multi-tool pole saw chain for PSA1000



AG1000

Multi-tool pole saw bar for PSA1000



ABB1203

Three-sided multi-tool brush cutter blade for STA1500, BCA1200, BC3800E and BCX3800



ACB9500

Multi-tool cultivator blade set for CTA9500



ARB2100

Paddle broom (pair) for BBA2100



ABS2100

Bristle brush (pair) for BBA2100



A0F3300

Replacement carbon fibre rods for OSA1000 Olive Shaker (replacement fingers)

EGO POWER⁺ Adapter

ADB1000

Adapter for BAX1300, BAX1500, BH1000 and BHX1000



EGO POWER* MOWER BLADES AND ROLLERS

AB2001

High lift blade for LM2000E, LM2010E, LM2021E-SP LM2010E-SP and LM2020E-SP



AB2101

High lift blade for LM2122E-SP and LM2120E-SF



AB2000

Standard blade for LM2000E, LM2010E, LM2010E-SP and LM2020E-SP



AB2100

Standard blade for LM2122E-SP and LM2120E-SP



AB1701

Standard blade for LM1700E and LM1700E-



AB1901

Standard blade for LM1900E-SP and LM1903E-SP



AR170

42cm EGO Rear Roller Kit for LM1700E, LM1701E, LM1700E-SP and LM1701E-SP



47cm EGO Rear Roller Kit for LM1900E-SP and LM1903E-SP



AL2015R

15m 2.0mm round line with line cutter for ST1210E

AL2050R

50m 2.0mm round line with line cutter for ST1210E

AL2015T

15m 2.0mm twist line with line cutter for ST1300E

AL2050T

50m 2.0mm twist line with line cutter for ST1300E

AL2415T

15m 2.4mm twist line with line cutter for ST1500E, ST1500E-F, BC1500E-F, BC3800E and STA1500

AL2450T

50m 2.4mm twist line with line cutter for ST1500E, ST1500E-F, BC1500E-F, BC3800E and STA1500

MULCHING KIT

ABP1700

Mulching kit containing mulching plug and blade for LM1700E and LM1700E-SP

ABP1900

Mulching kit containing mulching plug and blade for LM1900E-SP



AB1700

Mulching blade for LM1700E and LM1700E-SP

AB1900

Mulching blade for LM1900E-SP



94 | EGO POWER* ACCESSORIES | 95



EGO POWER[†] Line trimmer spools

AS3800

Spool with 2.4mm twist line for AH3800. 4 metre line length. Supplied without line



AS1301

Spool with 2.0mm round line for ST1210E. 7 metre line length



AS1302

Spool with 2.0mm twist line for ST1300E. 7 metre line length



AS1300

Spool with 2.4mm twist line for ST1500E and BC1500E. 5 metre line length



EGO POWER⁺ Line trimmer rapid Reload heads

AH3800

Rapid reload head (anti clockwise rotation) for BCX3800. Supplied without line



AH1500

Rapid reload head (clockwise rotation) for ST1500E-F and BC1500E-F. Supplied without line



AH1501

Rapid reload head (anti clockwise rotation) for BC3800E and STA1500. Supplied without line



AH1520

Powerload™ head with 2.4mm twist line for ST1510E. 4 metre line length



AH1530

Any insert head (clockwise rotation). Supplied without line



AH1531

Any insert head (anti clockwise rotation). Supplied without line



ABT3800

Bump-button for BCX3800



ABR2300

Pro blades for RTX2300 Rotocut



EGO POWER⁺ Brush cutter blade

ABB1203

Three-sided brush cutter blade for BCX3800



EGO POWER* HEDGE TRIMMER TIP PROTECTOR

ATP2000

Tip protector for HTA2000



EGO POWER[†] Hedge trimmer Blades

AHB6500

65cm laser hardened blade for HTX6500E



75cm laser hardened blade for HTX7500E

EGO POWER⁺ Grass shears

CCH0450E

12V charger for CHT2001E



CBA0240

2.0Ah 12V battery for CHT2001E



EGO POWER[†] Chainsaw Chains

AC1400

35cm 90PX chain for CS1400E

AC1600

40cm 90PX chain for CS1600E

AC1800

45cm 90PX chain for CS1800E



AG1400

35cm guide bar for CS1400E

AG1600

40cm guide bar for CS1600E

AG1800

45cm guide bar for CS1800E

EGO POWER⁺ Blower tubes and nozzles

ANGOOOR

Round nozzle for LBX6000



AN6000F

Flat nozzle for LBX6000



ANT6002

Tube and nozzle for LB6000E



AN5300

Flat nozzle for LB5300E, LB5800E and LB5750E



AN5801

Wide flat nozzle for LB5800E



GUTTER CLEANING PACK

AGC1001

Gutter cleaning pack and glasses for LB5300 and LB5800





96 | EGO POWER* ACCESSORIES | 97



POWER PRODUCT FEATURES

EGO POWER⁺ SHOULDER STRAPS

AP1500

Single-shoulder harness with loop, one hook for PH1400E, MHCC1002E. MHSC2002E. ST1210E. ST1300E. ST1500E. ST1500E-F. LB5300E. LB5600E. LB5750E. BC1500E. BC1500E-F and BC3800E



EGO POWER HARNESSES

AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



AFH1300

Frame and double-shoulder harness with padded comfort straps for BAX1300



ACH1500

Cable hook for BAX1500



AP15000

Double-shoulder harness for BC1500F_BC1500F-F and BC3800E



AP1300

Replacement double-shoulder comfort straps for AFH1300



AHP1500

Brush cutter hip pad harness attachment for BAX1500



AHP1300

Brush cutter hip pad harness attachment for RAX1300 and RH1000



EGO POWER⁺ **WALL HOOK**

AWH1500

Wall mounted frame for hanging BAX1500 and CHX5500



EGO POWER⁺ BAGS

BCS1000

Durable Chainsaw bag



RMH1000

Wheeled multi-tool bag



EGO POWER* PROTECTIVE CLOTHING

GV001

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS001

Essential clear safety glasses



GS002

Essential grey safety glasses



GSN03

Essential yellow safety glasses



GSV021E-XL

Essential grey safety glasses and multi-purpose synthetic work gloves (XL)



EGO POWER⁺ **BATTERY STORAGE**

BBOX2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



BB0X3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550



Switch tools muickly

EGO POWER* MULTI-TOOL ICONS

for each task



EGO POWER* MOWER ICONS

Cutting width to suit

Tough and durable

Wide cutting swathe

for faster, more

efficient trimming

Constantly adjustable

speed to match the

needs of the task

Simple line feeding

making work simple

and efficient

Highly efficient

and powerful

maintenance-

free motor

Can be used with Rotocut

cutting deck

any size lawn

ADJUSTABLE CUTTING DEPTH

XXCM CUTTING CAPACITY

METAL CUTTING DECK

XXCM CUTTING WIDTH

VARIABLE SPEED

BUMP LINE FEED

BRUSHLESS MOTOR

suit any lawn edge



SELF-PROPELLED

EGO POWER* LINE TRIMMER AND BRUSH CUTTER ICONS

XXCM CUTTING WIDTH

X.XMM LINE DIAMETER

RAPID RELOAD HEAD

CARBON FIBRE

Lightweight and

Variable speed to suit

your walking pace

Motor adjusts to

grass conditions,

Wide cutting width

for fast and effective

Ideally suited to the

Fast and tool-free line

tool for the best

cutting results

reloading

Lightweight and

extremely strong

trimming

saving energy

For comfort and

versatility



Light and

manoeuvrable, while

remaining durable

Highly efficient

and powerful

maintenance-

Two-speed motor

Automatic line

10 seconds

replacement in only

Adjust handle without

additional tools

in comfort

adjustable for task

and economy needs

free motor

Large cutting

width for a fast

and efficient cut

POLY CUTTING DECK

BRUSHLESS MOTOR

TW0 SPEED

POWERLOAD HEAD

QUICK-ADJUST HANDLE

USE WITH EGO POWER+ BACKPACK

TW0 SPEED Rotating rear handle

ROTATING REAR HANDLE

XXCM BLADE LENGTH



EGO POWER* HEDGE TRIMMER ICONS

Ideal length suited

to the tool for best

cutting results

Two-speed motor

adjustable for task

and economy needs

and powerful maintenancefree motor

Smooth and

fast cutting

results



ATA

VAV

XXMM BLADE GAP

Enabling precise and

clean cutting

Less vihration

to tackle the

toughest jobs

Enhancing safety

while in use

BRUSHLESS MOTOR

XXCM CUTTING WIDTH

LASER CUT: DIAMOND GROUND

Highly efficient

Fast, precise grass

Precisely cut and

sharpened for great

trimming attachment

USE WITH EGO POWER+ BACKPACK

EGO POWER* CHAINSAW ICONS

Highly efficient

and powerful

maintenance free motor



XXCM BAR LENGTH

BRUSHLESS MOTOR

cutting tasks











CHAIN BRAKE





low light areas





EGO POWER⁺ Blower Icons



















Your local dealer:





www.egopowerplus.com







