


PRODUCT CATALOGUE 2022









- 56 EGO Power⁺ Professional-X Top Handle Chainsaw
- 58 EGO Power⁺ Professional-X Telescopic Pole System
- 64 EGO Power⁺ Line Trimmers / Brush Cutters
- 71 EGO Power⁺ Professional-X Rotocut
- 72 EGO Power⁺ Professional-X Line Trimmer / Brush Cutter
- 76 EGO Power⁺ Hedge Trimmers
- 78 EGO Power⁺ Shrub / Grass Shears
- 84 EGO Power⁺ Professional-X Hedge Trimmers
- 86 EGO Power⁺ Blowers
- 94 EGO Power⁺ Professional-X Blower
- 96 EGO Power⁺ Snow Thrower
- 98 EGO Power⁺ Multi-Tool
- 110 EGO Power⁺ Accessories
- 114 EGO Power⁺ Product Features





BATTERY TECHNOLOGY GREENER FUTURE

EGO is part of a global manufacturing business established in 1993, employing over 7,000 people and producing over 10 million units each year, which are sold in over 30.000 outlets in 65 countries worldwide. As the specialists in battery outdoor tools, our strength in depth and desire to break new ground has helped EGO achieve exceptional growth while being environmentally conscious.

Launched into Europe in 2014, EGO continues to push the boundaries of battery technology with a range of award-winning products that are creating a cleaner, quieter and safer future whilst delivering superior performance.

Our commitment to a greener environment

EGO's commitment to innovation is driven by a talented team of over 400 highly qualified technicians responsible for developing and delivering clean, reliable power tools for today's switched-on customers. Our desire to create a greener future isn't limited to the products we develop, it also pervades the ways we operate and the places we work.

In 2004 we installed a 7.000m² Green Roof system to our dedicated R&D facility. This has saved the equivalent of 5 litres of petrol per m² each year. The roof of our Green Power Industrial Park features a 2-megawatt photovoltaic power station.

Known as 'The Blue Roof', the power this generates, year-on-year, saves the equivalent of 755 tonnes of coal, as well as cutting Sulphur Dioxide emissions by 50 tonnes and Carbon Dioxide emissions by 1,677 tonnes annually. The Green Power Industrial Park also utilises the latest in ground-source heating, air-conditioning and water-storage technologies. The groundsource heating system alone saves a massive 1 million KWh of electricity annually, the equivalent of 378 tonnes of coal. This cuts Sulphur Dioxide emissions by around 25 tonnes and Carbon Dioxide emissions by 839 tonnes each year.

Our passion for improving the environment won't stop here. This is only the beginning.

CHALLENGE **20 25**

Air pollution is now the world's largest single environmental health risk

Based on emission tests carried out in 2021. petrol-powered outdoor tools produce more than 3x the toxic emissions of an average family car.[†]

Challenge 2025 is our commitment to changing the future of gardening for the better.

If each of us made the small change to batterypowered outdoor tools, it would have a huge positive impact on our environment. Petrolpowered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines.* This insight drives EGO's mission to right this wrong and create a better environment for all.

We believe the future is battery-powered - join us in making battery power the number one choice.

Together, we will build a cleaner, quieter, safer future.



For more information on Challenge 2025 and our five-year vision, visit our website challenge2025.eu.



† Tests conducted by Millbrook Vehicle Test and Validation services in 2021. * (https://www.challenge2025.eu/our-manifesto/the-journey-begins/)

4 A GREENER FUTURE A GREENER FUTURE | 5











EGO POWER⁺ ARC **LITHIUM™ DELIVERS CAPACITY***

Our unique patented 56V ARC Lithium™ technology is designed like no other battery. It's why it performs like no other battery

The innovative design of EGO's 56V ARC Lithium™ battery out-performs petrol-powered products. It is simpler, cleaner, quieter, safer for the environment and with no emissions and less vibration, safer for you too. Impressive run-times and fast charge-times offer the ultimate in flexibility.

Why 56V?

Our team of experts has completely revolutionised battery technology to deliver the optimum power and performance for outdoor cordless equipment. Our 56V batteries deliver more usable power than any other hand-held battery. The seven portable batteries in our range optimally cover all applications, from leaf blowing to heavy duty cutting.

Fast recharge

All this clever thinking not only delivers the industry's highest energy capacity in a portable hand-held battery. It also means when it's time to recharge, the EGO Power⁺ 56V ARC Lithium™ battery is the quickest around.





For more information on how EGO Power+ batteries work, and what

makes them so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload



*For portable handheld batteries

6 | EGO POWER* BATTERY TECHNOLOGY EGO POWER* BATTERY TECHNOLOGY 7









EGO POWER⁺ ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

The patented 56V ARC Lithium™ battery doesn't just manage heat, it maximises cooling

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.


Our batteries have been designed to cool effectively in three innovative ways: mechanically, chemically and electronically.

Unique Arc design

Unlike conventional brick-shaped batteries where the cells are packed together, the Arc shaped design increases surface area, places the cells close to the surface and fits onto the outside of EGO tools. This dissipates heat more effectively, preventing overheating and shut-downs.







Increased surface area


The battery Arc shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



Intelligent power

Power is nothing without control. It's why the EGO Power⁺ 56V

ARC Lithium^{**} battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



Keep Cool™ Technology

It's not just the innovative Arc design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique Keep Cool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.




Exterior mounted battery

Unlike other manufacturers, E60 batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

8 | EGO POWER* BATTERY TECHNOLOGY | 9

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power⁺ tools, even our Professional-X range. With great performance and long run times, simply select your tool, click in and go.























CULTIVATOR

BRUSHES

SNOW SHOVEL

EGO POWER⁺ Blowers





























THE POWER TO OUTPERFORM PETROL

Introducing the innovative EGO Power⁺ system from the cordless specialists.
EGO Power⁺ delivers petrol-matching power, just without the noise, fuss or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done.

With impressive run times and fast recharge, there is no need to purchase or store highly flammable fuel, instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power+ 56V range.* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.





Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness egopowerplus.co.uk/whitepaper

- * 12V Shrub Shears are not compatible with ARC Lithium™ 56V hattery system
- ** For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available on our website.
- † 30 day money-back guarantee is not available on tools used for professional purposes, 12V shrub/grass shears, batteries and chargers (unless purchased as part of a set).

The support of our service dealer network

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

Satisfaction guaranteed

We offer a 30-day money back guarantee for any domestically used EGO

Power+ tools, so if you're

act completely setisfied

30 DAY

not completely satisfied you can return your product for a full refund.

A tree planted for every tool sold

As part of our commitment to Challenge 2025, EGO have partnered with the Eden Reforestation Projects and pledge to plant a tree for every EGO tool sold in Europe and in addition, each tool that is registered for extended warranty.



Eden Reforestation Projects



Industry-leading warranties

MONEY BACK

GUARANTEE

ON ALL EGO TOOLS

Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.**

Professional user

We offer professional users a 3-year warranty on the Professional-X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.**

	TOI	DLS	BATT	ERIES
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE
POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY	
POFESSIONAL	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	2 YEAR BATTERY WARRANTY
POWER PROFESSIONAL	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	3 YEAR BATTERY WARRANTY

SO MANY REASONS TO SWITCH



The EGO Power⁺ system delivers petrol-matching power without any of the downsides. It's simpler, cleaner, quieter, and with less vibration, it's more comfortable to use. Lower running and maintenance costs means switching to EGO Power⁺ will lead to long term savings. Plus, with zero emissions during use, you can do your bit to reduce your impact on the environment.



WHY CHANGE FROM PETROL TO EGO POWER+?



FLEXIBLE BATTERY SYSTEM

One EGO battery can power all of your EGO tools



BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



BETTER FOR YOUR HEALTH

EGO Power⁺ tools always operate at lower noise and vibration levels than traditional petrol-powered tools



EASY SET UP AND STARTING

No filling up with fuel; with EGO Power⁺ just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running an EGO Power⁺ product for a month is around the same as using a 2 stroke product for a day^o



SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels batteries in as little as 30 minutes



FOLD FLAT. EASY STORE DESIGN

Unlike large, heavy petrol mowers, the E6O Power⁺ fold-flat design makes storage, cleaning and transportation simple



NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things

*Based on average daily use of 3 litres of post mix fuel per day





NEW FOR 2022

THE LATEST LAUNCHES FROM

The 2022 range has been designed to meet Europe's growing outdoor needs, from mowing larger lawns, to charging multiple batteries at the same time, each new product has EGO's unrivalled ARC Lithium™ technology at its core.

Complete compatibility with the EGO battery system means impressive run times and super-fast recharge as standard.













CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

Work smarter. Work healthier.

Any E60 battery will fit any E60 tool (see pages 10-11), so you can choose the right combination to suit your challenge:

- Range of 7 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task
- Belt and back harness-mounted options for lighter working
- Backpack battery options for the most demanding jobs in all weathers

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products - better for you and better for the environment.

The best battery power, from the cordless specialists.



PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power⁺ tools are designed for regular use in domestic gardens. EGO Power⁺ tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard - tackle every garden maintenance task with ease.



PROFESSIONAL

HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power⁺ Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power⁺ Professional tools to be powerful, hard-wearing and robust.



SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power⁺ Professional-X range is engineered to work harder, all day, every day, in the most challenging conditions.

Ergonomic design meets unrivalled power and performance in the Professional-X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Professional-X range delivers clean, quiet, safe and productive working.

16 | THE EGO POWER* TOOL CATEGORIES | 17



SUPER TOUGH. SUPER POWERFUL. THE EGO PROFESSIONAL-X RANGE

When we created the EGO Power⁺
Professional-X range we set our standards high.
Not content with developing a range of tools
that redefined what cordless tools can do – we
looked to deliver power and performance that
exceeds their petrol-powered equivalents.

Designed to work harder, all day, every day, in the most challenging conditions. This range of high-spec tools and backpack batteries takes petrol-free working to a whole new level, ensuring productivity levels remain high.




Built to last and last

All tools in the Professional-X range are engineered to last longer, so you can cut maintenance time down to a minimum. And because they are quieter, lighter, with no emissions and less vibration, you can work comfortably for longer.

Ultimate flexibility

EGO is a name you can rely on. With a history of cordless power innovation, we know the ability to mix and match batteries, backpacks, harnesses and tools is vital. This level of complete flexibility continues with the Professional-X range.



CUTTING CAPACITY: 33MM Tool Depth: 20MM

18 | EGO POWER* PROFESSIONAL-X RANGE | 19

THE ULTIMATE

EGO's Professional-X range tools are designed to deliver maximum battery power that outperforms petrol. All the tools in the Professional-X range are compatible with a number of battery options as shown, offering ultimate flexibility to complete any job big or small.





4AH BATTERY, 224WH, 1P



4AH BATTERY, 224WH, 2P



5AH BATTERY, 280WH, 2P



7.5AH BATTERY, 420WH, 3P



10AH BATTERY, 560WH, 4P





12AH BATTERY, 672WH, 4P












DIAMOND GROUND







LESS VIBRATION, LESS NOISE, LESS COST





Another great reason for choosing EGO is that you can power through any job, without the excess physical stresses and strains associated with heavy, noisy and vibrating petrol-powered tools.

A big benefit of choosing EGO's low-vibration cordless tools is how they help users avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger' it causes painful and disabling disorders of the blood vessels, nerves and joints.

Designed so you can work comfortably all day long

With a smooth brushless motor and fewer moving parts, all EGO Power⁺
Professional-X tools have been designed to operate with low levels of vibration,
often under the 2.5m/s² Exposure Action Value limit (EAV) and well below the
Exposure Limit Value (ELV).

This allows you to comfortably work with them all day long without any risk to your health. So, choose EGO Power⁺ Professional-X and protect yourself every working day.

They are much quieter too

Let's face it; petrol tools are noisy and daily exposure can lead to hearing loss and also tinnitus – a permanent ringing sensation in the ears. Fortunately the EGO Power⁺ Professional-X range is much quieter than petrol-powered alternatives, reducing the risk of potential damage, especially over long-term use.

Operating noisy equipment can also lead to an increase in work-related stress. Many factors are known to contribute to this condition and rarely there is a single cause. However, because EGO Power+ Professional-X tools operate at lower sound levels, the working environment is quieter and less stressful for the user.







Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness

egopowerplus.co.uk/whitepaper



EGO POWER⁺ VS PETROL

Based on a professional user purchasing a hedge trimmer, line trimmer and blower.



- Cost estimates are based on purchasing a hedge trimmer, line trimmer and blower in year 1 and replacing again in year 4
- Petrol fuel equivalents are daily usage of 4 litres per day and 170 days per year

22 | EGO POWER* PROFESSIONAL-X RANGE





WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.







A BATTERY FOR EVERY TASK

EGO Power⁺ 56V ARC Lithium™ batteries

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose they have all been engineered for optimal performance and designed to fit all EGO tools*.

See page 32-33 for more details.



BA1400T 2.5AH BATTERY 140WH. 1P



BA2240T 4ah Battery 224wh. 1p



BA2242T 4ah Battery 224wh. 2p



BA2800T 5ah Battery 280wh, 2p



BA4200T 7.5AH BATTERY 420WH. 3P



BASGOOT 10ah Battery 560wh, 4p





BAG720T 12AH BATTERY 672WH, 4P

INDUSTRY-LEADING TECHNOLOGY















OPTIMUM Performance

E60's 56V ARC Lithium™ technology is perfectly optimised to provide the best balance between required performance and usable power.

INNOVATIVE ARC SHAPE

With a larger heat sink area the Arc shape battery helps to transfer heat away from every cell to stop overheating and maximise run-times.

KEEP COOL™ TECHNOLOGY

Unique phase-change material (on 5Ah and below) works to manage the heat transfer on every cell to keep the temperature lower for longer.

EXTERIOR Mounted Battery

Unique to EGO, helps keep the battery cool for longer lasting power.

INTELLIGENT Power Monitoring

Internal microprocessors and software control every cell for delivery of optimal power, performance and runtime.

SUPER-FAST RECHARGE

When you finally run out of power an EGO battery can be fully recharged in as little as 30 minutes.

COMPLETE COMPATIBILITY

Every EGO battery works with every EGO tool.**

*For portable handheld batteries. **12V Shrub Shears not compatible with ARC Lithium™ 56V battery system.









POWER, COMFORT AND EASE OF USE COMBINED

The ergonomic EGO Power⁺ backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. An alternative option to attaching the battery directly to the tool, weight is distributed evenly for a lighter, more comfortable way to work.



BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.





BHX1000 PROFESSIONAL-X BACKPACK HARNESS


The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Professional-X series and with the ADB1000 adaptor can be used with all other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Professional-X backpack battery.





ABH3000 PROFESSIONAL-X BATTERY HOLSTER. CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO BA2240T 4.0Ah, Battery which is perfectly matched for use with the EGO Power⁺ Professional-X Top-handle Chainsaw, to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.



	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools
CARRYING HANDLE	Yes	Yes	No - fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes ADB1000 adapter	BHX1000-K0002: Includes AFH1500 harness/hip belt and ADB1000 adapter	-

Image shown as a kit BH1001

28 | EGO POWER* HARNESS & ADAPTER EGO POWER+ HARNESS & ADAPTER | 29





A BACKPACK BATTERY THAT WORKS AS HARD AS YOU DO

Team up your EGO Power⁺ tools with our Lithium-ion backpack

Balancing exceptional run time with user comfort, E60's Lithium-ion BAX1500 backpack is ergonomically designed to keep you working all day long. The battery pack can be removed from the harness* allowing the battery to be shared amongst multiple users, each with their own harness for improved hygiene. To ensure optimum performance, efficiency and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when it's powering a tool and when it's recharging.

Designed to perform, huilt to last

The EGO Power⁺ Backpack Battery can give you a full day's work^{**} from a single charge. The high-quality cells, with high power rating and high energy density, can handle in excess of 1,000 charge cycles. Plus, with fast recharging, you can go from empty to full in just 3.5 hours.

Flexible performance

It's compatible with all EGO Power⁺ tools, and as the battery is on the harness and not on the tool, the tools are even lighter and easier to use.



BAX1500 PROFESSIONAL-X BACKPACK BATTERY

The EGO Power⁺ Professional-X backpack battery delivers the power output and run times needed for demanding jobs. In fact, it outperforms many of the petrol products currently in use. All minus the noise, emissions and vibration.

To ensure the battery's toughness and durability, we tested it to the extreme too, the Professional-X backpack battery can handle the heaviest downpours and still power the tool. Plus, the super robust casing is designed to take all of the knocks you can throw at it.

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes a AFH1500 harness and ADB1000 adapter



SO MUCH POWER, SO MANY BENEFITS...

COMPATIBLE With Every Ego Power⁺ Tool

HIGH-EFFICIENCY Battery Life

DETACHABLE BATTERY AND HARNESS

Every user should have their own harness for optimised health benefits and improved comfort

WORK HEALTHIER

Without strains, musculoskeletal problems or emissions

MASSIVE SAVINGS

Based on 1,000 charge cycles versus daily fuel costs of £5, the backpack batteries will pay for themselves in just over 200 charges (cost per charge of backpack is 30p). Total return on investment on the lifetime of the battery is £4,442

^{*}Note: the harness straps are supplied with padded comfort straps and may appear different.
**Dependent on the tool and based on an 8 hour working day.



A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of seven batteries and one battery backpack, choose the one that gives you the power and run time* you need.

KEY

RECOMMENDED / OPTIMAL

COMPATIBLE / NOT OPTIMAL

- NOT RECOMMENDED

CODE	PRODUCT NAME
EGO Power+ Mowers	
LM1700E	42cm Mower
LM1700E-SP	42cm Self-Propelled Mower
LM1900E-SP	47cm Self-Propelled Mower
LM2020E-SP	50cm Self-Propelled Mower
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology
	nmers, Brush Cutter and Rotocut
ST1300E-S	33cm Line Trimmer
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload Technology
ST1510E	38cm Line Trimmer with Powerload Technology
ST1530E	38cm Loop Handled Line Trimmer
BC3800E	38cm Bike Handled Brush Cutter
BCX3800	Bike Handled Line Trimmer/Brush Cutter***
STX3800	Loop Handled Line Trimmer/Brush Cutter***
RTX2300	Rotocut (Assembled on BCX/STX3800) ***
EGO Power+ Hedge T	rimmers
HT2000E	51cm Hedge Trimmer
HT2410E	61cm Hedge Trimmer
HT5100E	51cm Hedge Trimmer
HT6500E	65cm Hedge Trimmer
HTX6500	65cm Hedge Trimmer***
HTX7500	75cm Hedge Trimmer***
EGO Power+ Chainsa	ws
CS1400E	35cm Chainsaw
CS1610E	40cm Chainsaw
CS1800E	45cm Chainsaw with Auto Chain Tensioning
CSX3000	30cm Top Handle Chainsaw
EGO Power+ Blowers	/Snow Thrower
Run time in Mins	
LB5300E	Blower 900m³/h
LB5800E	Blower 986m³/h
LB7650E	Blower 1300m³/h
LB6000E	Backpack Blower 1020m³/h
LBX6000	Blower 1014m³/h***
SNT2400E	2 Stage Snow Thrower
EGO Power+ Multi-To	ol
STA1500	Multi-Tool Line Trimmer Attachment
BCA1200	Multi-Tool Brush Cutter Attachment
HTA2000	Multi-Tool Hedge Trimmer Attachment
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment
PSA1000**	Multi-Tool Pole Saw Attachment
EA0800	Multi-Tool Edger Attachment
CTA9500	Multi-Tool Cultivator Attachment
BBA2100	Multi-Tool Bristle Brush Attachment
0SA1000	Multi-Tool Olive Shaker Attachment
SSA1200	Multi-Tool Snow Shovel Attachment
RTA2300	Multi-Tool Rotocut Attachment
EGO Power+ Telescop	pic Pole System
PSX2500	Pole Saw Attachment















			- 3																		
					BATTERY										BACKPACK BATTERY						
EGO POWER		E PI	<i>GO</i> DWEF	(PC	GO JWEF	Э	PC	<i>GO</i> JWEF	(P	<i>GO</i> DWEF	(P	P	<i>GO</i> DWEF	ф	POWER POWER				
PRC	FESSIO	NAL	PRO	DFESSIO	NAL	PRO	FESSIO	NAL	PRO	FESSIO	NAL	PRC	DFESSIO	NAL	PRC	OFESSIO	NAL	PROFESSIONAL X			
2.5Ah	BA14007 1 / 140Wh			240T/BA2 1 / 224Wh			BA2800T / 280Wh			BA4200T / 420Wh		10.0A	BA5600T h / 560Wh			BA6720T h / 672Wh		BAX1500 28Ah / 1568Wh (Up to)			
EGO Po	ower+ M	owers																			
Cuts	up to 40	Osqm	Cuts	up to 64	0sqm	Cuts	up to 80	Osqm	Cuts	up to 120	00sqm	Cuts	up to 160	0sqm	Cuts	up to 190	0sqm	_			
Cuts	up to 30	Osqm	Cuts	up to 48	0sqm	Cuts	up to 60	Osqm	Cuts	up to 90	0sqm	Cuts	up to 120	0sqm	Cuts	up to 140	0sqm	-			
Cuts	up to 40	Osqm	Cuts	up to 64	0sqm	Cuts	up to 80	Osqm	Cuts	up to 120	00sqm	Cuts	up to 160	0sqm	Cuts	up to 190	0sqm	-			
Cuts	up to 35	Osqm	Cuts	up to 56	0sqm	Cuts	up to 70	Osqm	Cuts	up to 105	i0sqm	Cuts	up to 140	0sqm	Cuts	up to 170	0sqm	-			
Cuts	up to 33	3sqm	Cuts	up to 53	3sqm	Cuts	up to 66	6sqm	Cuts	up to 100	00sqm	Cuts	up to 133	3sqm	Cuts	up to 160	0sqm	_			
EGO Po	ower+ Lii	ne Trimm	ers, Bru	sh Cutter	and Rot	ocut															
	70 mins			110 mins	3		140 mins	3		210 mins	3		280 mins	1		340 mins		_			
	60 mins			90 mins			120 mins	3		165 mins	3		240 mins			290 mins	3	660 mins			
	30 mins			50 mins			60 mins			90 mins			120 mins			145 mins	3	_			
	18 mins			36 mins			45 mins			72 mins			90 mins			110 mins	3	240 mins			
	20 mins			32 mins			40 mins			65 mins			80 mins			96 mins		280 mins			
	-			40 mins			50 mins			75 mins			97 mins			120 mins		420 mins			
	-			40 mins			50 mins			72 mins			97 mins			116 mins		420 mins			
	25 mins			40 mins			52 mins			80 mins			105 mins			125 mins		325 mins			
EGO Po	ower+ He	dge Trin	nmers	100 :																	
	75 mins			120 mins		150 mins			225 mins		300 mins				360 mins		_				
	75 mins			120 mins		150 mins			225 mins		300 mins				360 mins		400				
	40 mins			70 mins		82 mins		125 mins			164 mins			195 mins			490 mins				
	33 mins			60 mins		72 mins		110 mins		144 mins		170 mins			420 mins						
				55 mins 45 mins		70 mins 60 mins		105 mins 90 mins		140 mins 120 mins		170 mins 145 mins			420 mins 380 mins						
FGO P	ower+ Ch	aineawe		40 1111113			00 1111118			30 1111113			120 111118	1	143 111115			300 111113			
Luori	130 cuts		•	220 cuts		300 cuts		450 cuts		600 cuts		720 cuts			_						
	130 cuts			220 cuts		300 cuts		450 cuts		600 cuts		720 cuts			_						
	130 cuts			220 cuts		300 cuts		450 cuts		600 cuts		720 cuts			_						
	140 cuts			220 cuts 225 cuts		265 cuts		420 cuts		560 cuts		720 cuts			_						
EGO Po	ower+ Bl		now Thro						420 cuts		300 cuts		700 cuts			J.					
Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*			
75	22	10	120	35	16	150	44	20	225	66	30	300	88	40	360	105	48	110 mins			
100	15	9	160	24	14	200	30	18	300	45	27	400	60	36	480	72	36	110 mins			
30	13	_	120	20	14	150	25	17	225	37	26	300	50	34	360	60	40	_			
75	13	9	96	17	12	120	22	15	180	33	23	240	44	30	290	52	36	_			
	_			36 mins			60 mins			90 mins			120 mins	;		145 mins	3	350 mins			
	14 mins	,		22 mins	,		28 mins	,		44 mins	,		56 mins			67 mins		_			
EGO Po	ower+ M	ulti-Tool																			
	18 mins			35 mins			45 mins			72 mins			93 mins			110 mins	;	300 mins			
	27 mins			50 mins			60 mins			95 mins			125 mins			150 mins	3	375 mins			
	37 mins			65 mins			82 mins			122 mins	3		157 mins	1		188 mins	3	680 mins			
	37 mins			65 mins			82 mins			122 mins	3		157 mins	1		188 mins	3	680 mins			
	70 cuts			110 cuts	;		140 cuts			210 cuts	;		285 cuts			340 cuts		660 cuts			
	-			50 mins			60 mins			100 mins	3		132 mins			158 mins	3	530 mins			
	40 mins			64 mins			80 mins			120 mins	3		160 mins			190 mins	3	480 mins			
	40 mins			64 mins			120 mins	3		150 mins	3		200 mins			280 mins	3	420 mins			
	50 mins			80 mins			100 mins	3	160 mins			210 mins			250 mins			660 mins			
	TBC			TBC			TBC			TBC		TBC			TBC			TBC			
	25 mins			40 mins			52 mins			80 mins			105 mins		125 mins			325 mins			
EGO Po	ower+ Te	•	Pole Sys																		
	110 cuts			182 cuts			231 cuts			379 cuts			455 cuts			545 cuts		1200 cuts			
	65 mins			95 mins		120 mins		210 mins			260 mins			310 mins			720 mins				

^{*}Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique

^{**}Run time based on a 10cm x 10cm timber

^{***}Portable batteries must be used with either BH1000 or BHX1000 harnesses

^{*}Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations











FROM EMPTY TO FULLY CHARGED IN JUST 30 MINS

With a range of battery sizes available from 2.5Ah to 28Ah, you can choose the power you need to tackle any task. When it's time to recharge, the E60 Power+ rapid charger is the fastest on the market.

The intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. In fact with the rapid charger, the 2.5Ah battery takes just 30 minutes.

CH5500E Rapid Charger



CH2100E STANDARD CHARGER



CHV1600E 1600W CHARGER



CHX5500E PROFESSIONAL-X CHARGER



PERFORMANCE STATISTICS										
BATTERY I	MODEL	BA1400T	BA2240T/BA2242T	BA2800T	BA4200T	BA5600T	BA6720T	BAX1500		
BATTERY ((Ah)	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah	12.0Ah	28.0Ah		
CAPACITY (Wh)		140	224	280	420	560	672	1568Wh at 56V rated		
	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	60 mins	70 mins	80 mins	210 mins		
CHARGE TIMES	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	145 mins	190 mins	220 mins	-		
	PROFESSIONAL-X CHARGER: CHX5500E	-	-	-	-	-	-	Default: 420 mins Rapid: 210 mins		
WEIGHT	WEIGHT DOMESTIC WARRANTY		1.9kg/2.2kg	2.2kg	2.8kg	3.4kg	3.6kg	9.0kg		
DOMESTIC			3 years	3 years	3 years	3 years	3 years	3 years		
PROFESSIONAL WARRANTY		2 years	2 years	2 years	2 years	2 years	2 years	3 years		

34 | EGO POWER* CHARGERS | 35



CHARGE 6 PORTABLE EGO BATTERIES AT THE SAME TIME

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time – ideal for professional users.

E60's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.

The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 111) when combined with the ACA1000 EGO Charging Adaptor.







INSTANT POWER WHEN YOU NEED IT

Compatible with any EGO ARC Lithium™ battery the Nexus Escape provides power wherever you need it, whenever you need it.

Built tough with a 240V AC power outlet and 2 USB ports, the Nexus Escape provides flexible power to charge mobile phones, laptops, cameras, lights and other electrical devices up to a maximum output of 150 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is lightweight and small enough to carry in a rucksack or store in a tent.







CAPABLE OF POWERING OR CHARGING



5 LAPTOPS



27 MOBILE PHONES



DRONE



42" TV FOR 10 HOURS



OUTDOOR LIGHTING

Based on 7.5Ah battery BA4200T

POWER

NEXUS ESCAPE POWER INVERTOR

The EGO Power⁺ Nexus Escape's 240V (150W) AC power outlet and 2 USB ports enable you to charge or power devices such as mobiles, laptops, cameras, lights and other electrical devices, wherever you are.

	PAD1500E
CAPACITY	150W
CONNECTION METHOD	Compatible with any EGO portable battery
WEIGHT WITHOUT BATTERY	0.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-
AVAILABLE AS A KIT	PAD1501E: Includes 2.5Ah battery and standard charger

EGO POWER⁺ MULTI-PORT CHARGING CASE 37



WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.









OF PETROL **EMISSIONS**

gives you up to 1,900 sqm cutting area.* Automatic Variable maximise battery run time whilst maintaining grass cutting performance for different conditions.

THE POWER HIGH TORQUE, With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power+ mower range offers a variety of key features and cutting capacities to suit any lawn. The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge our battery Speed on selected models, delivers optimal cutting speed to The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

HIGH-EFFICIENCY MOTOR For operation in all conditions

AVAILABLE IN A RANGE

OF CUTTING WIDTHS

42, 47, 50, and 52 cm

suit any size of lawn

cutting width options to

LED HEADLIGHTS Work further into the day

47cm SELF PROPELLED LARGE DIAMETER For easy motion on different terrains **6-POSITION SPRING LOADED** DECK HEIGHT ADJUSTMENT Easily set different grass

LARGE CAPACITY BAG Collects more grass

and requires emptying

SELF-PROPELLED MOTOR Take the strain out of mowing sloping ground

PUSH BUTTON START Power up in seconds

cutting heights from 20-95mm

QUICK RELEASE

TELESCOPIC HANDLE For easy cleaning and compact storage

BAG FULL INDICATOR Lets you know when the bag needs emptying

ADJUSTABLE HANDLE HEIGHT

Easily adjusts to suit you,

and the job in hand



Model shown: LM1900E-SP Please note: some features are not available on all models

^{*}Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.



A MOWER FOR EVERY LAWN. THE RIGHT TOOL FOR THE JOB

The EGO Power⁺ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 52cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power⁺ mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



LM1700E-SP 42CM MOWER CUTS UP TO 480SQM ON A SINGLE CHARGE 4Ah BATTERY

LM2020E-SP 50CM MOWER CUTS UP TO 700SQM DN A SINGLE CHARGE 5Ah BATTERY

LM1900E-SP 47CM MOWER CUTS UP TO 800SQM ON A SINGLE CHARGE 5Ah BATTERY

LM2130E-SP 52CM MOWER

LUIS UP TU
1000SQM
ON A SINGLE CHARGE
7.5Ah BATTERY

1000sqm is approximately the size of 4 tennis courts. Based on recommended battery supplied with kit. For all battery runtimes see pages 32-33.

Choosing the RIGHT mower:



Small, tight spaces, Bigger, or close to trees

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



Bigger, open spaces

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model

LM2130F-SP which makes even

the biggest jobs feel small.

LM21.

cuttin

of you

cuttin

less p

Sloping ground

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP, LM1900E-SP, LM2020E-SP and LM2130E-SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.

Additional comfort

If comfort is a priority, poly deck models are the lightest option. Selfpropelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.



Finishes

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

REAR ROLLER KITS

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model - see below).



AR1700 available for LM1700E, LM1700E-SF AR1900 available for LM1900E, LM1900E-SF

Grass cutting options

There are 3 different ways that EGO Power⁺ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge (side discharge for metal deck mower), allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



MULCHING KITS

The EGO Power⁺ Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ABP1700 available for LM1700E, LM1700E-SP
ABP1900 available for LM1900E. LM1900E-SP



Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade... to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP





LM1700E 42cm MOWER



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.






LM1900E-SP 47cm SELF-PROPELLED MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collecton bag.






LM1700E-SP 42cm SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





LM2020E-SP 50cm SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collecton bag.



LM2130E-SP 52cm SELF-PROPELLED MOWER



CUTX

The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.







		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP	
CUTTING CAP	PACITY	42cm	42cm	47cm	50cm	52cm	
SELF-PROPELLED SPEED		No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)	
CUTTING DECK MATERIAL		Poly	Poly	Poly	Steel	Poly	
CUTTING	2.5Ah	Cuts up to 400sqm	Cuts up to 300sqm	Cuts up to 400sqm	Cuts up to 350sqm	Cuts up to 333sqm	
AREA	4.0Ah	Cuts up to 640sqm	Cuts up to 480sqm	Cuts up to 640sqm	Cuts up to 560sqm	Cuts up to 533sqm	
	5.0Ah	Cuts up to 800sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 666sqm	
	7.5Ah	Cuts up to 1200sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1050sqm	Cuts up to 1000sqm	
	10.0Ah	Cuts up to 1600sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1400sqm	Cuts up to 1333sqm	
	12.0Ah	Cuts up to 1900sqm	Cuts up to 1400sqm	Cuts up to 1900sqm	Cuts up to 1700sqm	Cuts up to 1600sqm	
CUTTING SPE	ED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed**	
NO LOAD SPE	ED	3,000rpm	3,000rpm	2,850rpm	2,700 - 3,000rpm	2,700 - 3,000rpm	
CUT HEIGHT S	SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm	
HANDLE HEIG	GHTS	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	
BAG CAPACIT	ſΥ	55L	55L	55L	60L	70L	
FUNCTIONS		Mulch [†] , collect, rear discharge	Mulch [†] , collect, rear discharge	Mulch [†] , collect, rear discharge	Mulch, collect, side discharge	Mulching and collect	
NOISE RATIN LpA/LwA	G	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)	
VIBRATION (N	M/S ²)	2.4	1.5	1.4	1	0.6	
VERTICAL ST	ORAGE	Yes	Yes	Yes	Yes	Yes	
WEIGHT WITH	HOUT BATTERY	22kg	25kg	25kg	27kg	26kg	
MOTOR TYPE		Brushless	Brushless	Brushless	Brushless	Brushless	
DOMESTIC W	ARRANTY	5 years	5 years	5 years	5 years	5 years	
PROFESSION	AL WARRANTY	1 year	1 year	1 year	2 years	2 years	
AVAILABLE A	S A KIT	LM1701E: Inc. 2.5Ah battery & standard charger	LM1702E-SP: Inc. 4Ah battery & standard charger	LM1903E-SP: Inc. 5Ah battery & rapid charger	LM2021E-SP: Inc. 5Ah battery & rapid charger	LM2135E-SP: Inc. 7.5Ah battery & rapid charger	

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

44 | EGO POWER* MOWERS | 45



Z6 **ZERO-TURN** RIDE-ON MOWER. TRULY GROUNDBREAKING

The battery-powered EGO Power+ Z6 Zero-turn Ride-on Mower is a ZTR like nothing else out there.

Featuring Peak Power™+ technology, it can hold up to six EGO 56V ARC Lithium™ batteries (sold separately) - the same unique battery technology that powers all EGO products, making it the world's first platform-compatible ride-on mower.

Power like no other

Delivering the equivalent power of a 22 horsepower petrol engine, with none of the emissions, the Z6 covers up to 2.5 acres on a single charge with six 12Ah batteries. You can tailor the combination of batteries exactly to match the size of your lawn, and to how you prefer to cut your grass- unlike any other battery-powered ZTR on the market. The industry's fastest charger fully charges the batteries in just 3 hours, 4x faster than any of the competition, while the four independent brushless motors deliver the power and performance of petrol to get the job done.





Combines the power of up to 6 56V EGO ARC Lithium™ batteries





46 | EGO POWER* Z6 ZERO-TURN RIDE-ON MOWER EGO POWER* Z6 ZERO-TURN RIDE-ON MOWER 47 POWER Z6 ZERO-TURN RIDE-ON MOWER



Z6 **POWERED FOR** THE BACK GARDEN AND BEYOND

The EGO Power⁺ Z6 Zero-turn Ride-on Mower covers up to 2.5 acres on a single charge with six 12Ah batteries.* The combination of batteries can be tailored exactly to match the size of your lawn, and to how you prefer to cut your grass.

10 CUTTING HEIGHTS 2.5-10CM ONE-HAND HEIGHT ADJUSTMENT

> **ULTIMATE COMFORT** ADJUSTABLE HYDRAULIC SEAT SUSPENSION

> > 32 HIGH-INTENSITY LED LIGHTS

> > > BALANCED LOW PROFILE **DESIGN FOR STABILITY**

> > > > VARIABLE SPEED 3-8MPH

FULL 360-DEGREE TURN **4 EFFICIENT BRUSHLESS MOTORS**



3 DRIVING MODES: CONTROL,



OPTIONAL BAGGING KIT

=60





INDUSTRY'S FASTEST CHARGER. CHARGES GOAH IN JUST 3 HOURS

BLUETOOTH CONNECTIVITY PHONE COMPARTMENT USB CHARGING PORT LARGE TUMBLER-READY CUPHOLDERS STORAGE COMPARTMENT

INTEGRATED TOW HITCH

107CM CUTTING DECK

SIDE DISCHARGE

3-IN-1 MULCHING, COLLECTION,





Ideal for larger gardens, the Z6 corners with ease. Customise the ride with an LCD interface featuring 3 hydraulic seat for added comfort.

107CM CUTTING CAPACITY	LED LIGHTS	MULCHING PLUG	LCD INTERFACE
=>	\bigcap		0 0
SPEEN	I AD BAD		MIII CHING



	ZT4200E-L
NUMBER OF BLADES	2
CUTTING WIDTH	107cm
STEERING	Lap Bar
SPEED	3-8mph
DECK LIFTING	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge
REAR COLLECTION	230L
SEAT SUSPENSION	Hydraulic
NOISE RATING Lpa/Lwa	84dB(A) 96dB(A)
WEIGHT	186kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
SUPPLIED COMPLETE AS:	ZT4201E-L: Inc. 1600W charger and mulching plug (CHV1600E, AMP4200)

*run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function



ZT4200E-L **Z6 ZTR RIDING MOWER**

driving modes: Control, Standard and Sport, which can be accessed with the simple touch of a finger. Includes

107CM CUTTING CAPACITY	LED LIGHTS	MULCHING PLUG	LCD Interface
			0 0
SPEED 3-8mph	LAP BAR STEERING	2 BLADE	MULCHING KIT

ACCESSORIES ALSO AVAILABLE



an					
igs					
narge					
iui go					
ug					





The Z6 is the world's first platform-compatible ZTR, powered

by any combination of EGO 56V ARC Lithium™ batteries.

so you can get even more done.

Peak Power^{+™} technology combines the power from as few as two to as many as six EGO 56V ARC Lithium™ batteries to deliver the power and performance of a petrol mower. The convenience of universal battery compatibility means the same battery can be used in any other EGO Power⁺ tool,





BUILT FOR THE TOUGHEST JOBS, POWERED BY OUR 56V ARC LITHIUM™ BATTERY TECHNOLOGY, NOTHING GETS IN THEIR WAY.





BUILT FOR THE

The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

The electronic chain brake protects against kickback while you work. And the auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.



FAST CHAIN SPEED 20.0m/s For smooth, easy cut through large trunks and logs

CHAIN BRAKE For safe operation LED LIGHT For use in low EFFICIENT AND POWERFUL light conditions AUTOMATIC Chain Oiling For better cutting performance **EGO** BRUSHLESS - 500 T POWER DURABLE 45CM, 18" Guide Bar **BUMPER SPIKES** For control when **AUTO CHAIN** OPAQUE OIL LEVEL cutting logs INSPECTION **TENSIONING**

AUTO CHAIN TENSIONING

The EGO Power⁺ 18 inch chainsaw with Auto Chain

Tensioning is built to tackle tough jobs. With a high

speed 20m/s chain speed and a powerful motor,

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning

feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw,

nothing will get in its way.

re-tighten and you're ready to go.

SIMPLE ADJUSTMENT

For safe and effective chain tensioning.

Please note: some features are not available on all models.

For simple chain tensioning*

Model shown: CS1800E *Available on selected models













CS1800E

45cm CHAINSAW

A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.





CS1400E

35cm CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.















NEW FOR 2022

CS1610E **40cm CHAINSAW**

An outstanding combination of high torque and chain speed perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.











BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 112.

	CS1400E	CS1610E	CS1800E
BLADE LENGTH	35cm	40cm	45cm
CHAIN SPEED	13.5m/s	20m/s	20m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts
CHAIN BAR	AG1400	AG1600	AG1800
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX - 3/8" x 1.3mm)
OIL RESERVOIR	150ml	150ml	200ml
CHAIN OIL	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes
NOISE RATING Lpa/Lwa	86dB(A) 100dB(A)	91dB(A) 102dB(A)	93dB(A) 104dB(A)
VIBRATION (M/S2)	5.4/4.1	3.4/2.8	5.1/3.5
CHAIN TENSIONING	Tool free	Tool free	Automatic
WEIGHT WITHOUT BATTERY	3.8kg	4.1kg	4.5kg
MOTOR TYPE	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years
AVAILABLE AS A KIT	CS1401E: Includes 2.5Ah battery and standard charger	CS1614E: Includes 5Ah battery and fast charger	-

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.


54 | EGO POWER* CHAINSAWS EGO POWER+ CHAINSAWS 55

=60 POWER PROFESSIONAL X TOP HANDLE CHAINSAW





INTELLIGENT **SURGERY**



Providing the best combination of torque, power and design. EGO's CSX300, Top Handle Chainsaw from the Professional-X range, was created with the arborist specialist in mind and is able to tackle the challenges of all-day professional use.

With industry-leading ARC Lithium™ battery technology at its heart, the Top Handle Chainsaw provides an unrivalled combination of power, torque and chain speed, whilst benefitting from long run-times and fast recharge. And with no pull-chord, no need to run the tool in idle and no hot exhaust, switching to EGO ARC Lithium™ power makes more sense than ever.

A unique Chain-Brake Safety System is a cuttingedge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.

Additional features on the tool make working at height even easier - the Battery-Level Indicator Light alerts you when 10% of battery power is left, while the visible Oil Indicator Light comes on when the tool needs a top up.

Suitable for every tree-top job with a range of chain bars available, from 12"- 16", the EGO Top Handle Chainsaw makes the task in hand, easier. cleaner, quieter and safer.

It's time to get to grips with the new best in class.

තැත් විශ්ර ලාකු විශ්ර ලාකු මිශ්ර මාතු විශ්<mark>ර ලාකු සි විශ්ර ලාකු සි</mark> විශ්ර CHAIN SPEED: 20.0M/S



ABH3000 BATTERY HOLSTER BA2240T **4Ah BATTERY**

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.



CSX3000 PROFESSIONAL-X Top Handle Chainsaw

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional arborist.

30CM BAR LENGTH	20.0M/S CHAIN SPEED	CHAIN BRAKE
BATTERY LEVEL INDICATOR	OIL INDICATOR LIGHT	USE WITH EGO POWER+ HOLSTER

	CSX3000
SLADE LENGTH	30cm
HAIN SPEED	20m/s
:UTS UP TO*	2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts
CHAIN BAR	AG1200
HAIN TYPE	AC1200 (90PX - 3/8" x 1.1mm)
OIL RESERVOIR	200ml
HAIN OIL	Automatic - Worm drive adjustable
HAIN BRAKE	Yes - Mechanical and Electronic
IOISE RATING pa/Lwa	88dB(A) 98dB(A)
IBRATION (M/S²)	1.7/2.2
CHAIN TENSIONING	Side
VEIGHT WITHOUT BATTERY	3.5kg
NOTOR TYPE	Brushless
OOMESTIC WARRANTY	Not suitable
PROFESSIONAL WARRANTY	3 years
VAILABLE AS A KIT	CSX3002: Includes 4Ah battery and rapid charger
*Number of cute may yeary and depend on th	a battary used shares lovel of battary and user's

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.





MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES.



58 | EGO POWER* PROFESSIONAL-X TELESCOPIC POLE SYSTEM

=60 POWER PROFESSIONAL X TELESCOPIC POLE SYSTEM





REAR FOOT

Replaceable carrying

bumping and dropping

handle, protection against

THE FLEXIBILITY TO CUT HIGH BRANCHES OR HEDGES

EGO's telescopic pole system enables you to work on those harder to reach jobs without the need for platforms or ladders.


The telescopic pole has a tool-free interchangeable head system which can be set up to work with either the pruning saw or hedge trimmer attachment in just a few seconds.

The telescopic pole houses the battery and dual-trigger controls and has an extendable reach up to 4 metres.

There are several trigger points to provide great reach and maneuverability relevant to the application.

When fully extended the tool meets the maximum allowable lengths, with great balance, articulation and ergonomics.









DOUBLE TRIGGER CONTROLS

Comfortable,

safe and reliable



DUAL LOCKING SYSTEM

Easy to change attachment

with thumb screw locking

Cut hedge branches up to 26mm in diameter. 6-position articulation and additional twist rotation



PPX1000 PROFESSIONAL-X TELESCOPIC POLE

Use with the EGO Power⁺ Professional-X Pruning Saw and Hedge Trimmer attachments*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m** in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.









ALUMINIUM OVAL SHAFT Robust design for comfort, grip and reach



PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT The power, torque and chain-speed to cut branches up to 200mm in diameter

*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately **Depending on which attachment.

DUAL ACTION BLADES

For less vibration when cutting

EGO POWER PROFESSIONAL X TELESCOPIC PRUNING SAW ATTACHMENT







PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT


For use with the EGO Power⁺ Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power and cutting speed to cut branches up to 200mm in diameter, with ease.











BAR LENGTH

CHAIN TYPE

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. **Without battery and charger.

PSX2500

(Pitch 3/8", Gauge 1.1mm)

25cm 90PX040X



POWER PROFESSIONAL X TELESCOPIC HEDGE TRIMMER ATTACHMENT





GROUND, DOUBLE SIDED **CUTTING BLADES** Cleaner, more precise cutting

PTX5100

PROFESSIONAL-X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power⁺ Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power to cut branches up to 26mm in diameter, with ease. Tackle even the most difficult tasks with 6-position articulation, and additional twist rotation.











	PTX5100
BLADE LENGTH	51cm
BLADE GAP	26mm
BLADE TOOTH DEPTH	1.8mm
RUN TIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 7.5Ah Up to 210 mins 10.0Ah Up to 260 mins 12.0Ah Up to 310 mins
SPEED CONTROL	Variable Speed
NO LOAD SPEEDS	3,000spm
BLADE TYPE	Laser cut; diamond ground
CUTTING ACTION	Dual action double sided
BLADE TIP PROTECTOR	No
NOISE RATING Lpa/Lwa	83 dB(A) 94 dB(A)
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°
WEIGHT WITHOUT BATTERY	2.3kg
MOTOR TYPE	Brushless
VIBRATION (M/S ²)	1.3m/s ² - 1.5m/s ²
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT**	PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachment

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. **Without battery and charger.



THE PERFECT COMBINATION OF POWER, BALANCE AND COMFORT, OUR LINE TRIMMERS AND BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.





TRIM WITH **POWER** AND CONTROL

Powered by the 56V ARC Lithium™ battery, EGO Power⁺ line trimmers give you all the power you need to tackle the toughest jobs. The quick-adjust loop-handle can be positioned for optimum balance and control, while the large cutting swathe cuts any task down to size. Plus, the variable speed control ensures consistent trimming every time.

Built with ease-of-use in mind, ergonomic design, super-fast charging and groundbreaking Powerload™ technology* combine to create a truly revolutionary tool.

EGO's range of Line Trimmers includes options suitable for different types of terrain and even the toughest rough ground; wider handles for control over larger areas and bigger tasks, single-shoulder and double-shoulder harnesses for extra comfort and support, plus a Brush Cutter blade head for tackling tougher undergrowth.

> **BRUSHLESS MOTOR** Delivers more power and greater run time, soft-start extends motor life

*Available on selected models.



*Powerload*** TECHNOLOGY

LARGE CUTTING SWATHE

For faster, more

efficient trimming

At the press of a button, loads



QUICK-ADJUST HANDLE For balanced,

comfortable operation



POWERLOAD TECHNOLOGY

Solving one of the biggest frustrations of line replacement, EGO's groundbreaking Powerload™ technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E and ST1400E-ST.



STEP 1 Thread the line



STEP 2 Press the Powerload™ button to load new line













ST1300E-S 33cm LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.





ST1400E-ST 35cm LINE TRIMMER

35cm cutting swathe with Powerload™ technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.

POWERLOAD" TECHNOLOGY ,







ST1510E 38cm LINE TRIMMER

The world's first line trimmer with Powerload™ technology for automatic line replacement. Features variable speed and large 38cm cutting swathe.





ST1530E

38cm LINE TRIMMER

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



	0710005 0	0714005 07	0715105	0717007
	ST1300E-S	ST1400E-ST	ST1510E	ST1530E
CUTTING WIDTH - Line trimmer head	33cm	35cm	38cm	38cm
TOTAL LENGTH	173cm	165-183cm	173cm	167cm
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 290 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 145 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins
SPEED CONTROL	Constant speed	Variable speed	Constant speed	Constant speed
SPEED GONTHOL	Two-speed	Two-speed	Variable speed	Two-speed
NO LOAD SPEEDS	5,200-6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000-7,000rpm
LINE DIAMETER SUPPLIED**	2.0mm	2.4mm	2.4mm	2.4mm
LINE FEED	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head
DUAL LINE	Yes	Yes	Yes	Yes
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust
HARNESS	N/A	N/A	Single shoulder	Single shoulder
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg
VIBRATION (M/S ²)	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years
AVAILABLE AS A KIT	ST1301E-S: Includes 2.5Ah battery and standard charger	ST1401E-ST: Includes 2.5Ah battery and standard charger	ST1511E: Includes 2.5Ah battery and standard charger	-

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 74-75 for more information.

68 | EGO POWER* LINE TRIMMERS | 69

POWER BRUSH CUTTER/LINE TRIMMER





BC3800E

30/38cm BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.











	BL38UUE
CUTTING WIDTH	
- Three-sided blade	30cm
- Line trimmer head	38cm
TOTAL LENGTH	186cm
RUN TIME*	2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins 12.0Ah Up to 96 mins
BLADE MATERIAL	Three-sided steel blade
SPEED CONTROL	Constant variable speed
LINE DIAMETER SUPPLIED**	2.4mm
LINE FEED	Rapid reload bump feed head
ROTATING DIRECTION	Anti clockwise
WEIGHT WITHOUT BATTERY	
- Three-sided blade	4.6kg
- Line trimmer head	4.4kg
VIBRATION (M/S ²)	
- Three-sided blade	1.5/1.9
- Line trimmer head	2.3/2.4
MOTOR TYPE	Brushless
NOISE RATING Lpa/Lwa	80dB(A) 96dB(A)
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 74-75 for more information.

=60 POWER PROFESSIONAL X ROTOCUT










PROTECT THE AREA

The EGO Professional-X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways and verges with ease.

Featuring two counter-rotating blades instead of line, it maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury is particularly acute. With a low profile on the gear box, it can take on the most difficult to reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool and reducing pavement damage. The blades have been designed to ensure clean and efficient cutting performance whilst maintaining durability.

Rotocut can be used with any rear motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.





RTX2300 PROFESSIONAL-X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.







	RTX2300
CUTTING WIDTH	23cm
RUN TIME [*]	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADE TYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S2)	1.1/1.5
NOISE RATING Lpa/Lwa	79.3dB(A) 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
	*Dun time may year and depend on the battery year

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

70 EGO POWER* BRUSH CUTTER/LINE TRIMMER EGO POWER* PROFESSIONAL-X ROTOCUT 71

=60 POWER PROFESSIONAL X LINE TRIMMER/BRUSH CUTTER







EFFICIENT AND POWERFUL Brushless motor For longer running times

THE TOUGH **ANSWER TO ROUGH GROUND**

Perfectly balanced for comfortable use, EGO's Professional-X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.



BCX3800

PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (BIKE HANDLE)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.











PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (LOOP HANDLE)

Our Professional-X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.









RAPID RELOAD BUMP LINE FEED HEAD

For quick, easy line refilling and extending the line as you work






CARBON FIBRE DRIVE SHAFT

Won't bend and lose shape over

time, keeping vibration levels

VARIABLE SPEED TRIGGER WITH SAFETY LOCK-OFF For efficient, safe working



*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique
**Please refer to pages 74-75 for more information



LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

Lines for Line Trimmers





Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

Brush Cutting blades





For cutting down heavier vegetation, bushes and verges, choose a Brush Cutting blade – available in metal and flexible plastic options, depending on how heavy the task is. The flexible Elastoblade will make lighter work of dense vegetation.

Rotocut Blades



Replacement Rotocut blades will fit the EGO
Power⁺ Rotocut attachments, which are ideal for
working through tough-to-shift growth in paths
and drives, and along the base of walls and curbs.

Cutting heads





Replacement cutting heads are available for E60 Line Trimmer machines with standard, bump-feed and PowerLoad™ heads.

Straps and Harnesses





A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.

GRASS AND LIGHT VEGETATION	HEAVY DENSE VEGETATION	BUSHES, PATHWAYS & VERGES
ROUND AND TWISTED LINES 2.0mm - 2.4mm		
ROUND AND TWISTED LINES 2.4mm - 3.0mm		
	BRUSH CUTTER BLADES METAL BLADE	
	BRUSH CUTTER BLADES Elastoblade	
		ROTOCUT BLADES METAL BLADE

PART	DESCRIPTION	ST130	OE ST1400E-	ST ST1500E-F	ST1510E	ST1530E	BC1500E-F	BC3800E	BCX3800	STX3800	STA1500	BCA1200	RTA2300
ROTOCUT													
RTX2300	Professional-X Rotocut Attachment					0		0	0	0	0	0	0
ABR2300	Replacement blades (pair) - ROTOCUT RTX2300					0		\circ	0	0	0	0	0
TRIMMER SPO	OLS (WITH LINE)												
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E			0			0						
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E	0											
AS3800	Spool w/o line for bump feed cutting head - BCX3800, STX3800								0	0			
TRIMMER LIN	E												
AL2050T	50m 2.0mm twist line - ST1300E (green)	•	0										
AL2715T	15m 2.7mm twist line [red/green] - STX3800, BCX3800	♦							0	0			
AL3012T	12m 3.0mm twist line [yellow/green] - STX3800, BCX3800	\rightarrow							0	0			
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	\rightarrow	•	•	•	•	•	•	•	•	•		
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	•							0	0			
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	\rightarrow							0	0			
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•	0	0	0	0	0	0	0	0	0		
AL2715R	15m 2.7mm round line [red] - STX3800, BCX3800	•							0	0			
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	•							0	0			
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•	0	0	0	0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•							0	0			
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	•							0	0			
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/orange] - ST1400E-ST, ST1510E	•	•		•								
CUTTING HEA	DS												
AH1520	POWERLOAD cutting head - ST1510E				0								
AH1522	POWERLOAD cutting head - ST1400E-ST		0										
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F			0			0						
AH1531	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STA1500					0		0			0		
AH3800	Bump feed cutting head - STX3800, BCX3800								0	0			
AH3810	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STX3800, BCX3800, STA1500, BCA1200								0	0			
ABT3800	Bump feed button - AH3800								0	0			
CUTTING BLA	DES												
ABB1203	3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200					0		0	0	0	0	0	
ABB0903P	Elastoblade - STX3800, BCX3800, ST1530E, BC3800, BCA1200					0		\circ	0	0	0	0	
STRAPS AND	HARNESSES												
AP1500	Single-shoulder harness with one hook - multi-tool and all grass trimmers.	0	0	0	0	0	0	0	0	0	0	0	0
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)	0	0	0	0	0	0			0	0	0	0
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000	0	0	0	0	0	0	0	0	0	0	0	0
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000								0	0			

= Line supplied = Compatible with





LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.









GRASS TRIMMER ATTACHMENT
Quick and easy edge trimming -

11.5cm cutting width

COMFORTABLE GRIP Excellent comfortable controls for easy use

12V LITHIUM-ION Battery

COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power.

Brought to life by a 12V Lithium-lon battery, the EGO Power⁺
shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they're are an essential addition to every gardener's arsenal.







CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.









SIMPLE ATTACHMENT For different blade sets

POWERFUL MOTOR

2400 spm 2.0Ah battery

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUN TIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADE TYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGE TIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	_

Model Shown: CHT2001E

78 | EGO POWER* 12V SHRUB/GRASS SHEARS | 79

adaataati







BALANCED, PRECISE,

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are laser cut, diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 65cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.

> Prevents blades becoming damaged by fences and walls



LARGE CUTTING CAPACITY For tackling thicker hedges and large branches



DUAL ACTION BLADES For less vibration when cutting

ELECTRIC SAFETY BRAKE Stops blade when trigger is released ROBUST METAL ALLOY Brushless motor Housing and Gearbox

SAFETY BLADE GUARD Helps prevent injuries

TWO-SPEED SELECTOR Select the correct speed for each trimming task



Model Shown: HT6500E

Please note: some features are not available on all models











HT5100E

51cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.















HT6500E

65cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.

















EGO POWER

51cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.











HT2410E

61cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.









	HT2000E	HT2410E	HT5100E	HT6500E
	HIZUUUE	N1241UE	HISTORE	HIDDUUE
BLADE LENGTH	51cm	61cm	51cm	65cm
BLADE GAP	25mm	26mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm
RUN TIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 170 mins
SPEED CONTROL	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	2,800/3,200spm	2,800/3,200spm
BLADE TYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83 dB(A) 96dB(A)	81dB(A) 92dB(A)	81.4dB(A) 93dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.6kg	3.8kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S2)	2/1.5	1.8/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	HT2001E: Includes 2.5Ah battery and standard charger	HT2411E: Includes 2.5Ah battery and standard charger	-	-

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

82 | EGO POWER* HEDGE TRIMMERS EGO POWER* HEDGE TRIMMERS | 83



POWER PROFESSIONAL X HEDGE TRIMMER







UNIQUE HANDLE And trigger design

For switching effortlessly

between horizontal and

vertical cutting



HTX6500 65CM PROFESSIONAL-X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.















THE PROPERTY OF THE PARTY OF TH

VARIABLE SPEED





75CM PROFESSIONAL-X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.

















CUTS CLEANER, RUNS LONGER. MAKES CUTTING **HEDGES SHORT WORK**

Designed for professionals, the Professional-X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

Blades that cut cleanly

The high-quality EGO Power⁺ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



LOW CUTTER GUARD For safe and easy access



LASER CUT DIAMOND GROUND BLADES

	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME [*] WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING Lpa/Lwa	80 dB(A) 90.1dB(A)	83.9 dB(A) 95.4dB(A)
VIBRATION (M/S ²)	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

BLADE TIP PROTECTOR

Prevents blades becoming damaged by fences and walls

Model Shown: HTX7500 mmmmmm

DIAMOND GROUND

CUTTING CAPACITY

84 | EGO POWER* HEDGE TRIMMERS





WITH HIGH-EFFICIENCY BRUSHLESS MOTORS AND JET TURBINE TECHNOLOGY, EGO POWER* BLOWERS AND SNOW THROWER OFFER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.









BLOWS PETROL-POWERED BLOWERS **OUT OF THE PARK**

Powered by a high-efficiency brushless motor, EGO Power* blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.



FLAT NOZZLE Attachement Ideal for wet leaves







LARGE BLOWER TUBE Greater diameter delivers TURBINE FAN ENGINEERING Utilises advanced

Please note: some features are not available on all models















LB7650E **BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost - by far the industry's most powerful handheld blower, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.



EGO POWER

LB5300E **BLOWER**

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.









Includes AN5300 Flat Nozzle





LB5800E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 986m³/h output in Boost, for completing bigger tasks across wider areas and large gardens.









	LB5300E			LB5800E			LB7650E			
	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	
RUN TIME* WITH 2.5Ah BATTERY	Up to 75 mins	Up to 22 mins	Up to 10 mins	Up to 100 mins	Up to 15 mins	Up to 9 mins	Up to 30 mins	Up to 13 mins	-	
RUN TIME* WITH 4.0Ah BATTERY	Up to 120 mins	Up to 35 mins	Up to 16 mins	Up to 160 mins	Up to 24 mins	Up to 14 mins	Up to 120 mins	Up to 20 mins	Up to 14 mins	
RUN TIME* WITH 5.0Ah BATTERY	Up to 150 mins	Up to 44 mins	Up to 20 mins	Up to 200 mins	Up to 30 mins	Up to 18 mins	Up to 150 mins	Up to 25 mins	Up to 17 mins	
RUN TIME* WITH 7.5Ah BATTERY	Up to 225 mins	Up to 66 mins	Up to 30 mins	Up to 300 mins	Up to 45 mins	Up to 27 mins	Up to 225 mins	Up to 37 mins	Up to 26 mins	
RUN TIME* WITH 10.0Ah BATTERY	Up to 300 mins	Up to 88 mins	Up to 40 mins	Up to 400 mins	Up to 60 mins	Up to 36 mins	Up to 300 mins	Up to 50 mins	Up to 34 mins	
RUN TIME* WITH 12.0Ah BATTERY	Up to 360 mins	Up to 105 mins	Up to 48 mins	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 360 mins	Up to 60 mins	Up to 40 mins	
	Max		Max			Max				
AIR VOLUME (M3/H)		900		986			1300			
AIR SPEED (KM/H)		176		270			313			
FORCE (N)		16		18			26			
SPEED SETTING	Variable speed v	with boost		Constant variable speed with lock-on + boost			Variable speed with lock-on + boost			
WEIGHT WITHOUT BATTERY	2.2kg			2.2kg			2.1kg			
MOTOR TYPE	Brushless			Brushless			Brushless			
NOISE RATING LpA/LwA	82 dB(A) 100dB(A)			78.4 dB(A) 95 dB(A)			83dB(A) 98dB(A)			
VIBRATION (M/S²)	1.35			0.18			0.8			
DOMESTIC WARRANTY	5 years			5 years			5 years			
PROFESSIONAL WARRANTY	1 year	1 year			2 years			2 years		
AVAILABLE AS A KIT	LB5301E: Includ charger	les 2.5Ah battery	and standard	LB5804E: Includ	les 5.0Ah battery	and fast charger	-			

 * Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

90 | EGO POWER* BLOWERS EGO POWER* BLOWERS 91





COMFORTABLE AND STURDY Backpack frame

For comfort during long periods of use

> ADJUSTABLE HANDLE For greater reach, control and comfort

POWER SETTING SWITCH

FLEXIBLE TUBE Gives greater movement and comfort whilst in use

VARIABLE SPEED TRIGGER For precise blowing

VARIABLE LENGTH TUBE For greater comfort and control

THE BACKPACK BLOWER THAT **PACKS A PUNCH**

Big jobs need big power. And that's what the EGO Power+ backpack blower delivers. With the ability to blow over 1020m3 of air per hour on Max mode, the leaves don't stand a chance. With up to 2 hours run time* you can cover plenty of ground too.

But there's more to this clever blower than simply packing a punch. The smooth brushless motor significantly reduces vibration compared to its petrol-powered equivalents. It's a lot quieter too. The comfortable padded backpack frame supports the blower, taking the strain off your arm and distributing the weight more ergonomically, making the backpack blower perfect for those really big jobs.

COMPATIBLE WITH ALL

EGO POWER* BATTERIES

POWER POWER

BACKPACK BLOWER

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.







AVAILABLE AS A KIT

HIGH POWERED BRUSHLESS MOTOR Delivers high air volume and speed, but with

much lower levels of vibration and a lot quieter than petrol-powered equivalents.



Low			LBGOODE					
## SOUTH STORMS SOUTH STORMS ## SOUTH STORMS ## SOUTH STORMS SOUTH STORMS ## SOUTH STORMS SOUTH STORMS ## SOUTH STORMS ## SOUTH STORMS SOUTH STORMS ## SOUTH STORMS ## SOUTH STORMS ## SOUTH STORMS ## SOUTH STOR			Low	High	Max			
RUN TIME** WITH 240 mins		OIT 11111E 1111111	120 mins	22 mins	15 mins			
10.0Ah BATTERY RUN TIME** WITH 12.0Ah BATTERY AIR VOLUME (M³/H) AIR SPEED (KM/H) 80 160 193 SPEED SETTING Variable speed with boost FORCE (N) 19.2 Max MOTOR TYPE Brushless NOISE RATING LpA/LwA 97 dB(A) VIBRATION (M/S²) WEIGHT WITHOUT BATTERY DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter			180 mins	33 mins	23 mins			
12.0Ah BATTERY AIR VOLUME (M³/H) AIR SPEED (KM/H) 80 160 193 SPEED SETTING Variable speed with boost FORCE (N) 19.2 Max MOTOR TYPE Brushless NOISE RATING LpA/LwA 97 dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY 5.7kg DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah battery			240 mins	44 mins	30 mins			
AIR SPEED (KM/H) 80 160 193 SPEED SETTING Variable speed with boost FORCE (N) 19.2 Max MOTOR TYPE Brushless NOISE RATING 83dB(A) LpA/LwA 97dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY 5.7kg DOMESTIC WARRANTY 5 years PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter		•	290 mins	52 mins	36 mins			
SPEED SETTING Variable speed with boost FORCE (N) 19.2 Max MOTOR TYPE Brushless NOISE RATING LpA/LwA 97 dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	Α	IR VOLUME (M³/H)	440	850	1020			
FORCE (N) 19.2 Max MOTOR TYPE Brushless NOISE RATING LpA/LwA 97dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	A	IR SPEED (KM/H)	80	160	193			
MOTOR TYPE NOISE RATING LpA/LwA 97 dB(A) VIBRATION (M/S²) WEIGHT WITHOUT BATTERY DOMESTIC WARRANTY PROFESSIONAL WARRANTY LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	S	PEED SETTING	Variable speed with boost					
NOISE RATING LpA/LwA 97dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY 5.7kg DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	F	ORCE (N)	19.2 Max					
LpA/LwA 97dB(A) VIBRATION (M/S²) 1.5 WEIGHT WITHOUT BATTERY 5.7kg DOMESTIC WARRANTY 5 years PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	N	IOTOR TYPE	Brushless					
WEIGHT WITHOUT BATTERY DOMESTIC WARRANTY PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah battery		0.02.00.000						
DOMESTIC WARRANTY 5 years PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah battery	٧	IBRATION (M/S²)	1.5					
PROFESSIONAL WARRANTY 2 years LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	V	/EIGHT WITHOUT BATTERY	5.7kg					
LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah batter	D	OMESTIC WARRANTY	5 years					
AVAILABLE AS A KIT charger, LB6000E-K1103 Includes 10.0Ah batter	P	ROFESSIONAL WARRANTY	2 years					
	A	VAILABLE AS A KIT	charger, LB6000	E-K1103 Includes				

**Run time may vary and depend on the battery used, charge level of battery and user's operation technique

Model Shown: LB6000E

*120min. at 440 m3/h with 5.0Ah battery - Low air setting.









LBX6000

PROFESSIONAL-X BLOWER

Designed to be used with the Professional-X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.














*Run time may vary and depends on the battery used, charge level of the battery and user's operation technique



VARIABLE SPEED TRIGGER For increased control

OUTPOWERS

Designed with the professional user in mind; the LBX6000 is engineered for durability, comfort, minimal noise and vibration, making it ideal for extended use.

With the ability to blow over 1014m³ of air per hour on Boost mode - for the toughest tasks.



Model Shown: LBX6000





EFFICIENT SNOW

The EGO POWER+ Professional 2-Stage Snow Thrower delivers the power and performance of equivalent petrol-powered products, without the noise, fuss and emissions.

Peak Power™ technology combines the power of any two EGO 56V ARC Lithium™ batteries to tackle the toughest snow conditions with ease - two batteries are used to provide maximum power when tackling tougher jobs. Variable-speed self-propelled control ensures ease of use, while a reverse gear makes getting out of tight spots easier.

The 61cm clearing-width and 51cm intake-height can handle even the deepest snow quickly. More than 35cm depth of snow can be cleared with ease from an 8-car driveway, while the 4 LED lights help make early morning or evening clearing easy. Variable-speed augers and 200° chute adjustment give you complete control of direction and throwing distance of up to 13 metres, while the on-board controls are easy to operate, even when wearing bulky winter gloves.



SNT2400E

61 CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™

Peak Power™ technology delivers maximum power so the EGO Snow Thrower can tackle the deepest snow with ease. The generous clearing width and intake-height work with the multi-directional shoot to clear snow quickly even in extreme conditions.



















	SNT2400E
CLEARING AREA @ 15CM DEPTH	223m²
PLOUGHING CAPACITY	950kg/min
IUMBER OF BATTERY PORTS	2 parallel
CLEARING WIDTH	61cm
NTAKE HEIGHT	51cm
CHUTE ROTATION	200° Joystick control
HROWING DISTANCE (MAX)	13m
THROWING DISTANCE HEAVY SNOW)	7.6m
AUGER MATERIAL & DIAMETER	Steel 28cm
IUMBER OF STAGES	2
SELF PROPELLED SPEED	0.4-1.2m/s
REVERSE	Yes
VEIGHT WITHOUT BATTERY	68kg
MOTOR TYPE	Brushless
ioise rating ,pa/lwa	83dB(A) 97dB(A)
/IBRATION (M/S²)	0.3/0.4
OOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years

SNT2400E-K2753: Includes 2x BA4200T,







WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND ALL WITHOUT THE FUSS AND FUMES OF PETROL.



98 | EGO POWER* MULTI-TOOL





THE EGO POWER+ MULTI-TOOL. ONE TOOL, LOTS OF OPTIONS

The EGO Power⁺ multi-tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, whether you're trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil or sweeping the patio.

Switching between different jobs is easy thanks to the simple and secure tool-free coupling system on every attachment.

And with our carbon fibre extension pole, even the hardest to reach places are no challenge for the multi-tool. Combined with the innovative 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss or emissions of petrol-powered tools.



100 | EGO POWER* MULTI-TOOL | 101









POWERFUL REAR MOUNTED MOTOR Smooth, lightweight high-efficiency brushless motor, provides the power for all EGO Power+ multi-tool attachments.

ADJUSTABLE Loop Handle

THE POWER TO TACKLE ANY TASK



MULTI-TOOL POWER HEAD

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.













SIMPLE AND SECURE

COUPLING MECHANISM Makes switching

attachments quick and easy



Works with the variable speed trigger to select the correct speed for each task



VARIABLE SPEED TRIGGER

With safety lock-off

EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.



TOTAL LENGTH: 78cm





ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



01 HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



02 POLE SAW

Slices through tree branches fast and efficiently.

Combine with the carbon fibre extension pole
to reach further and cut more.



O7 CULTIVATOR The cultivator prepares so

The cultivator prepares soil prior to planting.
Removing weeds and introducing
air, it creates a loose bed, encouraging
the growth of healthy plant life.





03 LINE TRIMMER

Trim grass along fences and walls with precision. Includes our Rapid Reload head, making it easy to replace line.



08 BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



04 BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.







05 ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counterrotating blades, preventing debris from being thrown.



10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



104 | EGO POWER* MULTI-TOOL | 105









HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.



SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.



ROTOCUT ATTACHMENT

EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.





CULTIVATOR ATTACHMENT

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





OSA1000 **OLIVE SHAKER ATTACHMENT**

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



Wheeled bag for easily transporting multi-tool power head and attachments. Separate pockets for storing accessories.

Available separately see page 112.



BRISTLE BRUSH ATTACHMENT

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.





LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



BRUSH CUTTER ATTACHMENT

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.









Cuts through grass, weeds and moss with ease. Featuring

two counter rotating blades which prevent debris from

being thrown make it ideal for use in delicate areas.







106 | EGO POWER* MULTI-TOOL EGO POWER* MULTI-TOOL 107





	HTA2000 / HTA2000S	PSA1000	STA1500	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.6kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	102cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	-	-	-	-
CUTTING WIDTH	-	_	38cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	_	2.4mm dual line	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	-	-
SHAFT TYPE	-	-	Straight	-	-
ARBOUR SIZE	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12 / 9 articulating cutting angles	_	_	_	_
GUIDE BAR LENGTH	-	25cm	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm, 1.1mm	_	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-
OIL TANK CAPACITY	-	220ml	_	-	-
ROTATING DIRECTION	-	_	_	-	Two blades counter rotation
BLADE TYPE	-	_	_	-	High strength alloy steel
VIBRATION (M/S ²)	-	_	-	-	1.1/1.5
NOISE RATING	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	_	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg
TOTAL LENGTH	92cm	92cm	102cm	140cm	TBC
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 158 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 250 mins	TBC
BLADE LENGTH	20cm	24cm	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADE THICKNESS	3mm	_	_	_	_
ROD QUANTITY	-	-	-	10 (5+5)	_
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	_
CUTTING WIDTH	-	21/24cm	_	_	_
CLEANING SWATH	-	_	560mm	_	300mm
TILLING SPEED	-	_	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	_	-	58cm-33cm	_
BRISTLE GAUGE	-	_	1.5mm	-	_
ARBOUR SIZE	25.4mm	_	_	_	_
DIMENSION	-	_	102 x 56.5 x 29.5cm	-	_
ROD MATERIAL	-	_	-	Carbon fibre	_
STROKES PER MINUTE	-	-	-	1780/2120spm	_
MAX THROWING DISTANCE	-	-	-	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

BE READY FOR ANYTHING WITH EGO POWER* MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power⁺ multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done





*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique.

Cuts of PSA1000 is based on cuts of 100x100mm.

108 | EGO POWER* MULTI-TOOL KITS | 109

EVERYTHING YOU NEED TO KEEP YOU **CUTTING, MOWING AND BLOWING**

EGO POWER⁺ **MULTI-TOOL BLADES,** CHAINS, BARS AND **TELESCOPIC POLE SAW**

AEB0800

Multi-tool edger blade for EA0800



AC1000

Pole saw chain for PSA1000 and PSX2500



AG1000

Pole saw bar for PSA1000 and PSX2500



Multi-tool cultivator blade set for CTA9500



ARB2100

Paddle broom (pair) for BBA2100



ABS2100

Bristle brush (pair) for BBA2100



A0F3300

Olive Shaker fingers (10pcs) for OSA1000

EGO POWER⁺ **MOWER BLADES AND ROLLERS**

AB2001

Bagging blade for LM2010E, LM2010E-SP,LM2020E LM2020E-SP



AB2101

52cm bagging blade for LM2100E-SP, LM2120E-SP [fitted as standard]



AB2102D-E

52cm dual bagging blade for LM2130E-SP (2 blade set) [fitted as standard]



AB2000

Mulching blade for LM2000E. LM2010E. LM2010E-SP. LM2020E, LM2020E-SP



AB2100D-E

for LM2130E-SP (2 blade set)



42cm mulching blade for LM1700E, LM1700E-SP



47cm mulching blade for LM1900E, LM1900E-SP

AB1701

AB1900

42cm bagging blade for LM1700E, LM1700E-SP [fitted as standard]



AB4200

53cm standard blade (side discharge, mulching & bagging) for ZT4200E-L - single blade

AB4201

53cm high-lift blade (improved bagging) for ZT4200E-L - single blade



ABK4200-A

AMP4200

Bagging kit for ZT4200E-L



AR17NN

42cm rear roller kit for LM1700E, LM1700E-

AR1900 47cm rear roller kit for

LM1900E. LM1900E-SP



MULCHING KITS

Mulching kit (blade & mulching plug) for LM1700E. LM1700E-SP



ABP2100D-E

52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



EGO POWER* ADAPTOR

ADB1000

Adaptor for use with BH1000. BHX1000, BAX1300, BAX1500



ACA1000

AL2015T ◆

AL2050T 🔷

AL2715T 🔷

AL3012T 🔷

STX3800. BCX3800

AL2475T 🔷

AL2760T 🔷

AL3050T 🔷

STX3800. BCX3800

AL2415R —

AL2715R

AL3012R -

For use with the EGO 550W Rapid Charger

EGO POWER* TRIMMER LINES

15m 2.0mm low-noise twist line (STRATUS)

50m 2.0mm twist line - ST1300E and ST1400E-ST

12m 3.0mm low-noise twist line [yellow/green] -

75m 2.4mm low-noise twist line [orange/green] -

ALL 35cm & 38cm cutting diameter grass trimmers

60m 2.7mm low-noise twist line [red/green] - STX3800,

50m 3.0mm low-noise twist line [yellow/green] -

15m 2.4mm round line [orange] - ALL 35cm & 38cm

15m 2.7mm round line [red] - STX3800, BCX3800

12m 3.0mm round line [vellow] - STX3800, BCX3800

cutting diameter grass trimmers



90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL278OR

AL2490R

80m 2.7mm round line [red] - STX3800, BCX3800

AL3060R

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2416P 🔷

4 x 4.0m 2.4mm twisted line [black/orange] - ST1400E-ST, ST1510E

EGO POWER⁺ LINE TRIMMER SPOOLS

AS3800

Spool w/o line for bump feed



AS1301

Spool with 2.0mm round line for standard 15m 2.7mm low-noise twist line [red/green] - STX3800, bump feed cutting head - ST1210E

AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E

AS1300

Snool with 24mm twist line for standard bump feed cutting head ST1500E. BC1500E



AH1500

Rapid reload head (clockwise rotation) for ST1500E-F and BC1500E-F



AH1501

Rapid reload head (anti clockwise rotation) for BC3800E, ST1530E and STA1500



AH1520

Powerload™ cutting head for ST1510E



AH1522

Powerload™ cutting head for ST1400E-ST



AH1530

ANY INSERT cutting head CLOCKWISE - ST1500E-F, BC1500E-F



AH1531

ANY INSERT cutting head ANTI-CLOCKWISE - ST1530E. BC3800F STA1500



ABT3800

Bump feed button - AH3800



ARR2300

Replacement blades (pair) - ROTOCUT RTX2300. RTA2300



EGO POWER⁺ LINE TRIMMER HEADS

AH3800

Bump feed cutting head without line - STX3800, BCX3800



AH3810

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800. ST1530E, BC3800E, STA1500, BCA1200



EGO POWER⁺ **BRUSH CUTTER BLADE**

ABB1203

3 point brush cutter blade - STX3800. BCX3800. ST1530E. BC3800E. BCA1200. STA1500



ABB0903P

Elastoblade Flexible trimming blade for - STX3800, BCX3800 ST1530E. BC3800E. BCA1200. STA1500





110 | EGO POWER + ACCESSORIES

EGO POWER⁺ **HEDGE TRIMMER** TIP PROTECTOR

ATP2000

Tip protector for HTA2000, PTX5100



EGO POWER⁺ **GRASS SHEARS**

CCH0450E

12V charger for CHT2001E



CBA0240

2.0Ah 12V battery for CHT2001E



EGO POWER+ BAGS

BCS1000

Durable Chainsaw kit bag



BMH1000

Multi-tool wheeled kit bag



CRM001

Storage cover for Z6



EGO POWER⁺ **CHAINSAW CHAINS**

30cm 90PX chain for CSX3000



35cm 90PX chain for CS1400E

EGO POWER⁺ **CHAINSAW BARS**

AG1200

30cm guide bar for CSX3000

AG1400

35cm guide bar for CS1400E

AG1600

Round nozzle for LBX6000

EGO POWER⁺

BLOWER TUBES AND NOZZLES

AN6000F

ANGOOOR

Flat nozzle for LBX6000



ANT6002

Connection tube & curved nozzle - LB6000E (2018)



AN5300

Flat nozzle for LB5300E. LB5750E and LB5800E



AN5801

Wide flat nozzle for LB5800E



AN7650S

Flat Nozzle for LB7650E



AN765OR

Round Nozzle for LB7650E



GUTTER CLEANING PACK

AGC1001

pack and glasses for LB5300E and LB5800E





EGO POWER⁺ **SNOW THROWER**

AKS2400D

Skid shoes (pair) - SNT2400E



ACT2400

Chute cleaning tool - SNT2400E



EGO POWER⁺ **SHOULDER STRAPS**

AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800



EGO POWER* **HARNESSES**

AP4800

Single-shoulder harness without loop, two hook - LB4800E only



AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



BH1000. AFH1500



Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



Replacement double-shou comfort straps for BAX1300



AHP1500

Leg protector / line trimmer harness attachment for AFH1500



AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



EGO POWER⁺

WALL HOOK

AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



EGO POWER⁺ PROTECTIVE CLOTHING

GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS001E

Essential clear safety glasses



GS002E

Essential grey safety glasses



GS003E

Essential yellow safety glasses



EGO POWER⁺

BB0X2550

Transportation box that can of all EGO sizes. Can be connected to BBOX3000



BBOX3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550





AC1400

AC1600

40cm 90PX chain for CS1600E

AC1800

45cm 91PX chain for CS1800E

40cm guide bar for CS1600E

AG1800

45cm guide bar for CS1800E

Gutter cleaning







BATTERY STORAGE

carry 5 portable batteries



ACH1500

Cable routing clip for harness



AP1500D



EGO POWER* ACCESSORIES | 113



POWER PRODUCT FEATURES

EGO POWER* MULTI-TOOL ICONS



for each task

Cutting depth to

suit any lawn edge

















Light and

manoeuvrable, while remaining durable

For full 360° turning

Two-speed motor

adjustable for task

and economy needs

Automatic line

10 seconds

replacement in only

Adjust handle without

additional tools

LAP BAR STEERING

TW0 SPEED

POWERLOAD HEAD

Large cutting

width for a fast

and efficient cut

EGO POWER* MOWER ICONS



METAL CUTTING DECK

ADJUSTABLE CUTTING DEPTH

Cutting width to suit any size lawn



Variable speed to suit your walking pace



Tough and durable cutting deck



SPEED 3-8mph

Motor adjusts to saving energy



Variable speed

Wide cutting width

for fast and effective

Ideally suited to the

Fast and tool-free line

tool for the best

cutting results

trimming

3-8mph

EGO POWER* RIDE-ON MOWER ICONS



to suit your ride















Wide cutting swathe for faster, more efficient trimming





















X.XMM LINE DIAMETER

reloading



Work all day in comfort







Can be used with



EGO POWER⁺ TELESCOPIC HEDGE TRIMMER AND POLE SAW ICONS



CARBON FIBRE

Extends up to 4m so no need for ladders and platforms





Switch tools quickly for each task



in comfort

EGO POWER* HEDGE TRIMMER ICONS



TW0 SPEED



Two-speed motor

adjustable for task

and economy needs

Rotating rear handle

for greater comfort

and versatility





Fast, precise grass trimming attachment



Precisely cut and sharpened for great

Work all day

in comfort

Smooth and



EGO POWER+ CHAINSAW ICONS



Ideal for all cutting tasks

Work all day

in comfort



fast cutting



↓ Auto chain

Constantly adjustable

speed to match the

needs of the task



















USE WITH EGO POWER SACKPACK

For use in

low light areas























snow and ice with ease





EGO POWER⁺ blower and snow thrower icons





















Your local dealer:



www.egopowerplus.com







