

#### PRODUCT CATALOGUE 2024







- 46 Ride-on Mowers
- 56 Chainsaws
- 62 Pro X Rear Handle Chainsaw
- 63 Pro X Top Handle Chainsaw
- 64 Telescopic Pole Products
- 70 Line Trimmers & Brush Cutters
- 77 Pro X Rotocut
- 78 Pro X Line Trimmer & Brush Cutters
- 84 Hedge Trimmers
- 92 Pro X Hedge Trimmers
- 96 Blowers
- 104 Snow Throwers
- 108 Multitool
- 120 Lifestyle
- 130 Accessories





#### LEADING EUROPE TO A BATTERY POWERED FIITURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Boasting the outdoor tool industry's highest energy capacity in a portable battery, they last longer and charge quickly. Each battery is interchangeable across the entire EGO cordless range – delivering optimum power and performance for every tool and every job.

#### Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. E60's superior battery technology really does deliver power beyond belief.

#### Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 400 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

#### Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ Performance and Powerload™ Technology.

#### Smarter, Greener ways to work outdoors.

## ZER EMISSION

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

## CHALLENGE 20 25

Challenge 2025 is our commitment to educate and empower outdoor power equipment users to pick the only logical choice when purchasing new gardening equipment: battery powered. It's time to leave petrol where it belongs, in the past. Leading to significant reductions in harmful emissions and noise, while increasing safety and user comfort. For more information on Challenge 2025, visit www.challenge2025.eu.

#### Beyond challenge 2025.

We believe it's not just about making improvements to help the environment, but actively participating in its repair. We have partnered with Eden Reforestation Projects and pledge to plant a tree for every EGO tool sold in Europe, as well as each tool registered for extended warranty, helping to support local communities and protect ecosystems across the globe.



**Eden Reforestation Projects** 



4 INTRODUCTION 5





#### A BATTERY DESIGNED LIKE NO OTHER

#### EGO's unique patented 56V ARC Lithium™ battery delivers the industry's highest energy capacity.


Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's 56V batteries deliver more usable power than any other portable battery. The eight batteries in our range can be used flexibly with each one of our cordless tools.

#### Key to its performance is the battery's intelligent design.

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by E6O's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

#### Super fast recharge.

Our commitment to innovation not only delivers the industry's highest energy capacity in a portable battery. It also means that when it's time to recharge, the EGO Power<sup>+</sup> 56V ARC Lithium™ battery is one of the quickest around.





For more information on how EGO Power<sup>+</sup> batteries work, and what makes them so

revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload

#### EGO POWER<sup>+</sup> ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

### The patented 56V ARC Lithium<sup>™</sup> battery doesn't just manage heat, it maximises cooling.

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways:


Mechanically - EGO's unique ARC shaped arrangement of battery cells.


**Chemically** - EGO's unique KeepCool™ Technology.

**Electronically** - EGO's industry-leading intelligent power management system.



EGO'S UNIQUE ARC SHAPED DESIGN







#### INCREASED Surface area

The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



#### KEEPCOOL™ Technology

It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



#### INTELLIGENT POWER

Power is nothing without control. It's why the EGO Power\* 56V ARC Lithium™ battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



EXTERIOR Mounted rattery

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

6 | EGO POWER\* BATTERY TECHNOLOGY

## ANY BATTERY,

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power+ tools, even our Pro X range. With great performance and long run times, simply select your tool, click in and go.



EGO POWER<sup>+</sup> Ride-on mowers



EGO POWER+ Blowers & Vac






EGO POWER+ Lifestyle











EGO POWER+ Chainsaws

















HEDGE TRIMMERS



BRUSHES

OLIVE SHAKER

SNOW SHOVEL

ROTOCUT

**EGO** PRO X



8 | THE EGO POWER+ SYSTEM





# THE POWER TO OUTPERFORM PETROL

Introducing the innovative EGO Power<sup>+</sup> system from the cordless specialists. EGO Power<sup>+</sup> delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power+ 56V range.\* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

#### The support of our service dealer network.

E60 approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

#### SWITCH TODAY

The EGO Power<sup>+</sup> system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter – and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power<sup>+</sup> leads to long-term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



#### Industry-leading warranties.

#### Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.\*\*

#### Professional user

We offer professional users a 3-year warranty on the Pro X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.\*\*

	TO	OLS	BATTERIES				
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE			
POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY				
POWER PROFESSIONAL	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY	2 YEAR BATTERY WARRANTY			
EGO <sup>*</sup> PRO X	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR  EATTER! WARRANTY	3 YEAR BATTERY WARRANTY			

#### \* 12V Shrub Shears are not compatible with ARC Lithium™

56V battery system

### WHY CHANGE FROM PETROL TO EGO POWER+?



#### SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced, petrol matching power for all EGO tools



#### LOWER RUNNING COSTS

The cost of running an EGO Power<sup>+</sup> product for a month is around the same as using a 2 stroke product for a day\*



#### BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



#### FOLD FLAT. EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power<sup>+</sup> fold-flat design makes storage, cleaning and transportation simple



#### BETTER FOR YOUR HEALTH

EGO Power<sup>+</sup> tools always operate at lower noise and vibration levels than traditional petrol-powered tools



#### **SAVE TIME**

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes



#### EASY SET-UP AND STARTING

No filling up with fuel; with EGO Power<sup>±</sup> just click in the battery and get to work



#### NO PETROL TO STORI

No more dangerous fuel in storage, no more fumes, make more space available for other things

\*Based on average daily use of 3 litres of post mix fuel per day.

10 | ego power  $^+$  warranties | 11

<sup>\*\*</sup> For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available





## **OUR LATEST**

The 2024 range pushes the boundaries of innovation, with expanding ride-on mower and Pro X categories.

Each new product has EGO's unrivalled ARC Lithium™ Technology at its core, giving you the power to tackle even bigger and tougher tasks with the same impressive run times and rapid recharge as always.

HPW2000E

P125

PRESSURE WASHER



TR3800E-B 98CM RIDE-ON

COLLECTION













## CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

#### Work smarter. Work healthier.

Any EGO battery will fit any EGO tool (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products – better for you and better for the environment.

The best battery power, from the cordless specialists.

Our results speak for themselves.
Our average product rating is
4.5 out of 5 stars.



#### SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



## A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power<sup>+</sup> Pro X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Pro X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Pro X range delivers clean, quiet safe and productive working



**PROFESSIONAL** 

#### HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



## A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power<sup>+</sup> Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power<sup>+</sup> Professional tools to be powerful, hard-wearing and robust.



#### PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



## A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power\* tools are designed for regular use in domestic gardens. EGO Power\* tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard – tackle every garden maintenance task with ease.

14 | THE EGO POWER+ TOOL CATEGORIES | 15







NEW FOR 2024

# POWER YOUR BUSINESS ALL DAY LONG

#### In a world that's constantly evolving, so too are our demands for outdoor power equipment.

Over recent years battery powered OPE has increased in popularity. However, there still remain concerns around robustness and performance when comparing battery power to more traditional petrol powered equipment. These concerns have been well and truly answered with the launch of EGO's groundbreaking range of battery-powered professional outdoor power equipment and charging solutions. With a focus on incredible performance, flexible fast charging, and seamless connectivity through IoT and fleet management, EGO are revolutionising the way professionals tackle outdoor tasks.

#### The toughest tools for the toughest tasks.

EGO's new Pro X tools have been developed for demanding professional use in the toughest of environments. Special design features such as carbon fibre components, steel drive shafts, robust gear boxes and cast aluminium mower decks, ensure strength, stability, and durability in extreme conditions. Plus, with EGO's industry-leading battery power and performance, each tool exceeds their petrol-powered equivalent.

New product introductions for 2024 include the new Pro X Mower, Pro X Chainsaw, Pro X Line Trimmers/ Brush Cutters, Pro X Backpack Blower and long and short reach Pro X Hedge Trimmers, all designed for comfortable, tough, all-day working.

#### All-day battery power for professionals.

At the centre of the new extended EGO Pro X range is the new PGX Power hub which provides flexible charging solutions to meet the individual needs of the user. Whether it's charging at the depot, into a vehicle, or even in the middle of a forest, EGO have the solution. Capable of charging up to 70 batteries, the EGO PGX Power Hub ensures run time anxiety is a thing of the past, taking all-day professional working to the next level.

#### Stay Connected.

With the new EGO Connect app and wireless/Bluetooth® connectivity, it's easy to remotely manage large fleets of tools, including control of tool charging, tool usage over time, tool maintenance periods and firmware upgrades.







16 | EGO POWER+ PRO X RANGE | 17











### MINIMAL VIBRATION, NOISE AND COST

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

#### Comfortable for all day use.

With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s<sup>2</sup> Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

#### Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus - a permanent ringing sensation in the ears. EGO tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long-term use.

## COST COMPARISON PETROL VS. EGO POWER+

Based on a customer purchasing three tools from the Pro X range - the HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower, plus the backpack harness and rapid charger to run all three tools, and petrol-powered equivalent tools and fuel.



- Cost Estimates are based on purchasing HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower
  plus the 2x 10Ah batteries and rapid+ charger to run all three tools, and petrol-powered equivalent tools and fuel.

18 | EGO POWER+ PRO X RANGE EGO POWER+ VS. PETROL 19

<sup>•</sup> Fuel consumption – running these machines for 6 hours a day for 170 days a year.



### THE ULTIMATE IN FLEXIBILITY

The EGO Pro X range redefines professional battery powered tools, delivering maximum flexibility and choice. So that professionals can choose to work in the best way to suit the job - every Pro X tool is compatible with all EGO battery options\*, offering ultimate efficiency to complete any job of any size. The EGO Pro X Backpack Harness can be used to redistribute the weight of the battery when required, and the EGO Pro X Backpack battery can be used for tasks that require a longer runtime.





5AH BATTERY, 280WH, 2P



7.5AH BATTERY, 420WH, 3P







4AH BATTERY, 224WH, 2P



6AH BATTERY, 336WH, 3P



**BACKPACK BATTERY 1568WH** 











WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.



22 | EGO POWER+ BATTERIES & CHARGERS











so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload



## THE RIGHT POWER FOR EVERY JOB

EGO Power<sup>+</sup> 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose, they have all been engineered for optimal performance and designed to fit all EGO tools\*.



12V Shrub Shears not compatible with ARC Lithium™ 56V battery system.



5AH BATTERY 280WH, 2P











BA6720T

EGO POWER+ BATTERIES | 25

12AH BATTERY 672WH, 4P

24 | EGO POWER+ BATTERIES

## COMFORTABLE ALL-DAY USE

The ergonomic EGO Power\* backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



Image shown as a kit BH1001



#### BH1000 BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



#### BHX1000 PRO X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 Harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Pro X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Pro X backpack battery.



#### ABH3000 PRO X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO Power<sup>+</sup> Pro X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.
CARRYING HANDLE	Yes	Yes	No – fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes backpack harness and adapter	BHX1000-K0002: Includes backpack harness, harness/hip belt and adapter	-



POWER PROW BACKPACK BATTERY



## ADVANCED COMFORT FOR ULTIMATE PRODUCTIVITY

#### Team up your EGO Power<sup>+</sup> tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's ARC Lithium™ BAX1500 backpack keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with all EGO tools.

#### Designed to perform, built to last.

The EGO Power\* Backpack Battery can last throughout a full day's work\* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.



12V AND USB Charging Points

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes backpack battery,



#### BAX1500 PRO X BACKPACK BATTERY

The EGO Power<sup>+</sup> Pro X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand any drops or knocks.

#### BIG POWER BIG BENEFITS

COMPATIBLE WITH EVERY EGO POWER+ TOOL

HIGH-EFFICIENCY BATTERY LIFE

DETACHABLE BATTERY AND HARNESS

#### **WORK HEALTHIER**

Without strains, musculoskeletal problems, or emissions.

#### **COST EFFECTIVE**

Purchasing and running the Pro X Hedge Trimmer, Line Trimmer and Leaf Blower will save you over £6,000 in 5 years, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.



\*Dependent on the tool and based on an 8 hour working day



#### ARC LITHIUM 56V

RAPID MODE

## MARKET-LEADING CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power<sup>+</sup> charger keeps you working for longer. Charging 2.5Ah batteries in under 30 minutes, the CH7000E-T reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster; while the intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.



#### CH7000E-T TOOW RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 2.5Ah battery, this charger features an integrated LEO charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.

#### CH3200E 320W OUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our light-weight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.





CH5500E Rapid Charger



LED CHARGING /
DIAGNOSTICS INDICATOR
Constant feedback on battery
status and recharge levels



CH2100E Standard Charger

CHX5500E PRO X CHARGER

For use with BAX1500 Pro X Backpack Battery

PERFOR	MANCE STATISTICS								
BATTERY N	MODEL	BA1400T	BA2240T/ BA2242T	BA2800T	BA3360T	BA4200T	BA5600T	BA6720T	BAX1500
BATTERY (	Ah)	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	10.0Ah	12.0Ah	28.0Ah
CAPACITY (Wh)		140	224	280	336	420	560	672	1568Wh at 56V rated
	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	45 mins	60 mins	70 mins	80 mins	210 mins
	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	120 mins	145 mins	190 mins	220 mins	-
CHARGE TIMES	PRO X CHARGER: CHX5500E	-	-	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
	320W QUICK CHARGER: CH3200E	35 mins	55 mins	70 mins	80 mins	100 mins	130 mins	160 mins	-
	700W RAPID+ CHARGER: CH7000E-T	<30 mins	<30 mins	30 mins	35 mins	45 mins	60 mins	75 mins	-
WEIGHT		1.2kg	1.9kg/2.2kg	2.2kg	2.6kg	2.8kg	3.4kg	3.6kg	9.0kg
DOMESTIC	WARRANTY	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years
PROFESSIO	ONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years	2 years	3 years

28 | EGO POWER+ CHARGERS | 29









DESIGNED TO CHARGE EGO ZG RIDE-ON MOWERS. EGO RIDE-ON TRACTOR MOWERS AND EGO MULTI-PORT CHARGING CASE.



#### **CHARGING ADAPTOR**

Use with the CH5500E EGO 550W Rapid Charger or the CH7000E 700W Rapid+ Charger in order to work with the Multi-Port Charging Case.





#### CHV1600E **1600W CHARGER**

The EGO Professional 1600W Charger can charge six 10Ah EGO ARC Lithium™ Batteries in as little as 3 hours. it is designed to work with the EGO Multi-Port Charging Case, EGO ZG Ride-on Mowers and EGO Ride-on Tractor Mowers.



POWER MULTI-PORT CHARGING CASE



# CHARGE 6 PORTABLE EGO BATTERIES

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time - ideal for professional users.

EGO's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.





#### MULTI-PORT CHARGING CASE & CHARGER

Includes CHV1600E 1600W charger.





#### MULTI-PORT CHARGING CASE

The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 29) when combined with the ACA1000 EGO Charging Adapter.

COMPARATIVE CHARGE TIMES							
1600W CHARGER with case	6x 10Ah Portable Batteries	~ 3 Hours					
550W RAPID CHARGER & CHARGING ADAPTER with case	6x 10Ah Portable Batteries	~8 Hours					





**≡**GO (%)




A BREAKTHROUGH IN ALL-DAY-LONG POWER

At the centre of the new EGO Pro X battery charging system is a portable superfast Power Bank charger that keeps Pro X tools working on-site all day long.

Combined with the new EGO PGX Power Hub, more than 250Ah of energy can be charged in sequence overnight - ready for the next day's work.

The EGO Pro X Power Hub has loT Bluetooth and WiFi connectivity to provide all the information needed to manage a fleet of Pro X tools – supplying data from all enabled EGO products and physically connected charging peripherals.

The EGO 1600W PGX Power Hub has been designed to connect with existing 13A mains power supplies, so there's no need to update the power supply for installation.





#### PGX1400PB PGX POWER BANK

*=*60

The EGO PGX Power Bank uses the energy from the EGO Professional 40Ah High Capacity Battery to charge any of EGO's portable ARC Lithium™ Batteries.

This provides professional users with super-fast, efficient charging for all day working, and reduces the need to carry more batteries.

- Provides 2 x 700W charging ports for any EGO 56V ARC Lithium™ Batteries.
- LED indicator shows charging status.
- Includes handles for ease of transport
- Stackable to save space.
- Connects to PGX1600E-H 1600W Power Hub for on grid fast charging.
- IoT wired data connection. Relays charging information via PGX Hub.
- Connects with the next charging peripheral to expand charging system indefinitely.
- Wall anchor point for storage and safe transport.
- Physical anti-theft device.









**40AH HIGH CAPACITY BATTERY** 

Powers the EGO PGX Power Bank

for on-site rapid charging of all EGO ARC Lithium™ portable batteries.

- Side interface locking for secure attachment to the charger.
- IoT Bluetooth enabled to relay data, monitor status and control.
- Integrated folding handle.

HC2240T







#### PGX3000D 3-PORT DOCK

*=60*°

Designed to connect to the EGO Pro X 1600W Power Hub.

- Accommodates up to 3 EGO 56V ARC Lithium<sup>™</sup> Batteries.
- Led Indicator clearly shows charging status.
- Connects with the next charging peripheral, can expand charging system by up to 30 peripherals.
- loT wired data connection. Relays charging information via PGX Hub.
- Wall mounting, E-Track compatible with separate accessory kit.
- Side Handles and Battery Retention Clip allows portability.
- Physical anti-theft device.





Charges more than 250Ah of energy in sequence overnight.

- Led Indicator clearly shows Power Hub status while charging.
- Fan cooled for efficient charging.
- IoT Bluetooth and WiFi enabled to relay data from new compatible Pro X products and physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.





#### INT FUNCTIONS

- Monitor / view charging status and statistics
- Prioritise charging
- Firmware upgrades
- Charging completion reminder · Battery optimisation

Usage statistics



#### A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time\* you need.





- \* Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique
- \*\* Run time based on a 10cm x 10cm timber
- \*\*\* Portable batteries must be used with either BH1000 or BHX1000 harnesses
- \*\*\*\* The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time
- Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations
- \*\* Run times shown are for x2 of the batteries listed

												BATTERY											BACKPACK BATTERY			
CODE	PRODUCT NAME		BA1400T			A2240T/BA2			BA2800			BA3360T			BA420			BA560			BA6720		BAX1500			
EGO Power <sup>+</sup> Mower			/ 140Wh ( ower* M		4.	4.0Ah / 224Wh (	(Up to)	5.0A	h / 280Wh	(Up to)	6.0Al	n / 336Wh (	Jp to)	7.5Al	h / 420Wl	ı (Up to)	1	10.0Ah / 560\ 	Vh (Up to)	12.0	h / 672W	h (Up to)	28Ah / 1568Wh (Up to)			
LM1700E	42cm Mower		up to 400		С	Cuts up to 640	Osam	Cuts	s up to 80	0sam	Cuts	up to 900	sam	Cuts	un to 12	:00sqm	Cı	uts up to 10	00sam	Cuts	ıp to 19	00sam	-			
LM1700E-SP	42cm Self-Propelled Mower	Cuts up to 300sqm			Cuts up to 480			s up to 60			up to 800	•		up to 9			uts up to 12			ıp to 14	-	-				
LM1900E-SP	47cm Self-Propelled Mower	Cuts up to 400sqm		С	Cuts up to 640	Osqm	Cuts	s up to 80	0sqm	Cuts	up to 900	sqm	Cuts	up to 12	:00sqm	Cı	uts up to 10	00sqm	Cuts	ıp to 19	00sqm	-				
LM2020E-SP	50cm Self-Propelled Mower	Cuts	up to 350	)sqm	С	Cuts up to 560	Osqm	Cuts	s up to 70	0sqm	Cuts	up to 800	sqm	Cuts	up to 10	50sqm	Cı	uts up to 14	100sqm	Cuts	ıp to 17	00sqm	-			
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts	up to 333	Bsqm	С	Cuts up to 53	3sqm		s up to 66		_	up to 100	-	Cuts	up to 10	00sqm	Cı	uts up to 13	33sqm	Cuts	ıp to 16	00sqm	-			
LMX5300SP**	53cm Self-propelled Mower with Dual Battery Ports								up to 16	50sqm	Cuts	up to 215	Osqm	Cuts	up to 26	00sqm	Cı	uts up to 3	00sqm	Cuts	ıp to 42	00sqm				
	Trimmers, Brush Cutter and Rotocut			ne Trimi	mers	s, Brush Cutt		otocut	440			470			040			000			0.40					
ST1300E-S ST1400E-ST	33cm Line Trimmer  35cm Telescopic Line Trimmer with Powerload™ Technology		70 mins			110 mins 90 mins			140 min			170 mins 135 mins			210 mi			280 mi 240 mi			340 min 290 min		- 660 mins			
ST1510E	38cm Line Trimmer with Powerload™ Technology		60 mins 30 mins			50 mins			60 mins			70 mins			90 min			120 mi			290 IIIII 145 min		-			
ST1510E ST1530E	38cm Loop Handled Line Trimmer		18 mins			36 mins			45 mins			55 mins			72 min			90 mii			143 min		240 mins			
ST1610E-T	40cm Line Trimmer with Line IQ™ and Powerload™ Technology		40 mins			65 mins			85 mins			100 mins			125 mi			165 mi			200 min		475 mins			
BC3800E	38cm Bike Handled Brush Cutter		20 mins			32 mins			40 mins			50 mins			65 min	S		80 mir	IS		96 mins	S	280 mins			
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		-			40 mins			50 mins	3		60 mins			75 min	S		97 mir	IS		120 min	IS	420 mins			
STX3800	Loop Handled Line Trimmer/Brush Cutter***		-			40 mins			50 mins	3		60 mins			72 min	IS		97 mii	IS		116 min	IS	420 mins			
RTX2300	Rotocut (Assembled on BCX/STX3800)***		25 mins			40 mins			52 mins			65 mins			80 min			105 mi			125 min		325 mins			
BCX4500	Bike Handled Line Trimmer/Brush Cutter		-			-			140 min			175 mins			220 mi			300 mi			355 min		840 mins			
STX4500	Loop Handled Line Trimmer/Brush Cutter	F00.5	-	de - T		-			75 mins	5		90 mins			115 mi	ns		155 mi	ns		190 min	IS	450 mins			
EGO Power <sup>+</sup> Hedge HT2000E	6 Trimmers 51cm Hedge Trimmer		ower <sup>+</sup> He 75 mins	age Iri	ımme	ers 120 mins			150 min	c		210 mins			225 mi	ne		300 mi	ne		360 min	ic .	_			
HT2410E	61cm Hedge Trimmer		75 mins			120 mins			150 min			180 mins			225 mi			300 mi		_	360 min 360 min		-			
HT2410E HT2600E	66cm Hedge Trimmer		60 mins			90 mins			120 min			145 mins			180 mi			240 mi		_	270 min					
HT5100E	51cm Hedge Trimmer		40 mins			70 mins			82 mins			100 mins			125 mi			164 mi		_	195 min		490 mins			
HT6500E	65cm Hedge Trimmer		33 mins			60 mins			72 mins			90 mins			110 mi			144 mi		_	170 min		420 mins			
HTX6500	65cm Hedge Trimmer***		-			55 mins			70 mins			83 mins			105 mi	ns		140 mi	ns		170 min	IS	420 mins			
HTX7500	75cm Hedge Trimmer***		-			45 mins			60 mins	3		75 mins			90 min	S		120 mi	ns		145 min	IS	380 mins			
HTX5300-P	53cm Short-reach Fixed Pole Hedge Trimmer		70 mins			112 mins	6		140 min	S		168 mins			210 mi	ns		280 mi	ns	336 mins		IS	784 mins			
HTX5300-PA	53cm Long-reach Articulating Pole Hedge Trimmer	_	70 mins			112 mins	<u> </u>		140 min	s		168 mins			210 mi	ns		280 mi	ns		336 min	IS	784 mins			
EGO Power <sup>+</sup> Chains			ower <sup>+</sup> Ch		IS											-										
CS1410E	35cm Chainsaw 40cm Chainsaw			130 cuts				130 cuts 130 cuts							300 cuts 300 cuts		330 cuts	450 cuts			600 cuts		720 cuts			-
CS1610E CS1800E	45cm Chainsaw with Auto Chain Tensioning		130 cuts			220 cuts		300 cuts				330 cuts 330 cuts		450 cuts			600 cuts		720 cuts 720 cuts			<u>-</u>				
CS2000E	50cm Chainsaw		55 cuts		220 cuts 90 cuts			110 cuts			135 cuts		450 cuts 165 cuts		600 cuts 225 cuts		270 cuts									
CSX3000	30cm Top Handle Chainsaw			140 cuts		225 cuts		265 cuts			330 cuts		420 cuts		560 cuts		700 cuts			_						
CSX5000	50cm Rear Handle Chainsaw		40 cuts			60 cuts			75 cuts			90 cuts			110 cu			150 cu			175 cut		-			
EGO Power+ Telesc	copic Pole Products	EGO P	ower <sup>+</sup> Te	lescopi	c Pol	le Products																				
PS1000E	Telescopic Pole Saw		70 cuts			110 cuts	;		140 cut	S		170 cuts			210 cu	ts		285 cu	ts		340 cut	s	780 cuts			
PSX2500	Pole Saw Attachment		110 cuts			182 cuts	;		231 cut	S		280 cuts			379 cu	ts		455 cu	ts		545 cut	s	1200 cuts			
	Hedge Trimmer Attachment		65 mins			95 mins			120 min	S		140 mins			210 mi	ns		260 mi	ns		310 min	IS	720 mins			
EGO Power <sup>+</sup> Blower	ers		ower <sup>+</sup> Bl																							
Run time in Mins LB5300E	Blower 900m³/h	Low 75	High 22	Max 10		ow High 20 35	Max 16	Low 150	High 44	Max 20	Low 180	High 53	Max 24	225	High 66	Max 30		ow High	Max 40	360	High 105	Max 48	Max* 110 mins			
LB5800E	Blower 986m <sup>3</sup> /h	100	15	9		60 24	14	200	30	18	240	36	22	300	45	27		00 60	36	480	72	36	110 mins			
LB7650E	Blower 1300m <sup>3</sup> /h	30	13	-		20 20	14	150	25	17	180	30	18	225	37	26		00 50	34	360	60	40	-			
LB6000E	Backpack Blower 1020m³/h	75	13	9		96 17	12	120	22	15	150	27	18	180	33	23		40 44	30	290	52	36	_			
LBPX8000	Backpack Blower 1360m³/h		-			10 10	8	50	13	10	70	16	12	75	20	15		00 26	20	120	32	24	-			
LBX6000	Blower 1014m³/h***		-			-			60 mins	6		75 mins			93 min	S		120 mi	ns		144 min	IS	340 mins			
EGO Power+ Multi-	-Tool	EGO P	ower+ M	ulti-Too	ol																					
STA1500	Multi-Tool Line Trimmer Attachment		18 mins			35 mins			45 mins			55 mins			72 min			93 mii			110 min		300 mins			
STA1600	Multi-Tool Line Trimmer Attachment with Powerload™ Technology		18 mins			35 mins			45 mins			55 mins			70 min			90 mii			110 min		240 mins			
BCA1200	1	27 mins		50 mins			60 mins			75 mins			95 mins				125 mi			150 min		375 mins				
HTA2000	Multi-Tool Brush Cutter Attachment					05	65 mins		82 mins		98 mins			122 mins		157 mins		188 mins			680 mins					
■ HIVJUUUG	Multi-Tool Hedge Trimmer Attachment		37 mins									QQ mins			122 mi			157 m			100 mi-	ic .	690 mine			
HTA2000S PSA1000**	Multi-Tool Hedge Trimmer Attachment Multi-Tool Short Hedge Trimmer Attachment		37 mins 37 mins			65 mins			82 mins	6		98 mins			122 mi	ns		157 mi	ns		188 min		680 mins			
PSA1000**	Multi-Tool Hedge Trimmer Attachment Multi-Tool Short Hedge Trimmer Attachment Multi-Tool Pole Saw Attachment		37 mins			65 mins 110 cuts	}		82 mins 140 cut	S S		170 cuts			210 cu	ns ts		285 cu	ns ts		340 cut	s	660 cuts			
	Multi-Tool Hedge Trimmer Attachment Multi-Tool Short Hedge Trimmer Attachment		37 mins 37 mins 70 cuts			65 mins	<b>i</b>		82 mins	S S						ns ts ns			ns ts ns			s is				
PSA1000** EA0800	Multi-Tool Hedge Trimmer Attachment Multi-Tool Short Hedge Trimmer Attachment Multi-Tool Pole Saw Attachment Multi-Tool Edger Attachment		37 mins 37 mins 70 cuts –			65 mins 110 cuts 50 mins	<b>1</b>		82 mins 140 cut 60 mins	5 S 5		170 cuts 75 mins			210 cu 100 mi	ns ts ns		285 cu 132 mi	ns ts ns		340 cut 158 min	s Is	660 cuts 530 mins			
PSA1000** EA0800 CTA9500	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment		37 mins 37 mins 70 cuts - 40 mins			65 mins 110 cuts 50 mins 60 mins	5		82 mins 140 cut 60 mins 80 mins	s s s s		170 cuts 75 mins 100 mins			210 cu 100 mii 120 mii	ns ts ns ns		285 cu 132 mi 160 mi	ns ts ns ns		340 cut 158 min 190 min	s is is	660 cuts 530 mins 480 mins			
PSA1000** EA0800 CTA9500 BBA2100	Multi-Tool Hedge Trimmer Attachment Multi-Tool Short Hedge Trimmer Attachment Multi-Tool Pole Saw Attachment Multi-Tool Edger Attachment Multi-Tool Cultivator Attachment Multi-Tool Bristle Brush Attachment		37 mins 37 mins 70 cuts - 40 mins 50 mins			65 mins 110 cuts 50 mins 60 mins 120 mins	3		82 mins 140 cut 60 mins 80 mins 120 min	s s s s		170 cuts 75 mins 100 mins 140 mins			210 cu 100 mi 120 mi 150 mi	ns ts ns ns ns		285 cu 132 mi 160 mi 200 mi	ns ts ns ns ns		340 cut 158 min 190 min 280 min	s is is	660 cuts 530 mins 480 mins 420 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment		37 mins 37 mins 70 cuts - 40 mins 50 mins 50 mins 45 mins 25 mins			65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins	5		82 mins 140 cut 60 mins 80 mins 120 min	s s s s s		170 cuts 75 mins 100 mins 140 mins 120 mins			210 cu 100 mi 120 mi 150 mi 160 mi	ns ts ns ns ns		285 cu 132 mi 160 mi 200 mi 210 mi	ns ts ns ns ns ns ns		340 cut 158 min 190 min 280 min 250 min	s s s s s s s s s s s s s s s s s s s	660 cuts 530 mins 480 mins 420 mins 660 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snow	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment	EGO Po	37 mins 37 mins 70 cuts - 40 mins 50 mins 45 mins 25 mins ower + Sr		ower	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins	3		82 mins 140 cut 60 mins 80 mins 120 min 100 min 90 mins 52 mins	S S S S S S S S S S S S S S S S S S S		170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins			210 cu 100 mi 120 mi 150 mi 160 mi 135 mi 80 min	ns ts ns		285 cu 132 mi 160 mi 200 mi 210 mi 180 mi	ns ts ns ns ns ns ns ns ns ns ns		340 cut 158 min 190 min 280 min 250 min 216 min	S S S S S S S S S S S S S S S S S S S	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snow*	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  Throwers  2 Stage Snow Thrower	EGO Po	37 mins 37 mins 70 cuts - 40 mins 50 mins 50 mins 45 mins 25 mins ower* Sr 14 mins		ower	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins	3		82 mins 140 cut 60 mins 80 mins 120 min 100 min 90 mins 52 mins	S S S S S S S S S S S S S S S S S S S		170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins			210 cu 100 min 120 min 150 min 160 min 135 min 80 min	ns ts ns ns ns ns ns ss		285 cu 132 mi 160 mi 200 mi 210 mi 180 mi 105 mi	ns ts ns ns ns ns ns ns		340 cut 158 min 190 min 280 min 250 min 216 min 125 min	s s s s s s s s s s s s s s s s s s s	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snow* SNT2400E SNT2120E-AP	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  Multi-Tool Rotocut Attachment  //Throwers  2 Stage Snow Thrower  Auger Propelled Snow Thrower	EGO Pi	37 mins 37 mins 70 cuts - 40 mins 50 mins 50 mins 45 mins 25 mins ower + Sr 14 mins -	now Thro	ower	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins	3		82 mins 140 cut 60 mins 80 mins 120 min 100 min 90 mins 52 mins	S S S S S S S S S S S S S S S S S S S		170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins			210 cu 100 mi 120 mi 150 mi 160 mi 135 mi 80 min	ns ts ns ns ns ns ns ss		285 cu 132 mi 160 mi 200 mi 210 mi 180 mi	ns ts ns ns ns ns ns ns		340 cut 158 min 190 min 280 min 250 min 216 min	s s s s s s s s s s s s s s s s s s s	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snow* SNT2400E SNT2120E-AP EGO Power* Lifesty	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  Multi-Tool Rotocut Attachment  //Throwers  2 Stage Snow Thrower  Auger Propelled Snow Thrower	EGO P	37 mins 37 mins 70 cuts - 40 mins 50 mins 50 mins 45 mins 25 mins ower + Sr 14 mins - ower + Li	now Thro		65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins rs 22 mins	5		82 mins 140 cut 60 mins 80 mins 120 min 100 min 90 mins 52 mins 28 mins 23 mins	5 5 5 5 5 5 5 6 6		170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins 30 mins 28 mins			210 cu 100 min 120 min 150 min 160 min 135 min 80 min 44 mins 34 min	ns ts ns ns ns ns ns ns ns ns ns ss		285 cu 132 mi 160 mi 200 mi 210 mi 180 mi 105 mi	ns ts ns ns ns ns ns ns ns ss ss ss		340 cut 158 min 190 min 280 min 250 min 216 min 125 min 67 min	S	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snov* SNT2400E SNT2120E-AP EGO Power* Lifesty Run time in Mins	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  // Throwers  2 Stage Snow Thrower  Auger Propelled Snow Thrower	EGO Pi	37 mins 37 mins 70 cuts 40 mins 50 mins 50 mins 45 mins 25 mins ower + Sr 14 mins ower + Li High	oow Thro festyle Max	Lo	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins rs 22 mins —	Max	Low 50	82 mins 140 cut 60 mins 80 mins 120 min 100 min 90 mins 52 mins 28 mins 23 mins	S S S S S S S S S S S S S S S S S S S	Low	170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins 30 mins 28 mins	Max	Low	210 cu 100 mi 120 mi 150 mi 160 mi 135 mi 80 min 44 mins 34 min	ns tts ns		285 cu 132 mi 160 mi 200 mi 210 mi 180 mi 105 mi 56 min 45 min	ns tts ns ns ns ns ns ns ns ns ns ms Max	Low	340 cut 158 min 190 min 280 min 250 min 216 min 67 min 56 min	s sis sis sis sis sis sis sis sis sis s	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* SNT2400E SNT2120E-AP EGO Power* Lifesty Run time in Mins HPW2000E	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  **Throwers**  2 Stage Snow Thrower  Auger Propelled Snow Thrower  tyle  Pressure Washer	EGO Poles	37 mins 37 mins 70 cuts - 40 mins 50 mins 50 mins 45 mins 25 mins ower+ Sr 14 mins - ower+ Li High 12.5	festyle Max 6.25	Lo 4	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins rs 22 mins —  DW High 20	Max 10	50	82 mins 140 cut 60 mins 80 mins 120 min 90 mins 52 mins 28 mins 23 mins High 25	6	Low 60	170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins 30 mins 28 mins High 30	Max 15	Low 75	210 cu 100 min 120 min 150 min 160 min 135 min 80 min 44 mins 34 min High 37.5	ns tts ns	10	285 cu 132 mi 160 mi 200 mi 210 mi 180 mi 105 mi 56 min 45 min www High	ns tts ns	Low 120	340 cut 158 min 190 min 280 min 250 min 216 min 67 min 56 min High 60	s s s s s s s s s s s s s s s s s s s	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins			
PSA1000** EA0800 CTA9500 BBA2100 OSA1000 SSA1200 RTA2300 EGO Power* Snov* SNT2400E SNT2120E-AP EGO Power* Lifesty Run time in Mins	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment  Multi-Tool Pole Saw Attachment  Multi-Tool Edger Attachment  Multi-Tool Cultivator Attachment  Multi-Tool Bristle Brush Attachment  Multi-Tool Olive Shaker Attachment  Multi-Tool Snow Shovel Attachment  Multi-Tool Rotocut Attachment  // Throwers  2 Stage Snow Thrower  Auger Propelled Snow Thrower	EGO Pi	37 mins 37 mins 70 cuts 40 mins 50 mins 50 mins 45 mins 25 mins ower + Sr 14 mins ower + Li High	oow Thro festyle Max	Lo 40 30	65 mins 110 cuts 50 mins 60 mins 120 mins 80 mins 75 mins 40 mins rs 22 mins —	Max		82 mins 140 cut 60 mins 80 mins 120 min 90 mins 52 mins 28 mins 23 mins High 25 258	S S S S S S S S S S S S S S S S S S S	Low	170 cuts 75 mins 100 mins 140 mins 120 mins 110 mins 60 mins 30 mins 28 mins High 30 312	Max	Low	210 cu 100 mi 120 mi 150 mi 150 mi 160 mi 135 mi 80 min 44 mins 34 min High 37.5	ns tts ns	76	285 cu 132 mi 160 mi 200 mi 210 mi 180 mi 105 mi 56 min 45 min	ns tts ns ns ns ns ns ns ns ns ns ms Max	Low	340 cut 158 min 190 min 280 min 250 min 216 min 67 min 56 min	s sis sis sis sis sis sis sis sis sis s	660 cuts 530 mins 480 mins 420 mins 660 mins 504 mins 325 mins  Max* -			

34 | BATTERY COMPATIBILITY & RUNTIMES | 35



WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.







# THE POWER OF PETROL

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power<sup>+</sup> mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge, our battery gives you up to 1,900 sqm cutting area\*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

Take the strain out of mowing sloping ground PUSH BUTTON START Power up in seconds QUICK RELEASE — Telescopic handle For easy cleaning and compact storage BAG FULL INDICATOR LED HEADLIGHTS Lets you know when Work further into the day the bag needs emptying HIGH TORQUE, High-efficiency motor For operation in all conditions ADJUSTABLE HANDLE HEIGHT Easily adjusts to suit you, and the job in hand LARGE CAPACITY BAG Collects more grass and requires emptying less frequently 47cm SELF PROPELLED For convenient storage LARGE DIAMETER For easy motion on different terrains 8-POSITION SPRING LOADED DECK HEIGHT ADJUSTMENT AVAILABLE IN A RANGE OF CUTTING WIDTHS Easily set different grass 42, 47, 50, 52 and 53 cm cutting heights from 20-95mm cutting width options to suit any size of lawn Model shown: LM1900E-SP Please note: some features are not available on all models.

SELF-PROPELLED MOTOR

\*Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.



# A MOWER FOR EVERY LAWN THE RIGHT TOOL FOR THE JOB

The EGO Power<sup>+</sup> mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 53cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power<sup>+</sup> mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



#### Choosing the RIGHT mower:



#### Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



#### Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



#### Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP, LM1900E-SP, LM2130E-SP, LM2020E-SP and LMX5300SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.

#### Additional comfort.

If comfort is a priority, selfpropelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.



#### Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

#### **REAR ROLLER KITS**

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model – see below).



AR1700 available for LM1700E, LM1700E-SP AR1900 available for LM1900E-SP AR2100 available for LM2130E-SP

#### Grass cutting options.

There are 3 different ways that E60 Power<sup>+</sup> mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



#### MULCHING KITS

The EGO Power<sup>+</sup> Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ABP1700 available for LM1700E, LM1700E-SP
ABP1900 available for LM1900F-SP



Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP





#### LM1700E **42CM MOWER**



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.





#### LM1900E-SP 47CM SELF-PROPELLED MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collection bag.





#### LM1700E-SP **42CM SELF-PROPELLED MOWER**



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





#### LM2020E-SP **50CM SELF-PROPELLED MOWER**



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collection bag.



#### LM2130E-SP 52CM SELF-PROPELLED MOWER





The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.







		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP	
CUTTING CA	APACITY	42cm	42cm	47cm	50cm	52cm	
SELF-PROPE	ELLED SPEED	No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)	
<b>CUTTING DE</b>	CK MATERIAL	Poly	Poly	Poly	Steel	Poly	
CUTTING	2.5Ah	Cuts up to 400sqm	Cuts up to 300sqm	Cuts up to 400sqm	Cuts up to 350sqm	Cuts up to 333sqm	
AREA*	4.0Ah	Cuts up to 640sqm	Cuts up to 480sqm	Cuts up to 640sqm	Cuts up to 560sqm	Cuts up to 533sqm	
	5.0Ah	Cuts up to 800sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 666sqm	
	6.0Ah	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 1000sqm	
	7.5Ah	Cuts up to 1200sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1050sqm	Cuts up to 1000sqm	
	10.0Ah	Cuts up to 1600sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1400sqm	Cuts up to 1333sqm	
	12.0Ah	Cuts up to 1900sqm	Cuts up to 1400sqm	Cuts up to 1900sqm	Cuts up to 1700sqm	Cuts up to 1600sqm	
CUTTING SP	PEED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed**	
NO LOAD SP	PEED	3,000rpm	3,000rpm	2,850rpm	2,700-3,000rpm	2,700-3,000rpm	
CUT HEIGHT	SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm Three – user adjustable	
HANDLE HE	IGHTS	Three – user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable		
BAG CAPACI	ITY	55L	55L	55L	60L	70L	
FUNCTIONS	;	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, side discharge	Mulch† and collect	
NOISE RATII Lpa/Lwa	NG	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)	
VIBRATION (	(M/S <sup>2</sup> )	2.4	1.5	1.4	1	0.6	
VERTICAL ST	TORAGE	Yes	Yes	Yes	Yes	Yes	
WEIGHT WIT	THOUT BATTERY	22kg	25kg	25kg	27kg	26kg	
MOTOR TYP	E	Brushless	Brushless	Brushless	Brushless	Brushless	
DOMESTIC	WARRANTY	5 years	5 years	5 years	5 years	5 years	
PROFESSIO	NAL WARRANTY	1 year	1 year	1 year	2 years	2 years	
AVAILABLE /	AS A KIT	LM1701E: Includes mower, 2.5Ah battery and standard charger	LM1702E-SP: Includes self- propelled mower, 4Ah battery and standard charger	LM1903E-SP: Includes self- propelled mower, 5Ah battery and rapid charger	LM2021E-SP: Includes self- propelled mower, 5Ah battery and rapid charger	LM2135-SP: Includes self- propelled mower, 7.5Ah batte and rapid charger	

<sup>\*</sup>Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. \*Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

42 EGO POWER+ MOWERS EGO POWER+ MOWERS 43

Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

- highlighted cutting area is optimal for battery.







**DUAL BATTERY PORTS** 

Combines two EGO ARC Lithium™

Batteries to provide extra

PeakPower™ when required





#### SIMPLE DURABLE CONTROLS

For self-propelled drive speed adjustment and blade engagement. Clear screen shows battery capacity and drive speed

#### LARGE CAPACITY 85L COLLECTION BAG WITH LEVEL INDICATOR

Efficient grass collection, collects more grass and requires emptying less often



#### 53CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

The wider cutting width is designed for mowing of large and wide spaces. Self-propelled with automatic variable cutting speed, two battery ports, and Peak Power™ Technology, ideal for all day working. The cast aluminium deck gives a robust stable performance. Includes an extra-large 85L collection bag.



STORES UPRIGHT



LED LIGHTS




















 $^{\bullet}\text{Cutting}$  area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

### ALL-DAY POWER FOR THE TOUGHEST CUTTING CONDITION

The new LMX5300SP has been designed with the professional user in mind. The backbone of the mower is the cast aluminium deck, which ensures that the mower is robust, stable and performs to a high level.

The dual battery ports provide Peak Power™ to the mower when more energy is needed, while the 1600W motor has ample torque, providing high power for tough cutting conditions.

Part of the Pro X range, ideal for users who demand tough and durable tools, the mower is also comfortable for all-day use with selfpropelled variable-speed adjustment, and adjustable handle height.



#### For the ultimate in powerful all-day working

Portable and super-fast – the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.



MULCHING PLUG

ROBUST BARRIER BARS Protect the motors and housings, can also be used as handles

LED HEADLIGHTS

Work further into

GO

SELF PROPELLED

TOUGH DRIVE SYSTEM

SINGLE-TUBE Steel Handles

Fold flat for

convenient transport,

storage and easy cleaning – while still remaining durable

With Rubberised front and back wheels and aluminium hubs, for excellent traction and durability

CAST ALUMINIUM DECK

durability and ensures

outstanding performance

Provides stability,

8 CUTTING HEIGHT ADJUSTMENTS

Via front and rear wheel levers, from 20mm to 105mm. A versatile and robust system

44 | EGO POWER+ MOWERS



BATTERIES FOR TRULY EXCEPTIONAL PERFORMANCE.



46 | EGO POWER+ RIDE-ON MOWERS





# OUTSTANDING BATTERY-POWERED RIDE-ON PERFORMANCE

The development of EGO's new ride-on mowers range is a testament to the ground-breaking success of the EGO ZG ride-on mower. The world's first battery-platform compatible zero-turn ride-on mower proved that the combined power of EGO's revolutionary ARC Lithium™ batteries could more than match petrol-powered equivalents.

Also utilising up to six EGO ARC Lithium™ portable batteries, EGO's new Ride-on Tractor Mowers are set to equal the success of the EGO Z6 series. Allowing you to not only match the amount of energy you need for your mowing needs but also to use the same batteries with other EGO tools.

EGO ride-on mowers deliver the equivalent power of a 22-horsepower petrol engine, with less noise and none of the emissions. You can tailor the combination of batteries to suit the size of your lawn and grasscutting preferences, while fully customisable digital controls give you the flexibility to match set-up and performance to the job in hand, cutting up to 2.5 Acres on a single charge\*.

\*When using six 12Ah EGO ARC Lithium" batteries in the EGO Z6 Mower.











Dialling up the power for those tough tasks has never been easier.

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower, automatically increasing the power for tougher cutting tasks.



Choose from a range of models and accessories fo Side / Rear Discharge, Mulch or Collect functions

48 | EGO POWER+ RIDE-ON MOWERS EGO POWER+ RIDE-ON MOWERS 49







The new EGO ride-on tractors set the standard in battery powered collection and side-discharge mowers.

The powerful twin blades and pressed steel decks ensure that the mowers perform robustly with either efficient grass collection into the grass box at the rear of the mower, or rapid side-discharge.

The central LCD control display is located on the dash making it easy to make adjustments to travel and blade speeds.

Bluetooth connectivity allows the user to monitor machine performance as well as to ensure batteries are charged and ready for cutting.







NEW FOR 2024

#### TR3800E-B

#### 98CM RIDE-ON COLLECTION TRACTOR MOWER

The EGO Collection Tractor benefits from efficient grass collection into a large rear 300 litre collection box to maximise cutting times.

















NEW FOR 2024

#### TR42NN

#### 107CM RIDE-ON SIDE DISCHARGE TRACTOR MOWER

The EGO Side Discharge Tractor allows cutting of higher levels of grass faster, as grass collection is not required.

Large areas of grass can be covered on a single charge, throwing grass out to the right side of the mower, making it suitable for paddocks.















FAST 1600W CHARGER
Fully charges 6x 10Ah
E60 56v ARC Lithium™
batteries in as little
as just 3 hours
See page 30 for details

	TD2000F D	TDAGGOG				
	TR3800E-B	TR4200E				
NUMBER OF BLADES	2	2				
CUTTING WIDTH	98cm	107cm				
STEERING	Steering wheel	Steering wheel				
SPEED	Up to 10km	Up to 10km				
DECK LIFTING	12	12				
CUTTING HEIGHT	25mm-100mm	25mm-100mm				
FUNCTIONS	Bagging, mulch	Side discharge, mulch				
REAR COLLECTION	300L	-				
SEATSUSPENSION	18" high back padded seat	18" high back padded seat				
NOISE RATING LpA/LwA	84dB(A) / 98dB(A)	84dB(A) / 96dB(A)				
WEIGHT	220kg	182kg				
DOMESTIC WARRANTY	5 years	5 years				
PROFESSIONAL WARRANTY	1 year	1 year				
SUPPLIED COMPLETE AS:	TR3801E-B: Includes ride-on mower, 2x blades, mulching plug and 1600W charger	TR4201E: Includes ride-on mower, mulching plug and 1600W charger				

\*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique.

The T6 needs a minimum of 15Ah to function.

50 | EGO POWER+ RIDE-ON MOWERS | 51

#### POWER Z6 ZERO-TURN RIDE-ON MOWER





Introducing EGO's unique ZG steering wheel model, featuring e-STEER™ Technology for advanced steering control and confidence.

Our newest Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology – as well as offering the same world-first battery platform-compatibility as all E60 ride-on models.

With zero-turn capability, all EGO ZG mowers can turn a full 360 degrees, on the spot, for perfect about-turns and for cutting around the tightest corners right up to the edge. While customisable driving modes and variable cutting speeds, give maximum flexibility for different cutting conditions.





## TAZODE-S 107CM ZG ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY The ZG ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The line innovative precision steering wheel ensures you are in complete control, handli as just 3 hours

The Z6 ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The innovative precision steering wheel ensures you are in complete control, handling tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.



See page 30 for details



#### ACCESSORIES ALSO AVAILABLE















#### POWER Z6 ZERO-TURN RIDE-ON MOWER







	ZT4200E-S	ZT4200E-L	ZT5200E-L
NUMBER OF BLADES	2	2	3
CUTTING WIDTH	107cm	107cm	132cm
STEERING	Steering wheel	Lap Bar	Lap Bar
SPEED	5-13 km/h	5-13 km/h	8-13km/h
DECKLIFTING	Manual	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings	25mm-100mm, 10 settings	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge	Mulch, collect, side discharge	Mulch, collect, side discharge
REAR COLLECTION	230L	230L	230L
SEATSUSPENSION	Hydraulic	Hydraulic	Hydraulic
NOISE RATING LpA/LwA	84dB(A) 96dB(A)	84dB(A) 96dB(A)	84dB(A) 96dB(A)
WEIGHT	195kg	195kg	217kg
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year
SUPPLIED COMPLETE AS:	ZT4201E-S: Includes ride-on mower, mulching plug and 1600W charger	ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger	ZT5201E-L: Includes ride-on mower and 1600W charger

 $^{\star}$ Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.

54 | EGO POWER+ RIDE-ON MOWERS | 55



BUILT FOR THE TOUGHEST JOBS, POWERED TECHNOLOGY, NOTHING GETS IN THEIR WAY.





# BUILT For the

#### The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set-up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

BRUSHLESS

POWER

The electronic chain brake protects against kickback while you work. And, the auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.

CHAIN BRAKE



FAST CHAIN SPEED - 20.0M/S For smooth, easy cut through large trunks and logs

For safe operation LED LIGHT For use in low light conditions AND POWERFUL AUTOMATIC CHAIN OILING For better cutting performance

OPAQUE OIL LEVEL

INSPECTION WINDOW

**EGO** 6



Please note: some features are not available on all models. Model shown: CS1800E

\*Available on selected models.



LOULOU

BUMPER SPIKES

For control when

cutting logs

DURABLE 45CM, 18" Guide Bar

# AUTO CHAIN TENSIONING

The EGO Power<sup>+</sup> 18 inch chainsaw with Auto Chain Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful motor, nothing will get in its way.

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw, re-tighten and you're ready to go.



SIMPLE ADJUSTMENT For safe and effective chain tensioning.

















#### CS1410E 35CM CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.















#### CS1610E **40CM CHAINSAW**

An outstanding combination of high torque and chain speed - perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.









AUTO CHAIN TENSIONING





#### CS1800E **45CM CHAINSAW**

A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.









#### **50CM CHAINSAW**

The CS2000E is EGO's highest specification chainsaw for domestic use, boasting 25m/s chain speed and a new configuration for improved balance and handling, ideal for cutting thick branches and larger logs up to 50cm (19.6 inches) in width. Features a new innovative display showing battery charge level and speed setting.



#### BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 133.

	CS1410E	CS1610E	CS1800E	CS2000E
BAR LENGTH	35cm	40cm	45cm	50cm
CHAIN SPEED	20m/s	20m/s	20m/s	25m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 135 cuts 7.5Ah Up to 165 cuts 10.0Ah Up to 270 cuts
CHAIN BAR	AG1400	AG1600	AG1800	AG2000
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX -3/8" x 1.3mm)	AC2000
OIL RESERVOIR	150ml	150ml	200ml	150ml
CHAIN OIL	Automatic	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes	Yes
NOISE RATING Lpa/Lwa	91dB(A) 102dB(A)	91dB(A) 102dB(A)	93dB(A) 104dB(A)	89dB(A) 105dB(A)
VIBRATION (M/S2)	3.4/2.8	3.4/2.8	5.1/3.5	4.7/4.2
CHAINTENSIONING	Automatic	Automatic	Semi automatic	Manual
WEIGHT WITHOUT BATTERY	4.1kg	4.1kg	4.5kg	5.9kg
MOTORTYPE	Brushless	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	CS1411E: Includes chainsaw, 2.5Ah battery and standard charger	CS1614E: Includes chainsaw, 5Ah battery and rapid charger	-	CS2005E: Includes chainsaw, 6Ah battery and rapid charger

<sup>\*</sup>Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

**60** | EGO POWER+ CHAINSAWS EGO POWER+ CHAINSAWS 61

highlighted cutting area is optimal for battery.

POWER PROW REAR HANDLE CHAINSAW

## THE POWER AND SPEED

The first in a new generation of EGO rear handle chainsaws. Meeting the needs of professional users who need a ground saw to complete the toughest jobs. Balance is a key focus of the new design, ensuring the saw can be used for longer periods.

At a chain speed of 30m/s the saw provides the power and speed comparable to established petrol saws.

The CSX5000 utilises full chisel chains making cutting fast and efficient - with enough power to drive the 50cm chain to perform at its best.

The saw also features a new display screen that clearly shows oil level, battery capacity and adjustable speed.

#### NEW FOR 2024





#### PRO X 50CM REAR HANDLE

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional user.





#### For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details

BAR LENGTH	50cm
CHAIN SPEED	20/25/30m/s
CUTS UP TO*	2.5Ah Up to 40 cuts 4.0Ah Up to 60 cuts 5.0Ah Up to 75 cuts 6.0Ah Up to 90 cuts 7.5Ah Up to 110 cuts 10.0Ah Up to 150 cuts 12.0Ah Up to 175 cuts
CHAIN BAR	AK2025
CHAIN TYPE	AC2035
OIL RESERVOIR	250ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA/LwA	92dB(A) 104dB(A)
VIBRATION (M/S <sup>2</sup> )	3.3/1.7
CHAIN TENSIONING	Manual
WEIGHT WITHOUT BATTERY	6.2kg
MOTORTYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

CSX500



POWER PROX TOP HANDLE CHAINSAW

**EGO** 



## EASIER, SAFER,



IMPRESSIVE USER COMFORT AND SAFETY Low vibration and noise levels and

> SIGHTLINES Helping operators make accurate cuts

zero emissions

Created with arborist specialists in mind, EGO's Pro X CSX3000 Top Handle Chainsaw is an exceptional combination of torque and power.

With industry-leading ARC Lithium™ battery technology at its core, the Top Handle Chainsaw provides the optimum combination of power, torque, and chain speed.

BATTERY-LEVEL AND OIL Indicator light alerts Provides warning when power and oil levels are running low Benefiting from long run-times and fast recharge, it's built to tackle tough, all-day use. The Chainsaw's unique Chain Brake Safety System stops the tool's motor if kickback occurs, reducing the risk of injury.

Additional features of Battery-Level and Oil Indicator lights alert you when you're running low, making the tool suitable for every tree-top task. With a range of chain bars from 12" to 16" available, the EGO Top Handle Chainsaw makes jobs easier, cleaner, quieter and safer.

CHAIN-BRAKE SAFETY SYSTEM Stops the motor in its tracks if kickback occurs

> METAL BUMPER SPIKES For better grip during cuts

30cm

COMPATIBLE WITH A RANGE OF CHAIN BARS From 12"- 16"

TOP HANDLE TRIGGER Provides power when you need it, no need for a pull cord



#### ABH3000 BATTERY HOLSTER

BA2240T **4AH BATTERY** 

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.

Available separately, see pages 25 and 26.



#### PRO X TOP HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional arborist.







CSX3000 BLADE LENGTH 30cm CHAIN SPEED 20m/s CUTS UP TO\* 2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts **CHAIN BAR** AG1200 CHAIN TYPE AC1200 (90PX - 3/8" x 1.1mm) OIL RESERVOIR 200ml **CHAIN OIL** Automatic - Worm drive adjustable CHAIN BRAKE Yes - Mechanical and Electronic NOISE RATING LpA/LwA 88dB(A) / 98dB(A) VIBRATION (M/S2) 1.7/2.2 CHAIN TENSIONING Side WEIGHT WITHOUT BATTERY 3.5kg MOTOR TYPE Brushless DOMESTIC WARRANTY Not suitable PROFESSIONAL WARRANTY 3 years CSX3002: Includes top handle VAII ARI FASA KIT chainsaw, 4Ah battery and rapid charge

> \*Number of cuts may vary and depend on the battery used, charge level of • - highlighted cutting area is optimal for battery.

62 | EGO POWER+ PRO X REAR HANDLE CHAINSAW EGO POWER+ PRO X TOP HANDLE CHAINSAW 63



MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES.



## REACH

#### The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.



#### TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.



OIL INDICATOR LIGHT

LED LIGHTS





saw, extension pole, 4Ah battery and standard charger \*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. highlighted cutting area is optimal for battery.



#### EP1000 EXTENSION POLE

BRANCH-GRABBING HOOK

Nothing is out of reach with this strong yet lightweight extension pole.



POWER PROX TELESCOPIC POLE PRODUCTS



## REACH HIGH BRANCHES

EGO's Telescopic Pole system enables you to work on those harder-to-reach jobs with ease.

Switch between a Pruning Saw or Hedge Trimmer attachment in a matter of seconds. The Telescopic Pole houses the battery and dual-trigger controls and has an extendable reach of up to 4 metres. When fully extended, the tool maintains great balance, articulation, and ergonomics.





DOUBLE TRIGGER Controls Comfortable, safe and reliable

IN-LINE BATTERY POSITION For optimum balance during use



PRO X TELESCOPIC Hedge trimmer attachment Cut branches up to 26mm in diameter. 6-position articulation

PRO X TELESCOPIC Pruning Saw Attachment The power, torque and chain-speed to cut branches up to 200mm in diameter





PPX1000

REAR FOOT

Replaceable carrying handle, protection against bumping and dropping



INCLUDES AP1500 Single Shoulder Harness.

\*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately.

\*\*Depending on which attachment.



#### PPX1000 PRO X TELESCOPIC POLE

Use with the EGO Power<sup>+</sup> Pro X Pruning Saw and Hedge Trimmer attachments\*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m\*\* in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.







LENGTH	172 - 265cm
IP CLASS	IPX4
SPEED CONTROL	Variable speed 2 triggers
SHAFT MATERIAL	Oval, rubber sleeve
WEIGHT WITHOUT BATTERY	3.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

FRONT-MOUNTED

MOTOR AND OIL


SYSTEM

HIGH CHAIN SPEED

#### POWER PROX TELESCOPIC POLE PRODUCTS









#### PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power<sup>+</sup> Pro X Telescopic Pole (sold separately). Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.

















	PTX5100
BLADE LENGTH	51cm
BLADE GAP	26mm
BLADE TOOTH DEPTH	1.8mm
RUN TIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 260 mins 12.0Ah Up to 310 mins
SPEED CONTROL	Variable Speed
NO LOAD SPEEDS	3,000spm
BLADETYPE	Laser cut; diamond ground
CUTTING ACTION	Dual action double sided
BLADE TIP PROTECTOR	No
NOISE RATING LpA/LwA	83 dB(A) / 94 dB(A)
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°
WEIGHT WITHOUT BATTERY	2.3kg
MOTOR TYPE	Brushless
VIBRATION (M/S²)	1.3 - 1.5
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. \*\*Without battery and charger.





#### PSX2500

#### PRO X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power<sup>+</sup> Pro X Telescopic Pole (sold separately). Cut through branches up to 200mm in diameter with ease.









	PSX2500
BAR LENGTH	25cm
CHAIN TYPE	90PX040X (Pitch <sup>3</sup> /8", Gauge 1.1mm)
CHAIN SPEED	22m/s
RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 280 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 545 cuts
SPEED CONTROL	Variable Speed
TOTAL LENGTH	140cm
TOTAL EXTENDED LENGTH	400cm
OIL TANK CAPACITY	180ml with worm gear
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
VIBRATION (M/S²)	1.2
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. \*\*Without battery and charger.

68 | EGO POWER+ PRO X TELESCOPIC POLE PRODUCTS EGO POWER+ PRO X TELESCOPIC POLE PRODUCTS 69



THE PERFECT COMBINATION OF POWER, BALANCE BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.









# ULTIMATE TRIMMING CONTROL

EGO has revolutionised its range of Power<sup>+</sup> Line Trimmers once more, with the introduction of world-first Line IQ™ Technology for non-stop performance.

#### **Automatic Line Feeding**

EGO's latest innovation features auto-sensors which monitor and automatically feed the length of line so there's no bump needed. Coupled with EGO's patented Powerload™ Technology, it's designed to eliminate the usual hassle so you can focus on the job at hand.

With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding, professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power<sup>+</sup> Line Trimmers deliver optimum efficiency and runtime, as well as low vibration levels and adjustable shaft length for comfortable working conditions.



# LINE-IQ TECHNOLOGY

#### **Automatic Line Feeding**

Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology, there's no need to bump the head, so you can keep trimming for non-stop performance.





LINE-IQ

TECHNOLOGY TECHNOLOGY













BUMP LINE FEED





#### ST1610E-T **40CM LINE TRIMMER**

Overcome the tricky, time-consuming challenges of loading and feeding line with the industry's most innovative Line Trimmer. EGO Powerload™ and Line IQ™ Technologies make tackling trimming tasks the easiest they've ever been, combined with a 40cm cutting swathe and 2 pre-set speeds. The new ST1610E-T's ergonomic design and industry-first technology features make it a truly remarkable trimming tool.



*POWERLOAD*\*\*













	ST1300E-S	ST1400E-ST	ST1510E	ST1530E	ST1610E-T		
CUTTING WIDTH  - Line trimmer head	33cm	35cm	38cm	38cm	40cm		
TOTAL LENGTH	173cm	165-183cm	173cm	167cm	184cm		
RUNTIME*	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 290 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 70 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 145 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 40 mins 4.0Ah Up to 65 mins 5.0Ah Up to 85 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 165 mins 12.0Ah Up to 200 mins		
SPEED CONTROL	Constant speed	Variable speed	Constant speed	Constant speed	Variable speed		
SPEED CONTROL	Two-speed	Two-speed	Two-speed	Two-speed	Digital 2 speed		
NO LOAD SPEEDS	5,200-6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000-7,000rpm	3,500-5,500rpm		
LINE DIAMETER SUPPLIED**	2.0mm	2.4mm	2.4mm	2.4mm	2.4mm		
LINE FEED	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head	Line-IQ feed / Powerload™ head		
DUALLINE	Yes	Yes	Yes	Yes	Yes		
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise	Clockwise		
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Quick-adjust		
HARNESS	N/A	N/A	Single shoulder	Single shoulder	Single shoulder		
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg	3.4kg		
VIBRATION (M/S2)	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7	4.6/2.7		
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless		
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)	77dB(A) 90dB(A)		
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years		
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	1 year		
AVAILABLE AS A KIT	ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger	ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger	ST1511E: Includes line trimmer, 2.5Ah battery and standard charger	-	ST1613E-T: Includes line trimmer, 4.0Ah battery and standard charger		

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 82-83 for more information.

<sup>.</sup> highlighted cutting area is optimal for battery.

### POWER BRUSH CUTTER/LINE TRIMMER





#### BC3800E

#### 30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.





	OUT THIS WIDTH	
	-Three-sided blade	30cm
	- Line trimmer head	38cm
	TOTAL LENGTH	186cm
	RUN TIME*	2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 6.0Ah Up to 50 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins 12.0Ah Up to 96 mins
	BLADE MATERIAL	Three-sided steel blade
	SPEED CONTROL	Constant variable speed
	LINE DIAMETER SUPPLIED**	2.4mm
	LINE FEED	Rapid reload bump feed head
	ROTATING DIRECTION	Anti clockwise
	WEIGHT WITHOUT BATTERY	
	-Three-sided blade	4.6kg
	- Line trimmer head	4.4kg
	VIBRATION (M/S2)	
	-Three-sided blade	1.5/1.9
	- Line trimmer head	2.3/2.4
	MOTOR TYPE	Brushless
	NOISE RATING LpA/LwA	80dB(A) 96dB(A)
	DOMESTIC WARRANTY	5 years
	PROFESSIONAL WARRANTY	2 years
ma mau	wary and danged on the battery used the	arga laval of battory condition of grad

CUTTING WIDTH













# CUT WITH POWER AND PROTECTION

The EGO Pro X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. With a low profile on the gear box, it can take on the most difficult-to-reach areas.


The base plate is mounted on bearings, increasing the overall life of the tool, and reducing pavement damage. The blades have been designed to ensure clean and accurate cutting performance whilst maintaining durability.

Rotocut can be used with any rear-motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.



ROBUST AND DURABLE GEARBOX Ready to handle the toughest jobs

> BEARING MOUNTED BASE For free movement and longer life





#### RTX2300 PRO X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.



	RTX2300
CUTTING WIDTH	23cm
RUN TIME <sup>*</sup>	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADETYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S <sup>2</sup> )	1.1/1.5
NOISE RATING Lpa/Lwa	79.3dB(A) 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800/BCX3800/ST1530E/ BC3800E/STA1500/BCA1200
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 82-83 for more information.

# POWER PRO 1/2 LINE TRIMMER/BRUSH CUTTER

IOT READY WITH BUILT IN BLE MODULE









#### BCX4500

# PRO X BIKE HANDLED Line Trimmer/Brush Cutter

The new Pro X line trimmer provides comparable power and performance as petrol powered line trimmers. With easy to use controls mounted on the ergonomic bike handle, pair up with any EGO 56V ARC Lithium™ portable battery for all-day power and comfort.





















RAPID RELOAD HEAD 45cm cutting diameter, equipped with 2.7mm line







#### STX4500

# PRO X LOOP HANDLED Line Trimmer/Brush Cutter

Leave the fuss and fumes of petrol behind with this powerful, professional tool. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium™ portable battery for all-day power and comfort.



















COMPATIBL WITH PRO





*	
BLUETOOTH MODULE	



**BLADE MATERIAL** 

SPEED CONTROL

NO LOAD SPEEDS

**AUXILIARY HAND** HARNESS

WEIGHT

MOTOR TYPE

WARRANTY

183cm	
With trimmer head	With brush cutter I
5.0Ah Up to 75 mins 6.0Ah Up to 90 mins 7.5Ah Up to 115 mins 10.0Ah Up to 155 mins 12.0Ah Up to 190 mins	5.0Ah Up to 140 n 6.0Ah Up to 175 n 7.5Ah Up to 220 n 10.0Ah Up to 300 12.0Ah Up to 355
Three sided steel blade	

Constant variable speed

3500/4500/5200rpm steple

	Three-sided steel bl
0.0Ah Up to 300 mins 2.0Ah Up to 355 mins	10.0Ah Üp to 155 n 12.0Ah Up to 190 n
5Ah Up to 220 mins	7.5Ah Up to 115 mi
6.0Ah Up to 175 mins	6.0Ah Up to 90 min
nor in op to i ro mino	Olor til Op to 7 o illill

0.0Ah Up to 300 mins 2.0Ah Up to 355 mins	10.0Ah Up to 155 mins 12.0Ah Up to 190 mins
	Three-sided steel blade
	Constant variable speed
ess adjusting	3500/4500/5200rpm stepless adjusting

STX4500

45cm

With trimmer head only

5.0Ah Un to 75 mins

SOFT-START	Yes	Yes
LINE DIAMETER SUPPLIED**	2.7mm	2.7mm
LINE FEED	Manual wind bump feed head	Manual wind bump feed head
DUAL LINE	Yes	Yes
ROTATING DIRECTION	Anti-clockwise	Anti-clockwise

DLE	Tool free		Tool free
	Double shoulder harness		Strap
	5.1kg		4.1kg
	Brushless		Brushless
	With trimmer head	With brush cutter head	With trimmer head only

NOISE RATING 95dB(A) 82dB(A) 82dB(A) LpA/LwA 83dB(A) VIBRATION (M/S2) 1.2 1.7/1.2 DOMESTIC WARRANTY 5 years PROFESSIONAL 3 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique





VARIABLE SPEED Trigger

With safety lock-off

TOOL-FREE HANDLE Adjustment

CARBON FIBRE SHAFT

For greater strength and

Compatible with all portable EGO ARC Lithium™ Batteries – a balanced feel for all day working

REAR GEARED MOTOR



The new Pro X line trimmers offer greater versatility and choice for a wide range of professional users. Available in both loop and bike handle versions they are suitable for landscapers, facilities operations and municipal users.

All EGO portable batteries are compatible with the tool making this extremely well balanced for all day use.

Tool speed can be controlled via the handle, which means the tool runtime can be increased when working on light loads. The speed can also be increased for heavier working loads, at the touch of a button.

Equipped with a Rapid Reload head and 2.7mm twist line the tools are simple to load with line when empty. This reduces downtime and the need for additional maintenance in the field.



ADJUSTABLE Harness Points

For comfortable all day working



BATTERY AND

SPEED INDICATOR

Conveniently positioned on handle. 3 speeds for different trimming and cutting jobs

**NEW PRO X CHARGING SYSTEM** 

#### For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.

78 | EGO POWER+ PRO X LINE TRIMMERS/BRUSH CUTTERS










# THE TOUGH ANSWER TO ROUGH GROUND

EFFICIENT AND POWERFUL Brushless motor For longer running times

Perfectly balanced for comfortable use, EGO's Pro X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.





CARBON FIBRE DRIVE SHAFT Won't bend and lose shape over time, keeping vibration levels to a minimum











#### BCX3800

# PRO X LINE TRIMMER / Brush Cutter (bike handle)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.















VIBRATION (M/S2)

**PROFESSIONAL** 

WARRANTY

DOMESTIC WARRANTY

1.9/1.5

5 years



RAPID RELOAD BUMP Line feed head For quick, easy line refilling and extending



#### STX3800

# PRO X LINE TRIMMER / Brush Cutter (Loop Handle)

Our Pro X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.



















	BCX3800		STX3800					
CUTTING WIDTH								
- Line trimmer head	38cm		38cm					
- Three-sided blade	30cm		30cm					
TOTAL LENGTH	186cm		186cm					
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head				
BAX1500 BATTERY	Up to 240 mins	Up to 465 mins	Up to 240 mins Up to 465 mins					
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade					
SPEED CONTROL	Constant variable speed		Constant variable speed					
NO LOAD SPEEDS	5800rpm		5800rpm					

	OP to 2 10 mmio	op to loo lillio	Op to 2 To Illino	op to roomino			
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade				
SPEED CONTROL	Constant variable speed		Constant variable speed				
NO LOAD SPEEDS	5800rpm		5800rpm				
SOFT-START	Yes		Yes				
LINE DIAMETER SUPPLIED**	2.4mm		2.4 mm				
LINE FEED	Manual wind bump feed	head	Manual wind bump feed head				
DUAL LINE	Yes		Yes				
ROTATING DIRECTION	Anti clockwise		Anti clockwise				
AUXILIARY HANDLE	Bike handle		Quick adjustable loop handle				
HARNESS	Hip pad (AHP1500)		-				
WEIGHT	6.8kg	6.5kg	6.5kg	6.2kg			
MOTOR TYPE	Brushless		Brushless				
	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
NOISE RATING LpA/LwA	74dB(A) 96dB(A)	83dB(A) 98dB(A)	74dB(A) 96dB(A)	-			

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique

\*\*Please refer to pages 82-83 for more information

3.2/2.3

5 years

3 years

# LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

#### **Lines for Line Trimmers**





Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

#### **Brush Cutting Blades**





For cutting down heavier vegetation, bushes and

verges, choose a Brush Cutting blade – available in

metal and flexible plastic options, depending on how

heavy the task is. The flexible Elastoblade will make



**Cutting Heads** 



Replacement cutting heads are available for E60 Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.

#### Straps and Harnesses



ROTOCUT BLADES METAL BLADE



A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.

# Rotocut Blades



lighter work of dense vegetation.

Replacement Rotocut blades will fit the EGO Power\* Rotocut attachments, which are ideal for working through tough-to-shift growth in paths and drives, and along the base of walls and curbs.

# Choosing the CORRECT line or blade for the job: GRASS AND LIGHT VEGETATION HEAVY DENSE VEGETATION BUSHES, PATHWAYS & VERGES ROUND AND TWISTED LINES 2.4MM - 3.0MM BRUSH CUTTER BLADES METAL BLADE ELASTOBLADE BRUSH CUTTER BLADES ELASTOBLADE

PART	DESCRIPTION		ST1300E	ST1400E-ST	ST15NNF-E	ST1510E	ST1530E	ST1610E-T	RC1500F_F	BC3800E	BCX3800	STX3800	BCX4500	STX4500	STA1500	STA1600	BCA1200	RTA2300
ROTOCUT	DESCRIPTION		3113000	3114001 31	3113001 1	0110101	011000L	3110101 1	DOI:000L 1	DOGGOOL	DUAJUUU	JINJUUU	DUATOUU	31/1100	31N1300	JINIUUU	DUNICUU	KIALOUU
RTX2300	Pro X Rotocut Attachment						0			0	0	0	0	0	0		0	0
ABR2300	Replacement blades (pair) - Rotocut RTX2300						0			0	0	0	0	0	0		0	0
TRIMMER SP	OOLS (WITH LINE)																	
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E		0															
AS1302	Spool with 2.0mm twist line for standard bump		0															
AS3800	feed cutting head - ST1300E Spool w/o line for bump feed cutting head -						0			0	0	0	0	0	0			
	BCX3800, STX3800																	
TRIMMER LIN	15m 2.4mm low-noise twist line (STRATUS)	<b>\rightarrow</b>																
		<b>V</b>																
AL2015T	15m 2.0mm low-noise twist line (STRATUS)	<b>*</b>	0															
AL2050T	50m 2.0mm twist line - ST1300E (green)	•	•															
AL2715T	15m 2.7mm twist line [red/green] - STX3800, BCX3800	<b>♦</b>									0	0	0	0				
AL3012T	12m 3.0mm twist line [yellow/green] - STX3800, BCX3800	<b>\</b>									0	0	0	0				
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	<b>\</b>		•	•	•	•	•	•		•	•	•	•	•	•		
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	<b>_</b>									0	0	0	0				
AL3050T	50m 3.0mm twist line [yellow/green] -	<u> </u>									0	0	0	0				
	STX3800, BCX3800 15m 2.4mm round line [orange] - ALL 35cm &	_																
AL2415R	38cm cutting diameter grass trimmers 15m 2.7mm round line [red] - STX3800,			0	0	0	0	0	0		0	0	0	0	0	0		
AL2715R	BCX3800	•									0	0	0	0				
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	•									0	0	0	0				
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers			0	0	0	0	0	0		0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•									0	0	0	0				
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	•									0	0	0	0				
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/ orange] - ST1400E-ST, ST1510E	<b>\</b>		•	•	•	•	•	•		•	•	•	•	•	•		
CUTTING HE		•																
AH1520	Powerload" cutting head - ST1510E					0												
AH1522	Powerload* cutting head - ST1400E-ST			0														
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F				0				0									
AH1531	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500						0			0					0			
AH1600	Powerload™ cutting head - STA1600															0		
AH1620	Powerload™ cutting head - ST1610E-T							0										
AH3800	Bump feed cutting head - STX3800, BCX3800										0	0	0	0				
AH3810	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STX3800, STA1500,						0			0	0	0	0	0	0			
	BCX3800																	
AH4500 ABT3800	Auto-feed trimmer head - STX4500  Bump feed button - AH3800										0	0	0	0				
CUTTING BL																		
ABB1203	3 point brush cutter blade - STX3800,						0			0	0	0	0	0	0		0	
ABB0903P	BCX3800, ST1530E, BC3800, BCA1200 Elastoblade - STX3800, BCX3800, ST1530E,						0			0	0	_	0	0	0		0	
	BC3800, BCA1200											O						
	HARNESSES Single-shoulder harness with one hook - multi-																	
AP1500	tool and all grass trimmers.  Double-shoulder harness with guard pad -		0	0	0	0	0	0	0	0								0
AP1500D	multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)		0	0	0	0	0		0			0		0	0		0	0
AHP1300	Leg protector / line trimmer harness attachment- Only to be used with AFH1300, BH1000		0	0	0	0	0		0	0	0	0	0	0	0		0	0
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000										0	0	0	0				
AP4500	Double shoulder harness for new commercial string trimmer (incl. hip pad)										0	0	0	0				
AHP4500	Hip pad for new commercial string trimmer										0	0	0	0				
	plied = Compatible with											_		_				

= Line supplied = Compatible with

82 | EGO POWER+ ACCESSORY COMPATIBILITY | 83



LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.









2400 spm 2.0Ah battery

COMFORTABLE GRIP

Excellent comfortable controls for easy use

POWERFUL MOTOR

GRASS TRIMMER ATTACHMENT Quick and easy edge trimming -11.5cm cutting width

#### 12V LITHIUM-ION BATTERY

# COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power<sup>+</sup> shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.







#### CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.









SIMPLE ATTACHMENT

For different blade sets

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUNTIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADETYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGETIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-

Model Shown: CHT2001E

86 | EGO POWER+ 12V SHRUB/GRASS SHEARS | 87







# BALANCED, PRECISE, **POWERFUL**

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 75cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.




Model Shown: HT2600E

Please note: some features are not available on all models.











#### HT5100E

#### 51CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.





#### HT6500E

#### 65CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.










### **EGO** POWER

# 51CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-tomedium hedges with thick stem widths.







#### 61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.







### 66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.







	HT2000E	HT2410E	HT2600E	HT5100E	HT6500E
BLADE LENGTH	51cm	61cm	66cm	51cm	65cm
BLADE GAP	25mm	26mm	30mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm	20mm
RUNTIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 6.0Ah Up to 90 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 170 mins
SPEED CONTROL	Single speed	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	3,400spm	2,800/3,200spm	2,800/3,200spm
BLADETYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83dB(A) 96dB(A)	84dB(A) 94dB(A)	81dB(A) 92dB(A)	81.4dB(A) 93dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.1kg	3.6kg	3.8kg
MOTORTYPE	Brushless	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S2)	2/1.5	1.8/1.7	2.4/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger	-	-

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

90 | EGO POWER+ HEDGE TRIMMERS EGO POWER+ HEDGE TRIMMERS 91

highlighted cutting area is optimal for battery.









# PRO X PERFORMANCE WITH EXTRA REACH

The new Pro X long-reach hedge trimmers allow professional users to cut more with less effort. Tall and deep hedges can be cut in a single sweep and without the need for use of ladders.

Carbon fibre shafts make the tools sturdy and durable, while flex at the end of the tool is reduced. The Long Reach Hedge Trimmer has an articulating head making it simple to change the cutting angle for different tasks.

Both trimmers have 3 speeds, suitable for different hedge cutting jobs, plus double-sided triple-sharpened blades for the toughest hedges.

The power unit is part of the new Pro X platform and compatible with all EGO portable ARC Lithium™ batteries.

VARIABLE TRIGGER For precise cutting IOT READY WITH BUILT IN BLE MODULE

> REAR GEARED MOTOR Compatible with all portable EGO ARC Lithium

ADJUSTABLE HARNESS POINTS For comfortable all day working


3 SPEEDS


Suitable for different

CARBON FIBRE Shaft With Internal Steel Drive Shaft For greater









\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique





#### HTX5300-P 53CM PRO X SHORT-REACH FIXED POLE HEDGE TRIMMER

Variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action, makes light work of any job, big or small.







#### HTX5300-PA

#### 53CM PRO X LONG-REACH ARTICULATING POLE HEDGE TRIMMER

Ideal for wider, larger hedges, with longer 2.5m reach and an articulating cutting head - with variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action makes light work of any job, big or small.





92 | EGO POWER+ PRO X HEDGE TRIMMERS EGO POWER+ PRO X HEDGE TRIMMERS 33











#### HTX6500 65CM PRO X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.

















#### HTX7500 75CM PRO X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.

















# TACKLE TOUGH HEDGES WITH EASE

Designed for professionals, the Pro X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

### Blades that cut cleanly.

The high-quality EGO Power<sup>+</sup> blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



UNIQUE HANDLE And trigger design For switching effortlessly between horizontal and vertical cutting

LOW CUTTER GUARD For safe and easy access



	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME <sup>*</sup> WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTORTYPE	Brushless	Brushless
NOISE RATING LpA/LwA	80 dB(A) 90.1dB(A)	83.9 dB(A) 95.4dB(A)
VIBRATION (M/S <sup>2</sup> )	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

BLADE TIP PROTECTOR

65CM/75CM BLADE Length With 33MM Cutting Capacity

Model Shown: HTX7500

94 | EGO POWER+ PRO X HEDGE TRIMMERS EGO POWER+ PRO X HEDGE TRIMMERS 95

WAR THE WAR



WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY BRUSHLESS MOTORS, EGO POWER+ BLOWERS DELIVER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.













VARIABLE SPEED CONTROL Adjust between 440m³/h and 675m<sup>3</sup>/h output

TURBINE FAN ENGINEERING Utilises advanced aeronautics technology

For a 986m³/h petrol-blower beating output

BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

Powered by a high-efficiency brushless motor, EGO Power+ blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.





HIGH-EFFICIENCY BRUSHLESS MOTOR

Delivers more power and greater

Please note: some features are not available on all models.

Model Shown: LB5800E









Compatible with EGO Power\* backpack batteries.

(FY EGO POWER

PROFESSIONAL

PROFESSIONAL-X

	LB5300E			LB5800E			LB7650E			LBX6000	
	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST		
RUN TIME* WITH 2.5Ah BATTERY	Up to 75 mins	Up to 22 mins	Up to 10 mins	Up to 100 mins	Up to 15 mins	Up to 9 mins	Up to 30 mins	Up to 13 mins	-	-	-
RUN TIME* WITH 4.0Ah BATTERY	Up to 120 mins	Up to 35 mins	Up to 16 mins	Up to 160 mins	Up to 24 mins	Up to 14 mins	Up to 120 mins	Up to 20 mins	Up to 14 mins	Up to :	36 mins
RUN TIME* WITH 5.0Ah BATTERY	Up to 150 mins	Up to 44 mins	Up to 20 mins	Up to 200 mins	Up to 30 mins	Up to 18 mins	Up to 150 mins	Up to 25 mins	Up to 17 mins	Up to	60 mins
RUN TIME* WITH 6.0Ah BATTERY	Up to 180 mins	Up to 53 mins	Up to 24 mins	Up to 240 mins	Up to 36 mins	Up to 22 mins	Up to 180 mins	Up to 30 mins	Up to 18 mins	Up to	75 mins
RUN TIME* WITH 7.5Ah BATTERY	Up to 225 mins	Up to 66 mins	Up to 30 mins	Up to 300 mins	Up to 45 mins	Up to 27 mins	Up to 225 mins	Up to 37 mins	Up to 26 mins	Up to	90 mins
RUN TIME* WITH 10.0Ah BATTERY	Up to 300 mins	Up to 88 mins	Up to 40 mins	Up to 400 mins	Up to 60 mins	Up to 36 mins	Up to 300 mins	Up to 50 mins	Up to 34 mins	Up to 1	20 mins
RUN TIME* WITH 12.0Ah BATTERY	Up to 360 mins	Up to 105 mins	Up to 48 mins	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 360 mins	Up to 60 mins	Up to 40 mins	Up to 1	45 mins
RUN TIME*WITH BAX1500 BATTERY	-	-	-	-	-	-	-	-	-	Level 1 Level 2 Level 3 Level 4 Boost	Up to 350 mins Up to 210 mins Up to 140 mins Up to 100 mins Up to 70 mins
		Max			Max			Max			
AIR VOLUME (M³/H)		900			986			1300		1014m	n³/h Max
AIR SPEED (KM/H)		176			270			313		212	km/h
FORCE (N)		16			18			26		19.2	2 Max
SPEED SETTING	Vari	able speed with l	oost		nstant variable sp rith lock-on + boo		Variable s	peed with lock-o	n + boost	4 level settir	ngs and boost
WEIGHT WITHOUT BATTERY		2.2kg			2.2kg			2.1kg		2.	7kg
MOTOR TYPE		Brushless			Brushless			Brushless		Brus	shless
NOISE RATING Lpa/Lwa		82 dB(A) 100dB(A)			78.4 dB(A) 95 dB(A)			83dB(A) 98dB(A)			iB(A) iB(A)
VIBRATION (M/S2)		1.35			0.18			0.8		1	1.2
DOMESTIC WARRANTY		5 years			5 years			5 years		5 y	ears
PROFESSIONAL WARRANTY		1 year			2 years			2 years		З у	ears
CONSTANT SPEED		-			-			-		Y	'es
AVAILABLE AS A KIT	LB5301E: Incl	ludes blower, 2.5 charger	Ah battery	LB5804E: Inc	ludes blower, 5.0 jer	Ah battery		-			-

\*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



#### LB5300E BLOWER

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.







Includes AN5300 Flat Nozzle.





#### LB7650E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost – by far the industry's most powerful hand-held blower, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.





VARIABLE SPEED CONTROL USE WITH EGO POWER\* BACKPACK





#### LB5800E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 986m<sup>3</sup>/h output in Boost, for completing bigger tasks across wider areas and large gardens.







USE WITH EGO POWER\* BACKPACK

Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzles.





#### LBX6000

#### PRO X BLOWER

Designed to be used with the Pro X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.







Includes AN6000R (Round) and AN6000F (Flat) Nozzles.



100 | EGO POWER+ BLOWER | 101

highlighted run time is optimal for battery.



# THE POWER TO CLEAR MORE GROUND

Tough tasks need powerful tools. And that's exactly what EGO's range of Backpack Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting four hours run time\*, you can cover plenty of ground too.





#### LBGOODE BACKPACK BLOWER 1020M<sup>3</sup>/H

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.



\*Based on model LBPX8000: 240 minutes at  $350 \text{m}^{3}\text{h}$  with 2 x 12.0Ah battery - Low air setting.







**NEW FOR 2024** 



#### LBPX8000 Backpack blower 1360m³/h

Active Peak Power\* Technology combines the power of two EGO batteries to maximise output and runtime, making clearing large areas faster. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. Forms part of the new generation of Pro X tools with IoT BLE connectivity built in.







EY PROFESSIONAL PRO X

	LB6000E			LBPX8000			
	Low	High	Max	Low	High	Max	
RUN TIME** WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins	50 mins	13 mins	10 mins	
RUNTIME**WITH 6.0Ah BATTERY	150 mins	27 mins	18 mins	60 mins	16 mins	12 mins	
RUNTIME**WITH 7.5Ah BATTERY	180 mins	33 mins	23 mins	75 mins	20 mins	15 mins	
RUNTIME**WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins	100 mins	26 mins	20 mins	
RUNTIME**WITH 12.0Ah BATTERY	290 mins	52 mins	36 mins	120 mins	32 mins	24 mins	
AIR VOLUME (M³/H)	440	850	1020	350	650	1360	
AIR SPEED (KM/H)	80	160	193	80	160	260	
SPEED SETTING	Variable speed	d with boost		Variable speed with boost			
FORCE(N)	19.2 Max			26 Max			
MOTORTYPE	Brushless			Brushless			
NOISERATING LpA/LwA	83dB(A)/97d	B(A)		86dB(A)/98dB(A)			
VIBRATION (M/S²)	1.5			1.5			
WEIGHT WITHOUT BATTERY	5.7kg			7.4kg			
DOMESTIC WARRANTY	5 years			5 years			
PROFESSIONAL WARRANTY	2 years			3 years			
AVAILABLE AS A KIT		udes backpack and rapid char		-			

<sup>\*\*</sup>Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

102 | EGO POWER\* BACKPACK BLOWER | 103

<sup>• -</sup> highlighted run time is optimal for battery.



# **EXTREME POWER FOR**

EGO's Power<sup>+</sup> Snow Throwers use Peak Power<sup>™</sup> Technology to deliver petrolmatching performance without noise, fuss or emissions.

Peak Power™ Technology combines the power of any two industry-leading EGO 56V ARC Lithium™ batteries to tackle the toughest snowy conditions efficiently.

Self-propelled control ensures ease of use, while reverse gears and wheel drive systems make getting out of tight spots easier.





#### SNT2120E-AP

#### AUGER PROPELLED SNOW THROWER

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths. The auger clears the snow and discharges it through the chute in a single motion.



















#### SNT2400E

#### **61CM SELF-PROPELLED 2-STAGE** SNOW THROWER WITH PEAK POWER™ TECHNOLOGY

This powerful 2-stage snow thrower has variable speed, self-propelled control with serrated steel augers, to handle even the deepest snow with ease. Snow is thrown into a high-speed impeller which then discharges the snow up and out of the multi-directional chute. The generous 61cm clearing width and 51cm intake height work with the shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate - even when wearing bulky winter gloves.



同意

LED LIGHTS











	SNT2120-AP	SNT2400E
CLEARING AREA @ 15CM DEPTH	160m²	223m²
NUMBER OF BATTERY PORTS	2 parallel	2 parallel
CLEARING WIDTH	52cm	61cm
INTAKE HEIGHT	30cm	51cm
CHUTE ROTATION	180°	200° Joystick control
THROWING DISTANCE (MAX)	Up to 14m	13m
THROWING DISTANCE (HEAVY SNOW)	5m	7.6m
AUGER MATERIAL & DIAMETER	Metal frame/rubber auger 18cm	Steel 28cm
NUMBER OF STAGES	1	2
SELF-PROPELLED SPEED	Single	0.4-1.2m/s
SELF-PROPEL TYPE	Auger propel	-
REVERSE	Yes	Yes
WEIGHT WITHOUT BATTERY	27kg	68kg
MOTORTYPE	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	2 years
AVAILABLE AS A KIT	SNT2124E-AP: Includes snow thrower, 2x 6Ah batteries and rapid charger	SNT2400E-K2753: Includes snow thrower, 2x 7.5Ah batteries and 2x rapid chargers



WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND ALL WITHOUT THE FUSS AND FUMES OF PETROL.



108 | EGO POWER+ MULTI-TOOL | 109





# ONE TOOL, MULTIPLE OPTIONS

The EGO Power<sup>+</sup> Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio. Switching between different jobs is simple thanks to the secure toolfree coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.

Power up with our new, more intelligent carbon fibre Power Head. Compatible with our latest Line Trimmer attachment and all existing Multi-Tool attachments.



110 EGO POWER+ MULTI-TOOL 111









ADJUSTABLE Loop Handle

For comfortable use

COMPATIBLE WITH ALL Ego batteries



lightweight extension pole. Just click in the



TOTAL LENGTH: 78cm

EP7501 **EXTENSION POLE** 

Nothing is out of reach with this strong yet attachment you need and off you go.



POWERFUL REAR MOUNTED MOTOR Suitable for all attachments

VARIABLE SPEED TRIGGER With 2 pre-set speeds

DIGITAL SPEED



#### PH1420E

#### MULTI-TOOL POWER HEAD

With more power, better ergonomics and an upgraded motor the PH1420E is compatible with all current and future attachments.











THE POWER TO TACKLE ANY TASK













#### PH1400E

#### **MULTI-TOOL POWER HEAD**

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.





















SIMPLE AND SECURE COUPLING MECHANISM





	PH1400E	PH1420E
MOTORTYPE	Brushless	Brushless
SPEED CONTROL	Two speed Variable speed	Two speed Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVETUBETYPE	Aluminium	Carbon fibre
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	2.7kg	2.8kg
TOTAL LENGTH	97cm	97cm
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years



# ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



### **01** HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



# 06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



# 02 POLE SAW

Slices through tree branches fast and efficiently.
Combines with the carbon fibre extension pole
to reach further and cut more.



# 07 CULTIVATOR

The cultivator prepares soil prior to planting. Removing weeds and introducing air, it creates a loose bed, encouraging the growth of healthy plant life.





# **03** LINE TRIMMERS

Trim grass along fences and walls with precision. Includes our Rapid Reload head making it easy to replace line.



# **08** Bristle Brush & Paddle Broom

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



# 04 BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



# 09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.







# **05** ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.



# 10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



114 | EGO POWER+ MULTI-TOOL | 115



# PROFESSIONAL

### HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.






# LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



## SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.





#### BCA1200 **BRUSH CUTTER ATTACHMENT**

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.





## **POLE SAW ATTACHMENT**

25cm guide bar and chain make cutting branches fast and efficient.





#### EA0800 **EDGER ATTACHMENT**

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.



#### **CULTIVATOR ATTACHMENT**

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





#### OSA1000 **OLIVE SHAKER ATTACHMENT**

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



### **BRISTLE BRUSH ATTACHMENT**

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.





#### SSA1200 SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



#### RTA2300 ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades, which prevent debris from being thrown, make it ideal for use in delicate areas.









#### STA1600 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently. Powerload™ feature only compatible with PH1420E.





116 | EGO POWER+ MULTI-TOOL EGO POWER+ MULTI-TOOL 117





	HTA2000 / HTA2000S	PSA1000	STA1500	STA1600	BCA1200	RTA2300
WEIGHT	2.3kg/2.2kg	1.9kg	1.6kg	1.53kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	185cm	102cm	-
RUN TIME <sup>*</sup>	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins	2.5Ah Up to 18 min 4.0Ah Up to 35 min 5.0Ah Up to 45 min 6.0Ah Up to 55 min 7.5Ah Up to 70 min 10.0Ah Up to 90 min 12.0Ah Up to 110 min	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	-	-	-	-	-
CUTTING WIDTH	-	-	38cm	40cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm dual line	2.4mm	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	Powerload™	-	-
SHAFTTYPE	-	-	Straight	Carbon Fibre	-	-
ARBOUR SIZE	-	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-	-
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12/9 articulating cutting angles	-	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm. 1.1mm	-	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-	-
ROTATING DIRECTION	-	-	-	-	-	Two blades counter rotation
BLADETYPE	-	-	-	-	-	High strength alloy steel
VIBRATION (M/S²)	-	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg
TOTAL LENGTH	92cm	92cm	102cm	140cm	176cm
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 158 mins	2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins	2.5Ah Up to 50 mins 4.0Ah Up to 120 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 150 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 250 mins	2.5Ah Up to 45 min 4.0Ah Up to 75 min 5.0Ah Up to 90 min 6.0Ah Up to 110 min 7.5Ah Up to 135 min 10.0Ah Up to 180 min 12.0Ah Up to 216 min
BLADE LENGTH	20cm	24cm	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADETHICKNESS	3mm	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	-
CUTTING WIDTH	-	21/24cm	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	-	-	58cm-33cm	-
BRISTLE GAUGE	-	-	1.5mm	-	-
ARBOUR SIZE	25.4mm	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	-
ROD MATERIAL	-	-	-	Carbon fibre	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-
MAX THROWING DISTANCE	-	-	-	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.

# BE READY FOR ANYTHING WITH EGO POWER\* MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power<sup>+</sup> multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.









118 | EGO POWER+ MULTI-TOOL KITS



WITH SUPERIOR PORTABILITY, OUR INNOVATIVE LIFESTYLE RANGE BRINGS INTELLIGENT TECHNOLOGY TO THE EVERYDAY.





# INTELLIGENT TECHNOLOGY FOR THE GREAT OUTDOORS

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ Battery can connect with any of EGO's latest lifestyle products - all designed to enhance the enjoyment of our outdoor spaces, and beyond.

To help make more of spending time in the garden or away camping, staying cool in hot weather, extending a summer's day into the evening, or efficiently cleaning the patio without the inconvenience of an electric cord, EGO have developed and engineered new innovations in portable outdoor power sources, bright lighting, essential cooling for hot conditions and... EGO's latest development in high-powered pressure washing.



10,000 Lumens of bright, Adjustable I Surprising power from EGO's new cordless adjustable light for your levels for tasks outdoor space or ambient mood pressure washer LT1000E Portable Area Light

122 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE | 123







# THE POWER TO COMPLETE TOUGH CLEANING TASKS

The innovative new EGO Pressure Washer combines heavy duty cleaning power with market-leading battery run times.

Remote power control and a selection of nozzles give you complete control for the most effective, efficient results for a range of different cleaning tasks.

Additional accessories are also available to tailor the machine to a specific job.



DUAL BATTERY PORT With Peak Power™ Technology delivering additional energy for tough cleaning tasks

> QUICK-CONNECT HOSES/ACCESSORIES For quick, easy attachment

GARDEN HOSE CONNECTOR For standard hose or freshwater connection



# The EGO Power<sup>+</sup> Pressure Washer has a nozzle for every cleaning situation

All nozzles have a bayonet system which makes switching between them easy and simple. Design of each nozzle has been optimised to create a uniform fan of water, for optimal efficiency.



#### TURBO NOZZLE (1/4" connection)

The Turbo nozzle is the most powerful nozzle in the E60 range. Only for use on hard surfaces – not for use on cars and wooden surfaces.

#### 15° NOZZLE (1/4" connection)

The 15° nozzle is ideal for tough surfaces - brick, concrete walls, flagstones, driveways and metal surfaces.



#### 25° NOZZLE (1/4" connection)

The 25° nozzle provides a powerful clean, perfect for cleaning a boat or tractor, efficiently removing algae, dust and dirt.

#### 40° NOZZLE (1/4" connection)

The 40° nozzle is ideal for cleaning cars and any surface that requires a gentler clean.





PRESSURE WASHER



#### HPW2000E

Heavy duty cleaning power with remote information display and power control, dual battery port with Peak Power™ Technology, premium hose fittings and inclusion of 4 nozzles for different cleaning tasks.

	HPW2000E	
MAX PRESSURE	135 bar/2000 psi	
MAX FLOW RATE	390 L/H	
WEIGHT	15kg	
NOZZLES	Turbo, 15°, 25°, 40°, rinse	
	Inlet hose	
ACCESSORIES INCLUDED	Inlet filter	
	Foam cannon	
ACCESSORIES SOLD SEPARATELY	Premium brass foam canon	
DOMESTIC WARRANTY	5 years	
PROFESSIONAL WARRANTY	1 year	

124 | EGO POWER+ LIFESTYLE | 125





CLICK IN AND POWER UP

Simply click in battery to use









Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 220-240V AC outlet and three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 400 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is light weight and small enough to carry in a rucksack or store in a tent.







### **180W NEXUS ESCAPE POWER INVERTER**

The EGO Power\* Nexus Escape's 220-240V 180W AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The light-weight design and carry handle make the device easy to transport. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.



1 USB TYPE A PORT

#### PAD5000E **400W NEXUS ESCAPE POWER INVERTER**

2 USB TYPE C PORTS

With three USB ports of varying type and a 240V AC 400W power outlet, the new EGO Power<sup>+</sup> Nexus Escape is capable of charging or powering devices up to 400 Watts. Use of the USB-C PD port can provide 100W charging of compatible devices, plus charging of EGO portable batteries when used with a USB-C PD compatible charger. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

	PAD1800E	PAD5000E
AC OUTPUT	180W	400W
CONNECTION METHOD	Compatible with any EGO portable battery	Compatible with any EGO portable battery
WEIGHT WITHOUT BATTERY	0.7kg	1.6kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	-	-
AVAILABLE AS A KIT	-	PAD5001E: Includes Nexus power inverter and 2.5Ah battery

#### CAPABLE OF POWERING OR CHARGING\*

\*Based on 7.5Ah battery BA4200T



**10 LAPTOPS** 







400W, 220-240V AC POWER

COMPATIBLE WITH ANY

BATTERY PORT COMPATIBLE TO All Ego Portable Batteries

EGO ARC LITHIUM™ BATTERY







LOW NOISE AND ZERO EMISSIONS For fuss-free power



126 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE 127



# **OUR COOLEST** INNOVATION YET

#### With double the airflow of a standard 45cm fan, the EGO Power+ 45cm Misting Fan is an essential tool for warm conditions.

Complete with two misting modes: intermittent and continuous, six speed settings ranging between 350 L/s to 1940 L/s, the EGO Power<sup>+</sup> 45cm Misting Fan has an impressive 50m<sup>2</sup> Cooling Area Capacity. With a minimal noise level of just 68dB and up to 60 hours run time (with 5.0Ah battery) on speed one, this fan is suitable for both indoor and outdoor cooling. Its light-weight and advanced portable features make it ideal for hot working conditions, sporting events, camping trips and BBQs.



the airflow of a standard 45cm fan, the EGO Power<sup>+</sup> 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.

	FN1800E
RUNTIME	2.5Ah Up to 31 hours 4.0Ah Up to 50 hours 5.0Ah Up to 63 hours 6.0Ah Up to 76 hours 7.5Ah Up to 95 hours 10.0Ah Up to 127 hours 12.0Ah Up to 152 hours
WEIGHT WITHOUT BATTERY	10.4kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year





# PORTABLE, FLEXIBLE **BRIGHT LIGHTING**



#### LT1000E PORTABLE AREA LIGHT

With adjustable power of up to 10,000 lumens, the EGO Power<sup>+</sup> Portable Area Light is the world's most powerful cordless outdoor area light. With five brightness settings, turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 degree illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port.

	LT1000E					
BRIGHTNESS LEVEL	1	2	3	4	5	BOOST
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1600lm	3200lm	4800lm	6400lm	10000lm
APPROXIMATE RUN TIME* (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	1h
WEIGHT (WITHOUT BATTERY PACK)	4.3kg					
DOMESTIC WARRANTY	5 years					
PROFESSIONAL WARRANTY	1 year					

EGO's powerful LED lights are compatible with any portable EGO ARC Lithium™ Battery. The light level can be tailored to suit the conditions, so these versatile tools are perfect for bright task lighting, illuminating larger areas and ambient mood lighting.





#### LT0300E PRISM LIGHT

Adjustable in brightness from 600-3,000 lumens, with 3 lighting modes, the EGO Power<sup>+</sup> Prism Light also has adjustable colour temperature from 2700K - 5000K to suit ambient lighting needs. All of which are controllable from your mobile device via EGO Connect App with Bluetooth connectivity. Compact, with a rafter hook for hanging overhead and a tripod mount to help cast light over an entire area. Includes a USB C Port, allowing powering or charging of essential devices.

	LTO300E
LUMINOUS FLUX/BRIGHTNESS	600lm-3000lm
APPROXIMATE RUN TIME* (ON BRIGHTEST MODE WITH 5.0AH BATTERY)	6.5hrs
WEIGHT (WITHOUT BATTERY PACK)	1.8kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

\*The light will illuminate at 10,000lm in ambient temperature 25°C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time.

128 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE | 129

# EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

#### EGO POWER+ MULTI-TOOL **BLADES, CHAINS, BARS AND** TELESCOPIC POLE SAW

#### **AEB0800**

Multi-tool edger blade for EA0800



#### AC1001

Pole saw chain for PSA1000 and PSX2500



#### AG1000

Pole saw bar for PSA1000 and PSX2500



#### ACB9500

Multi-tool cultivator blade set for CTA9500



#### ARB2100

Paddle broom (pair) for BBA2100



#### ABS2100

for OSA1000

Bristle brush (pair) for BBA2100



# AG1000Q

25cm Chainsaw Bar for PS1000E



#### AC10000

25cm Chainsaw Chain for PS1000E



#### AC2005

50cm replacement chain saw chain for CS2000E



#### AG2005

50cm chainsaw bar for CS2000E



#### **EGO POWER**+ **Z6 ZTR RIDE-ON MOWER**

#### AMG1000

Zero turn riding mower on-board storage



#### AMS1000

Zero turn riding mower sun shade



#### AMB1000

Zero turn riding mower rear bumper bar



#### ABP1700

Mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP

**MULCHING KITS** 



ABP1900

ABP2100D-E 52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



#### ABP5200

Mulching kit for ZT5200E-L



#### AMP3800T

Mulching plug for 98cm tractor TR3800E-B



#### AM5300

Mulch plug for LMX5300SP



#### **EGO POWER+ MOWER BLADES AND ROLLERS**

#### AB2001

Bagging blade for LM2010E, LM2010E-SP, LM2020E, LM2020E-SP [fitted as standard]



#### AB2101

52cm bagging blade for LM2100E-SP, LM2120E-SP [fitted as standard]



#### AB2102D-E

52cm dual bagging blade for 🖊 LM2130E-SP (2 blade set) [fitted as standard]



#### AB5200

Bagging blade for ZT5200E-L



#### AB2000

Mulching blade for LM2000E, LM2010E, LM2010E-SP, LM2020E, LM2020E-SP



52cm mulching blade for LM2100E-SP. LM2120E-SP



#### AB2100D-E

52cm dual mulching blade for LM2130E-SP (2 blade set)

#### AB1700

42cm mulching blade for LM1700E, LM1700E-SP



#### AB1900

47cm mulching blade for LM1900E, LM1900E-SP



#### AB5301

ASD5300

Single blade for LMX5300SP



#### LMX5300SP

AB1701 42cm bagging blade for LM1700E LM1700E-SP [fitted as standard]

#### AB1901

47cm bagging blade for LM1900E LM1900E-SP [fitted as standard]

#### AB4200

53cm standard blade (side discharge, mulching & bagging) for ZT4200E-L - single blade

#### AB4201

53cm high-lift blade (improved bagging) for ZT4200E-L - single blade

#### AMP4200

Mulching plug for ZT4200E-L



#### ABK4200-A

Bagging kit for ZT4200E-L



#### ABK5200-A

Bagging kit for ZT5200E-L



#### AR1700

42cm rear roller kit for LM1700E, LM1700E-SP

#### AR1900

47cm rear roller kit for LM1900E, LM1900E-SP

#### AR2100

52cm rear roller kit for LM2130E-SP



#### AB3801TD

Bagging blades (2 pcs) for 98cm bagging tractor TR3800E-B



#### AB5201

46cm bagging blade



EGO POWER+ ACCESSORIES | 131 130 | EGO POWER+ ACCESSORIES



#### **EGO POWER+ TRIMMER LINES**

AL2015T 🔷

15m 2.0mm low-noise twist line (STRATUS)

AL2050T **♦** 

50m 2.0mm twist line - ST1300E and ST1400E-ST

AL2715T ◆

15m 2.7mm low-noise twist line [red/green] - STX3800. BCX3800

AL3012T 🔷

12m 3.0mm low-noise twist line [yellow/green] - STX3800. BCX3800

AL2475T ◆

75m 2.4mm low-noise twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers

AL276OT ◆

60m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3050T **◆** 

50m 3.0mm low-noise twist line [yellow/green] - STX3800, BCX3800

AL2415R 🛑

15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R 🛑

15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R -

12m 3.0mm round line [yellow] - STX3800, BCX3800

AL249OR

90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL278OR

80m 2.7mm round line [red] - STX3800, BCX3800

AL306OR 🛑

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2415T ◆

75 m 2.4mm low-noise twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers

#### EGO POWER<sup>+</sup> Line trimmer heads

AH3810

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800, ST1530E, BC3800E, STA1500, BCA1200



AH1520

Powerload™ cutting head for ST1510E



**AH1522**Powerload™ cutting head for ST1400E-ST

AH1530

ANY INSERT cutting head -CLOCKWISE - ST1500E-F, BC1500E-F



**AH1600**Powerload™ cutting head for STA1600



**AH1620** Line IO™ cutting head for ST1610E-T



AH1531
ANY INSERT cutting head - ANTI-CLOCKWISE
- ST1530E, BC3800E, STA1500



**ABT3800** Bump feed button - AH3800



**ABR2300** Replacement blades (pair) -ROTOCUT RTX2300, RTA2300



AD4500 Brush cutter guard



#### EGO POWER<sup>+</sup> Line trimmer spools

AS3800

Spool w/o line for bump feed cutting head - BCX3800, STX3800



AS1301

Spool with 2.0mm round line for standard bump feed cutting head - ST1210E



AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E



AS1300

Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E



#### EGO POWER<sup>+</sup> Brush cutter blade

ABB1203

3 point brush cutter blade -STX3800, BCX3800, ST1530E, BC3800E, BCA1200, STA1500



ABB0903P

Elastoblade flexible trimming blade for - STX3800, BCX3800, ST1530E, BC3800E, BCA1200, STA1500



#### EGO POWER<sup>+</sup> PRO X Line Trimmer/Brush Cutter

AH4500

Auto-feed trimmer head for STX4500



# EGO POWER\* HEDGE TRIMMER TIP PROTECTOR

ATP2000

Tip protector for HTA2000, PTX5100



#### EGO POWER<sup>+</sup> Grass shears

CCH0450E

12V charger for CHT2001E



CBA0240

2.0Ah 12V battery for CHT2001E



#### EGO POWER<sup>+</sup> Chainsaw bars

AG1200

30cm guide bar for CSX3000

AG1400

35cm guide bar for CS1410E

AG1600

40cm guide bar for CS1610E

AG1800

45cm guide bar for CS1800E

AG1801

45cm replacement chainsaw bar

AC1200

30cm replacement chainsaw chain



AC1635

40cm replacement chainsaw chain for CSX5000

AC1835

45cm replacement chainsaw chain for CSX5000

AC2035

50cm replacement chainsaw chain for CSX5000

AK1635

40cm replacement bar and chain kit for CSX5000



AK1835

45cm replacement bar and chain kit for CSX5000



AK2035

50cm replacement bar and chain kit for CSX5000

#### EGO POWER<sup>+</sup> Chainsaw Chains

AC1401

35cm 90PX chain for CS1410E

AC1601

40cm 90PX chain for CS1600E

AC1801

45cm 91PX chain for CS1800E



#### **EGO POWER+ BAGS**

BCS1000

Durable Chainsaw kit bag



BMH1000

Multi-tool wheeled kit bag



CM001

Storage cover for lawnmowers



CRMOO1

Storage cover for Z6



EGO POWER+ ACCESSORIES | 133

132 | EGO POWER+ ACCESSORIES

#### **EGO POWER**<sup>+</sup> PRESSURE WASHER

#### AFC2000E

Premium Foam Canon for HPW2000E



#### ANZ2000E-T

Turbo nozzle for HPW2000E



#### ANZ2015E

15° nozzle for HPW2000E



#### ANZ2025E

25° nozzle for HPW2000E



#### ANZ2040E 40° nozzle for HPW2000E

ANZ2000E-R



# Rinse nozzle for HPW2000E

**GUTTER CLEANING PACK** 

AGC1001





#### **EGO POWER**+ BLOWER

#### AST1000

Short tube attachment for Handheld Leaf Blower



#### **EGO POWER**+ **SNOW THROWER**

#### AKS2400D

Skid shoes (pair) - SNT2400E



#### ACT2400

Chute cleaning tool - SNT2400E



#### **ADC2400**

Drift cutters for SNT2400E



#### ARP2120

52cm snow blower rubber paddle (PAIR) for SN2120E-AP



#### ASS2120

52cm snow blower scraper Bar for SN2120E-AP



#### CB002

Snow blower cover for SNT2120E-AP



#### CB003

Snow blower cover for SN2400E



#### EGO POWER+ ADAPTOR

#### ADB1000

Adaptor for use with BH1000, BHX1000, BAX1300, BAX1500



#### ACA1000

For use with the EGO 550W Rapid Charger



#### **EGO POWER**+ **BATTERY STORAGE**

#### BB0X2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



#### BB0X3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550



#### **EGO POWER**+ WALL HOOK

#### AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



#### **EGO POWER**<sup>+</sup> HARNESSES

#### AP4800

Single-shoulder harness without loop, two hook - LB4800E only



#### AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



#### ACH1500

Cable routing clip for harness BH1000, AFH1500



#### AP1500D

Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



#### AP1300

Replacement double-shoulder comfort straps for BAX1300



#### AHP1500

Leg protector / line trimmer harness attachment for AFH1500



#### AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



#### AP4500

Double shoulder harness for new commercial string trimmer (incl. hip pad)



#### AHP4500

Hip pad for new commercial string trimmer

**EGO POWER**<sup>+</sup>

ACE0700

ACE1500

AEK1000

150cm cable for

PGX1400PB/PGX3000D

70cm cable for

PGX1400PB/PGX3000D

**PGX ACCESSORIES** 



GS001E Essential clear safety glasses



Essential grey safety glasses



Essential yellow safety glasses



E-track mounting attachment kit



#### **EGO POWER**+ **SHOULDER STRAPS**

#### AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800



#### **EGO POWER**+ PROTECTIVE CLOTHING

#### GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS002E



#### GS003E



Your local dealer:



www.egopowerplus.com





