

PRODUCT CATALOGUE 2025







### **CONTENTS**

- 04 Introduction
- 05 A Greener Future
- EGO Power<sup>+</sup> Battery Technology 06
- 08 EGO Power<sup>+</sup> System
- EGO Power<sup>+</sup> Warranties 10
- 12 New for 2025
- **Tool Categories** 14
- 16 Pro X Range
- 22 Batteries & Chargers
- 24 Batteries
- 26 Harnesses & Adapters
- 28 Chargers
- 31 Multi-Port Charging Case
- 32 Pro X Charging System
- 34 Battery Compatibility & Run Times
- 36 Mowers
- 46 Ride-On Mowers

- 56 **Robotic Mowers**
- 60 Chainsaws
- 66 Pro X Rear Handle Chainsaw
- 67 Pro X Top Handle Chainsaw
- 68 Telescopic Pole Products
- 74 Line Trimmers & Brush Cutters
- Pro X Rotocut 81
- 82 Pro X Line Trimmer & Brush Cutters
- Hedge Trimmers 88
- Pro X Hedge Trimmers
- 100 Blowers
- 108 Pro X Blowers
- 112 Snow Throwers
- 116 Multi-Tool
- 130 Lifestyle
- 146 Accessories



### LEADING EUROPE TO A BATTERY POWERED FUTURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Delivering unmatched versatility and performance, providing the right power for any task. Each battery is interchangeable across the entire EGO cordless range – delivering optimum power and performance for every tool and every job.

### Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. E60's superior battery technology really does deliver power beyond belief.

### Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 800 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

### Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ Performance and Powerload™ Technology.





Smarter, Greener ways to work outdoors.

# ZER EMISSION

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

# CHALLENGE

Challenge 2025 is our commitment to educate and empower outdoor power equipment users to pick the only logical choice when purchasing new gardening equipment: battery powered. It's time to leave petrol where it belongs, in the past. Leading to significant reductions in harmful emissions and noise, while increasing safety and user comfort. For more information on Challenge 2025, visit www.challenge2025.eu.

### Beyond challenge 2025 our ongoing commitment to support environmental initiatives.

We believe it's not just about making improvements to help the environment, but actively participating in its repair. Our commitment to environmental stewardship remains steadfast. Our goal is to pledge support for initiatives that promote reforestation, protect ecosystems, and benefit local communities across the globe.





### A BATTERY DESIGNED LIKE NO OTHER

# EGO's unique patented 56V ARC Lithium™ battery delivers unmatched versatility and performance, providing the right power for every task.

Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's unique 56V ARC Lithium™ batteries deliver the power you need to complete any task. The eight portable batteries in our range can be used flexibly with each one of our cordless tools.


## Key to its performance is the battery's intelligent design.

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by E6O's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

### Super fast recharge.

Our commitment to innovation not only delivers the right power for every task, it also means that when it's time to recharge, the EGO Power<sup>+</sup> 56V ARC Lithium™ battery is one of the quickest around.









### EGO POWER+ ARC LITHIUM™ BATTERY, DESIGNED TO **MAXIMISE PERFORMANCE**

### The patented 56V ARC Lithium™ battery doesn't just manage heat, it maximises cooling.

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways:

**Mechanically** - EGO's unique ARC shaped arrangement of battery cells.

**Chemically** - EGO's unique KeepCool™ Technology.

**Electronically** - EGO's industry-leading intelligent power management system.



EGO'S UNIQUE ARC SHAPED DESIGN



The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



### INTELLIGENT Power

Power is nothing without control. It's why the EGO Power<sup>+</sup> 56V ARC Lithium™ battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



Unlike other manufacturers, EGO batteries fit onto the outside of all EGO hand-held tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.



# ANY BATTERY,

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power+ tools, even our Pro X range. With great performance and long run times, simply select your tool, click in and go.



EGO POWER+ **RIDE-ON MOWERS** 



EGO POWER<sup>+</sup> Blowers & Vac



**EGO POWER**+



PRESSURE WASHER



EGO POWER+ Mowers





EGO POWER\* Line trimmers & brush cutters



EGO POWER+ Chainsaws















# THE POWER TO OUTPERFORM PETROL

## Introducing the innovative EGO Power<sup>+</sup> system from the cordless specialists. EGO Power<sup>+</sup> delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a high level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of E60's 56V ARC Lithium™ batteries fit every tool in the E60 Power+ 56V range.\*\* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

### The support of our service dealer network.

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.



### Industry-leading warranties.

### Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.\*\*\*

### Professional user

We offer professional users a 3-year warranty on the Pro X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.\*\*\*

	TOO	LS*	BATTERIES 8	CHARGER*
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE
POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR BAITERY WARRANTY	
POWER	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	2 YEAR BATTERY WARRANTY
<b>≡GO</b> * PRO∭	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR BAITERY WARRANTY	3 YEAR BATTERY WARRANTY

<sup>\*</sup>Warranties for RM4000E Robotic mower are 3 years for tool and 3 years for battery. Warranties for RM2000E Robotic mower are 3 years for tool and 2 years for battery (when registered within 30 days). See page 59 for further details

<sup>\*\*</sup>For portable handheld batteries. EGO Robotic Mowers and 12V Shrub Shears are not compatible with ARC Lithium™ 56V battery system.

<sup>\*\*\*</sup>For defects caused by material or manufacturing fault.
This does not cover wear and tear. Full terms and conditions are available on our website.



# SWITCH TODAY

The EGO Power<sup>+</sup> system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter - and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power+ leads to long term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



# WHY CHANGE FROM PETROL TO EGO POWER\*?



### SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced, petrol matching power for all EGO tools



### BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



### BETTER FOR YOUR HEALTH

EGO Power<sup>+</sup> tools always operate at lower noise and vibration levels than traditional petrol-powered tools



### BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



### NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things



### POWERS 100+ TOOLS

EGO 56V ARC Lithium™ batteries work with all EGO Power+ tools\*, offering ultimate flexibility and efficiency to complete any job of any size



### **LOWER RUNNING COSTS**

The cost of running an EGO Power<sup>+</sup> product for a month is around the same as using a 2 stroke product for a day\*\*



#### FOLD FLAT. EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power<sup>+</sup> fold-flat design makes storage, cleaning and transportation simple



### **SAVE TIME**

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes













# CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

### Work smarter. Work healthier.

Any EGO battery will fit any EGO tool\*\* (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 portable batteries and 1 backpack battery available, so you
  can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products – better for you and better for the environment.

The best battery power, from the cordless specialists.

Our results speak for themselves. Our average product rating\* is



\*Independent data collected from EGO website reviews H1 2024





### SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power\* Pro X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Pro X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Pro X range delivers clean, quiet, safe and productive working.



### HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE





### PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



### A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power<sup>+</sup> Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power+ Professional tools to be powerful, hard-wearing and robust.

### A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power<sup>+</sup> tools are designed for regular use in domestic gardens. EGO Power<sup>+</sup> tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard - tackle every garden maintenance task with ease.



## POWER YOUR BUSINESS ALL DAY LONG

### In a world that's constantly evolving, so too are our demands for outdoor power equipment.

Over recent years battery powered OPE has increased in popularity. However, there still remain concerns around robustness and performance when comparing battery power to more traditional petrol powered equipment. These concerns have been well and truly answered with the launch of EGO's groundbreaking range of battery-powered professional outdoor power equipment and charging solutions. With a focus on incredible performance, flexible fast charging, and seamless connectivity through IoT and fleet management, EGO are revolutionising the way professionals tackle outdoor tasks.

### The toughest tools for the toughest tasks.

EGO's new Pro X tools have been developed for demanding professional use in the toughest of environments. Special design features such as carbon fibre components, steel drive shafts, robust gear boxes and cast aluminium mower decks, ensure strength, stability, and durability in extreme conditions. Plus, with EGO's industry-leading battery power and performance, each tool exceeds their petrol-powered equivalent.

New product introductions for 2025 include the new Pro X hand-held Blower, Pro X Backpack Blower and Pro X Multi-tool Power Head, all designed for comfortable, tough, all day working.

### A breakthrough in all day power.

At the centre of the new extended EGO Pro X range is the PGX Power hub which provides flexible charging solutions to meet the individual needs of the user. Whether it's charging at the depot, into a vehicle, or even in the middle of a forest, EGO have the solution. Capable of charging up to 70 batteries overnight (14 hours), the EGO PGX Power Hub ensures run time anxiety is a thing of the past, taking all day professional working to the next level. For further information, see page 33.

### Stay connected.

With the new EGO Connect and Fleet apps, plus wireless/Bluetooth® connectivity, it's easy to remotely manage large fleets of tools, including control of tool charging, tool usage over time, tool maintenance periods and firmware upgrades.









250Ah of energy overnight

PGX1600E-H 1600W HUB















## MINIMAL VIBRATION, NOISE AND COST

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

### Comfortable for all day use.

With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s² Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

### Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus – a permanent ringing sensation in the ears. E60 tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long term use.







# COST COMPARISON PETROL VS. EGO POWER+

Cost Estimates are based on purchasing STX4500 String Trimmer, LMX5300-SP Walk Behind Mower, HTX5300-P Hedge Trimmer, and LBPX8000 Leaf Blower plus the 4 x 10Ah batteries, 1 x 5Ah, 1 x 7.5Ah and PGX Charging system to run all four tools, and petrol-powered equivalent tools and fuel.


PETROL	PRO X RANGE
INITIAL OUTLAY YEAR 1 TOOLS £4,005.00	TOOLS <b>£2.616.00</b>
SERVICING £360.00	BATTERIES & CHARGERS £3.323.00
£1.279.54	ELECTRICITY £109.96
COST YEAR 1 £5,644.54 Inc purchase of tools	£6,048.96 - £404.42 Inc purchase of tools Year 1 saving
COST YEAR 2 £1.672.35 Fuel and servicing	£112.16 £1.560.19 Recharge cost only Year 2 saving
COST YEAR 3 £1.705.78 Fuel and servicing	£114.40 £1.591.38 Recharge cost only Year 3 saving
COST YEAR 4 £1,739.90 Fuel and servicing	<b>£116.69</b> Recharge cost only <b>£1,623.21</b> Year 4 saving
COST YEAR 5 £1,774.69 Fuel and servicing	£119.02 £1,655.67 Recharge cost only Year 5 saving
TOTAL COST OF OWNERSHIP £12.537.26	£6.511.23 SAVING AT YEAR 5 BY INVESTING IN CORDLESS £6.026.03

- Cost Estimates are based on purchasing STX4500 String Trimmer, LMX5300-SP Walk Behind Mower, HTX5300-P Pole Hedge Trimmer, and LBPX8000
  Leaf Blower plus the 4x 10Ah batteries, 1 x 5Ah, 1 x 7.5Ah and PGX Charging system to run all four tools, and petrol-powered equivalent tools and fuel.
- Fuel consumption assumed running these machines for 6 hours a day for 170 days a year.



## THE ULTIMATE IN FLEXIBILITY

The EGO Pro X range redefines professional battery powered tools, delivering maximum flexibility and choice. So that professionals can choose to work in the best way to suit the job – every Pro X tool is compatible with all EGO battery options\*, offering ultimate efficiency to complete any job of any size. The EGO Pro X Backpack Harness can be used to redistribute the weight of the battery when required, and the EGO Pro X Backpack battery can be used for tasks that require a longer run time.





4AH BATTERY, 224WH, 1P



5AH BATTERY, 280WH, 2P



7.5AH BATTERY, 420WH, 3P



COL

2.5AH BATTERY, 140WH, 1P



4AH BATTERY, 224WH, 2P



6AH BATTERY, 336WH, 3P



10AH BATTERY, 560WH, 4P



















EGO POWER+ PRO X Top Handle Chainsaw










**REAR HANDLE CHAINSAW** 





WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.









# THE RIGHT POWER FOR EVERY JOB

### EGO Power<sup>+</sup> 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose, they have all been engineered for optimal performance and designed to fit all E60 tools\*.



BA2800T 5ah Battery 280WH, 2P

\*For portable handheld batteries. EGO Robotic Mowers and 12V Shrub Shears are not compatible with ARC Lithium™ 56V battery system.







document on our website. egopowerplus.co.uk/faqs



BA1400T 2.5AH BATTERY 140WH, 1P















# COMFORTABLE ALL DAY USE

The ergonomic EGO Power<sup>+</sup> backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



Image shown as a kit BH1001



### BH1000 BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



### BHX1000 PRO X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 Harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Pro X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Pro X backpack battery.



#### ABH3000

### PRO X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO Power<sup>+</sup> Pro X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.
CARRYING HANDLE	Yes	Yes	No – fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes backpack harness and adapter	BHX1000-K0002: Includes backpack harness, harness/hip belt and adapter	-





# ADVANCED COMFORT FOR ULTIMATE PRODUCTIVITY

## Team up your EGO Power<sup>+</sup> tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's ARC Lithium™ BAX1500 backpack keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with all EGO tools.

### Designed to perform, built to last.

The EGO Power<sup>+</sup> Backpack Battery can last throughout a full day's work\* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.



	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes backpack battery, harness and adapter



### BAX1500 PRO X BACKPACK BATTERY

The EGO Power<sup>+</sup> Pro X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand any drops or knocks.

### BIG POWER BIG BENEFITS

COMPATIBLE WITH EVERY EGO POWER+ TOOL\*

HIGH-EFFICIENCY BATTERY LIFE

### DETACHABLE BATTERY AND HARNESS

### **WORK HEALTHIER**

Without strains, musculoskeletal problems, or emissions.

### **COST EFFECTIVE**

Purchasing and running the Pro X Hedge Trimmer, Line Trimmer and Leaf Blower could save you as much as £4500 in 5 years\*\*, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.



\*For best working efficiency, the EGO Pro X Lawnmower and EGO Pro X Backpack Blower are not compatible with the EGO Backpack Battery, EGO Backpack Harness or EGO Battery Holster.

\*\*Dependent on the tool and based on an 8 hour working day.



### FAST CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power<sup>+</sup> charger keeps you working for longer. Charging 5Ah batteries in 30 minutes, the CH7000E-T reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster; while the intelligent battery control system constantly monitors each cells power and temperature to deliver the most efficient and quickest charge.



### CH7000E-T TOOW RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 5.0Ah battery, this charger features an integrated LED charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.



### CH3200E 320W QUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our light-weight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.







CH5500E 550W RAPID CHARGER



LED CHARGING / — DIAGNOSTICS INDICATOR Constant feedback on battery status and recharge levels



CH2100E 210W STANDARD CHARGER

### CHX5500E 550W PRO X CHARGER

For use with BAX1500 Pro X Backpack Battery

PERFOR	MANCE STATISTICS								
BATTERY N	MODEL	BA1400T	BA2240T/ BA2242T	BA2800T	BA3360T	BA4200T	BA5600T	BA6720T	BAX1500
BATTERY (	Ah)	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	10.0Ah	12.0Ah	28.0Ah
CAPACITY	(Wh)	140	224	280	336 420		560	672	1568Wh at 56V rated
	550W RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	45 mins	60 mins	70 mins	90 mins	210 mins
	210W STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	120 mins	145 mins	190 mins	230 mins	-
CHARGE 550W PRO X CHARGER: CHX5500E		-	-	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
	320W QUICK CHARGER: CH3200E	35 mins	55 mins	70 mins	80 mins	100 mins	130 mins	160 mins	-
700W RAPID+ CHARGER: CH7000E-T		<30 mins	<30 mins	30 mins	35 mins	45 mins	60 mins	75 mins	-
WEIGHT		1.2kg	1.9kg/2.2kg	2.2kg	2.6kg	2.8kg	3.4kg	3.6kg	9.0kg
DOMESTIC WARRANTY		3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years
PROFESSIO	ONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years	2 years	3 years







#### LED CHARGING INDICATOR





DESIGNED TO CHARGE EGO RIDE-ON MOWERS. EGO RIDE-ON TRACTOR MOWERS AND EGO MULTI-PORT CHARGING CASE.



### ACA1000 Charging Adaptor

Use with the CH5500E EGO 550W
Rapid Charger or the CH7000E-T
700W Rapid+ Charger in order to
work with the Multi-Port Charging
Case or Z6 ride-on mowers,
EGO ride-on tractor mowers.





### CHV1600E 1600W CHARGER

The EGO Professional 1600W Charger can charge six 10Ah EGO ARC Lithium™ Batteries in as little as 3 hours. it is designed to work with the EGO Multi-Port Charging Case, EGO 76 Ride-on Mowers and EGO Ride-on Tractor Mowers.



# CHARGE 6 PORTABLE EGO BATTERIES AT THE SAME TIME

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time – ideal for professional users.

EGO's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.





#### CHU6000-K0004

### MULTI-PORT CHARGING CASE & CHARGER

Includes CHV1600E 1600W charger.





#### CHU6000

### MULTI-PORT CHARGING CASE

The Multi-Port Charging Case can be used directly with the EGO CHY1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 29) when combined with the ACA1000 EGO Charging Adapter.

COMPARATIVE CHARGE TIMES		
1600W CHARGER with case	<b>6x</b> 10Ah Portable Batteries	~ 3 Hours
550W RAPID CHARGER & CHARGING ADAPTER with case	<b>6x</b> 10Ah Portable Batteries	~8 Hours






# A BREAKTHROUGH IN ALL DAY LONG POWER

At the centre of the EGO Pro X battery charging system is a portable super-fast Power Bank charger that keeps Pro X tools working on-site all day long.

Combined with the new EGO PGX Power Hub, more than 250Ah of energy can be charged in sequence overnight – ready for the next day's work.

The EGO Pro X Power Hub has IoT Bluetooth and WiFi connectivity to provide all the information needed to manage a fleet of Pro X tools – supplying data from all enabled EGO products and physically connected charging peripherals.

The EGO 1600W PGX Power Hub has been designed to connect with existing standard mains power supplies, so there's no need to update the power supply for installation.

























### PGX1400PB PGX POWER BANK

The EGO PGX Power Bank uses the energy from the EGO Professional 40Ah High Capacity Battery to charge any of EGO's portable ARC Lithium™ Batteries.

This provides professional users with super-fast, efficient charging for all day working, and reduces the need to carry more batteries.

- Provides 2 x 700W charging ports for any EGO 56V ARC Lithium™ Batteries.
- LED indicator shows charging status.
- Includes handles for ease of transport.
- Stackable to save space.
- Connects to PGX1600E-H 1600W Power Hub for on grid fast charging.
- IoT wired data connection. Relays charging information via PGX Hub.
- Connects with the next charging peripheral to expand charging system indefinitely.
- Wall anchor point for storage and safe transport.
- · Physical anti-theft device.

### HC2240T **40AH HIGH CAPACITY BATTERY**

Powers the EGO PGX Power Bank for on-site rapid charging of all EGO ARC Lithium™ portable batteries.

- Fuel Gauge shows remaining battery charge.
- Side interface locking for secure attachment to the charger.
- IoT Bluetooth enabled to relay data, monitor status and control.
- · Integrated folding handle.









<u>=</u>60







### PGX1600E-H

Charges more than 250Ah of energy in sequence overnight.

- status while charging.
- IoT Bluetooth and WiFi enabled to relay data from new compatible Pro X products and physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.

### PGX 1600W HUB

• Led Indicator clearly shows Power Hub

- · Fan cooled for efficient charging.

#### Int FUNCTIONS

- · Monitor/view charging time and status
- · Prioritise charging
- · Charging completion reminder
- Battery optimisation
- · Tool usage statistics: operational status, assignment and location, utilisation rates
- · Firmware upgrades



### PGX3000D **3-PORT DOCK**


Designed to connect to the EGO Pro X 1600W Power Hub.

- Accommodates up to 3 EGO 56V ARC Lithium<sup>™</sup> Batteries.
- · Led Indicator clearly shows charging status.
- · Connects with the next charging peripheral, can expand charging system by up to 30 peripherals.
- loT wired data connection. Relays charging information via PGX Hub.
- Wall mounting, E-Track compatible with separate accessory kit.
- · Side Handles and Battery Retention Clip allows portability. · Physical anti-theft device.



### A BATTERY For Every tool And Every Job

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time\* you need.





- \* Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique
- \*\* Run time based on a 10cm x 10cm timber
- \*\*\* Portable batteries must be used with either BH1000 or BHX1000 harnesses
- \*\*\* The light will illuminate at 10,000m in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time
- Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations
- \*\* Run times shown are for x2 of the batteries listed

LM1700E-SP 42cm Mower LM1700E-SP 42cm Self-Propelled Mower LM190DE-SP 52cm Self-Propelled Mower LM200E-SP 52cm Self-Propelled Mower LM200E-SP 52cm Self-Propelled Mower LM200E-SP 52cm Self-Propelled Mower LM200E-SP 52cm Self-Propelled Mower with Select Cut Technology LM220E-SP 52cm Self-Propelled Mower with Dual Battery Ports Self-Propelled Mower Self-Propelled Mower With Dual Battery Ports Self-Propelled Self-Propelled Mower With Dual Battery Ports Self-Propelled Self-Prop	CODE	PRODUCT NAME
LM1700E-SP dzm Self-Propelled Mower LM200E-SP 50cm Self-Propelled Mower LM200E-SP 50cm Self-Propelled Mower LM210E-SP 50cm Self-Propelled Mower LM220C-SP 50cm Self-Propelled Mower LM220C-SP 55cm Self-Propelled Mower LM220C-SP 55cm Self-Propelled Mower LM220C-SP 55cm Self-Propelled Mower LM220C-SP 55cm Self-Propelled Mower ST1400E-ST 35cm Self-Spropelled Mower with Dual Battery Ports EGO Power¹ Line Trimmers Brush Cuter and Rotocut ST1300E-S 33cm Line Trimmer ST1400E-ST 35cm Telescopic Line Trimmer with Powerload™ Technology ST150C-F 33cm Line Trimmer with Powerload™ Technology ST150C-F 33cm Line Trimmer with Line IQ™ and Powerload™ Technology ST150C-F 33cm Line Trimmer with Line IQ™ and Powerload™ Technology BC300C 33cm Line Trimmer with Line IQ™ and Powerload™ Technology BC300C 33cm Line Trimmer with Line IQ™ and Powerload™ Technology BC300C 33cm Bike Handled Line Trimmer/Brush Cutter STX500 81cm Landled Line Trimmer/Brush Cutter STX500 Black Handled Line Trimmer/Brush Cutter STX500 Loop Handled Line Trimmer/Brush Cutter STX500 Scom Hedge Trimmer HTX500 Scom Hedge Trimmer STX10D Scom Hedge Trimmer HTX500 Scom H		
LM900E-SP   Som Self-Propelled Mower   LM2130E-SP   Som Self-Propelled Mower with Select Cut Technology   Som Self-Propelled Mower   LM2130E-SP   Som Self-Propelled Mower with Dual Battery Ports   EGO Power* Line Trimmers; Brush Cutter and Rolocut   ST1300E-SP   Som Self-Propelled Mower with Dual Battery Ports   EGO Power* Line Trimmers; Brush Cutter and Rolocut   ST1300E-ST   Som Telescopic Line Trimmer with Powerload** Technology   ST1510E-T   Som Telescopic Line Trimmer with Powerload** Technology   ST1510E-T   Som Telescopic Line Trimmer with Powerload** Technology   ST1510E-T   Som Telescopic Line Trimmer with Line IO** and Powerload** Technology   ST1530E   Som Bels Handled Brush Cutter   ST1610E-T   Adom Line Trimmer with Line IO** and Powerload** Technology   BC3830D   Bible Handled Ine Trimmer with Line IO** and Powerload** Technology   ST15380   Lop Handled Line Trimmer With Line IO** and Powerload** Technology   ST15380   Lop Handled Line Trimmer With Line IO** and Powerload** Technology   ST15380   Rotecut   Assembled on BCV.ST13590)***   ST34500   Lop Handled Line Trimmer/Srush Cutter   ST34500   Elize Handled Line Trimmer/Srush Cutter   ST34500   Som Hedge Trimmer   HT2400E   S1cm Hedge Trimmer   HT2400E   S1cm Hedge Trimmer   HT3500   S1cm Hedge Trimmer   HT350		
LM200E-SP   Soom Self-Propelled Mower with Select Cut Technology   LM220E-SP   Szem Self-Propelled Mower with Dual Battery Ports   Soom Self-Propelled Mower with Dual Battery Ports   Soft New York   The Trimmers Brush Cutter and Robocut   ST1300E-ST   Soom Ielescopic Line Trimmer with Powerload™ Technology   ST1300E-ST   Soom Line Trimmer with Powerload™ Technology   ST1300E-ST   Soom Line Trimmer with Powerload™ Technology   ST1300E-ST   Soom Line Trimmer with Powerload™ Technology   ST1510E-T   Soom Line Trimmer with Line IQ™ and Powerload™ Technology   ST1510E-T   Adom Line Trimmer with Line IQ™ and Powerload™ Technology   ST1500E-T   Adom Line Trimmer With Line IQ™ and Powerload™ Technology   ST2800   Bible Handled Line Trimmer Brush Outter™   ST2800   Robust IAssembled on SOX/STX8800™   ST2800   Robust IAssembled on SOX/STX8800™   STX8500   Robust IAssembled on SOX/STX8800™   STX8500   Loop Handled Line Trimmer/Brush Cutter   STX4500   Estem Hedge Trimmer   HT200E   STem Hedge Trimmer   HT200E   STem Hedge Trimmer   HT200E   STem Hedge Trimmer   HT200E   STem Hedge Trimmer   HT300D   Stem Chainsaw   CS1410E   Stem Chainsaw   CS1410E   Stem Chainsaw   CS1410E   Stem Chainsaw   CS140D   Stem Chainsaw   CS140		·
LMX250SP*   S3cm Self-propelled Mower   LMX550SP*   S3cm Self-propelled Mower with Dual Battery Ports   E60 Power* Line Trimmers, Brush Cutter and Robcot   ST1400C-S*   33cm Line Trimmer with Powerload™ Technology   ST1400C-S*   33cm Line Trimmer with Powerload™ Technology   ST1510C-T*   33cm Line Trimmer with Powerload™ Technology   ST1510C-T*   33cm Line Trimmer with Line IQ™ and Powerload™ Technology   ST150C-T*   40cm Line Trimmer with Line IQ™ and Powerload™ Technology   BCX3800*   81cm Landled Brush Cutter   BCX3800*   81cm Landled Line Trimmer/Brush Cutter*   STX3800*   Loop Handled Line Trimmer/Brush Cutter*   STX3800*   Robout IASsembled on S6X7SX8000™   BCX4500*   81cm Landled Line Trimmer/Brush Cutter*   STX4500*   Loop Handled Line Trimmer/Brush Cutter*   STX4500*   S6cm Hedge Trimmer*   HT2600E*   S6cm Hedge Trimmer*   HT2600E*   S6cm Hedge Trimmer*   HT3600E*   S6cm Hedge Trimmer*   HTX500*   S6cm Hedge Trimmer*   S60*   S6cm Hedge Trimmer*		50cm Self-Propelled Mower
EMS300SF** Sam Self-propeled Mowerwith Dual Battery Ports EGO Power* Line Trimmers sub Cutter and Rotocut ST1300E-S ST1400E-ST ST1500E-T ST1530E Sam Line Trimmer with Powerload™ Technology ST1510E-T ST1530E Sam Loop Handled Line Trimmer with Powerload™ Technology SSm Line Trimmer with Ine IQ™ and Powerload™ Technology SSm Line Trimmer with Line IQ™ and Powerload™ Technology BCX8300 Bike Handled Line Trimmer Brush Cutter STX3800 Loop Handled Line Trimmer Brush Cutter STX3800 Loop Handled Line Trimmer Brush Cutter STX3800 Rotocut (Assembled on BCX/STX3800)™ SCX4500 Bike Handled Line Trimmer/Brush Cutter STX4500 Loop Handled Line Trimmer/Brush Cutter STX4500 Toop Handled Line Trimmer HTX500 Toop Handled Line Trimmer HTX500 Toop Handle Chainsaw STX4500 Toop Handle Chainsaw STX4500 Toop Handle Chainsaw STX4500 Toop Handle Chainsaw STX4500 Toop Handle Chainsaw STX500 Toop Handle Chainsa		
SGO Power* Line Trimmers. Brush Cutter and Rotocut ST1300E-S ST1400E-S ST1400E-S ST150E-T SST150E-T SST15		
ST1400E-ST   35cm Telescopic Line Trimmer with Powerload™ Technology   ST1510E-T   35cm Line Trimmer with Powerload™ Technology   35cm Line Trimmer with Line IQ™ and Powerload™ Technology   35cm Line Trimmer with Line IQ™ and Powerload™ Technology   35cm Line Trimmer with Line IQ™ and Powerload™ Technology   35cm Line Trimmer with Line IQ™ and Powerload™ Technology   35cm Line Trimmer Brush Cutter   35cm Line Line Trimmer Brush Cutter   35cm Line Line Trimmer Line Line Line Trimmer Line Line Line Line Line Line Line Line		
ST1510E-T ST1630E ST1610E-T ST1610E-T ST1610E-T ST1610E-T ST1610E-T ST1610E-T ST1610E-T SOME DEPTH ADDRESS AND STAND SAME MER HANDLE BY STAND BC3800D SSGEM SHE HANDLE BY SUSTING STX3800 Loop Handled Line Trimmer Brush Cutter STX3800 Loop Handled Line Trimmer Brush Cutter STX3800 RC4500 Bike Handled Line Trimmer Brush Cutter STX4500 RC4500 RC4	ST1300E-S	33cm Line Trimmer
ST1530E 38cm Lopp Handled Line Trimmer ST1610E-T 40cm Line Trimmer with Line IQ <sup>TM</sup> and Powerload Technology BC3800 Bike Handled Line Trimmer Brush Cutter** STX3800 Loop Handled Line TrimmerBrush Cutter** STX3800 Loop Handled Line TrimmerBrush Cutter** STX3800 Loop Handled Line TrimmerBrush Cutter** STX4500 Loop Handled Line TrimmerBrush Cutter* STX4500 Loop Handled Line TrimmerBrush Cutter* STX4500 Loop Handled Line TrimmerBrush Cutter STX4500 Since Hedge Trimmer STX500 Since Hedge T		
BC3800E  BC3800E  BC3800E  BC380D  BC40D  BC500E  BC380D  BC40D  BC500D  BC50D		
BCX3900 Bike Handled Line Trimmer/Brush Cutter** STX3900 Loop Handled Line Trimmer/Brush Cutter STX4500 Bike Handled Line Trimmer/Brush Cutter STX4500 Loop Handled Line Trimmer/Brush Cutter STX4500 Loop Handled Line Trimmer/Brush Cutter STX4500 Loop Handled Line Trimmer/Brush Cutter BCO Power* Hedge Trimmer HT2000E 5 Tem Hedge Trimmer HT2600E 65cm Hedge Trimmer HT3600E 65cm Hedge Trimmer HT3600E 65cm Hedge Trimmer HT3600 F5cm Hedge Trimmer HT36300 F5cm Hedge Trimmer HTX5300 F5cm Hedge Trimmer* HTX5300 F5cm Hedge Trimmer* HTX5300-P4 53cm Short-reach Fixed Pole Hedge Trimmer HTX5300-P5 55cm Long-reach Articulating Pole Hedge Trimmer HTX5300-P6 55cm Long-reach Articulating Pole Hedge Trimmer GST410E 35cm Chainsaw CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1610E 40cm Chainsaw CS1610E 30cm Top Handle Chainsaw CS1800C 50cm Chainsaw GSX3000 50cm Rear Handle Chainsaw GSX3000 50cm Rear Handle Chainsaw GSX3000 50cm Rear Handle Chainsaw GSX5000 F5cm Chainsaw HEGO Power* Telescopic Pole Products PS100E Telescopic Pole Froducts PS100E Telescopic Pole Saw PSX2500 Pole Saw Attachment Hedge Trimmer Attachment Hedge Primmer Attachment HEGO Power* Blowers Run time in Mins LV5000E Backpack Blower 19.2N LB8150E Blower 18.5N LB610E Blower 18.5N LB610E Blower 21N LB7450B Blower 21N LB7450B Blower 25N LB74500 Blower 22N LB74500 Blower 32N LB74500 Blower 30N LB74500 Blower 30N LB74500 Blower 30N LB74500 Blower 30N L		
RTX2300		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
RTX2300 Rotout (Assembled on BCX/STX3900)*** BCX4500 Bike Handled Line Trimmer/Brush Cutter  600 Power* Hedge Trimmers HT2410E 61cm Hedge Trimmer HT2410E 61cm Hedge Trimmer HT2600E 55cm Hedge Trimmer HT500E 55cm Hedge Trimmer HT5500E 55cm Hedge Trimmer HT6500E 65cm Hedge Trimmer HT650E 55cm Hedge Trimmer HT7650C 55cm Hedge Trimmer HT7650C 75cm Hedge Trimmer HT7650C 75cm Hedge Trimmer HT7650C 75cm Hedge Trimmer HT7650C 85cm Hedge Trimmer** HT77500 75cm Hedge Trimmer** HT77500 75cm Hedge Trimmer** HT77500 75cm Hedge Trimmer** HT77500 PA 55cm Long-reach Articulating Pole Hedge Trimmer EGO Power* Chainsaws CS1410E 35cm Chainsaw with Auto Chain Tensioning CS200C 50cm Chainsaw CS1610E 40cm Chainsaw CS1610E 40cm Chainsaw CS160C 50cm Chainsaw CS160C 50cm Chainsaw CS200D 50cm Chainsaw CS200D 50cm Chainsaw CS300D 30cm Top Handle Chainsaw CS300D 50cm Rear Handle Chainsaw CS500D 50cm Rear Handle Chainsaw CS500D Telescopic Pole Products PS100D Telescopic Pole Products PS100D Telescopic Pole Products PS100D Telescopic Pole Saw Attachment PTX510D Hedge Trimmer Attachment EGO Power* Blowers Runtime in Mins LV500C Leaf Vacuum 15N L86150E Blower 19.5N L86700E Blower 21N L87600E Backpack Blower 19.2N L87600D Backpack Blower 19.2N L87600D Backpack Blower 19.2N L87600D Blower 19.2N L87600D Blower 22N L87600D Blower 32N L87		
BCX4500		
H7200E 51cm Hedge Trimmer H7200E 66cm Hedge Trimmer H7260E 65cm Hedge Trimmer H7500E 51cm Hedge Trimmer H7500E 51cm Hedge Trimmer H7500E 55cm Hedge Trimmer H7500E 55cm Hedge Trimmer H7500E 55cm Hedge Trimmer H786500 65cm Hedge Trimmer H786500 55cm Hedge Trimmer*** H778500 75cm Hedge Trimmer*** H778500 75cm Hedge Trimmer*** H778500 75cm Hedge Trimmer*** H778300-PA 53cm Short-reach Fixed Pole Hedge Trimmer E60 Power* Chainsaws CS1410E 35cm Chainsaw CS1410E 35cm Chainsaw CS1410E 35cm Chainsaw CS1800E 45cm Chainsaw dith Auto Chain Tensioning CS200E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS3000 30cm Top Handle Chainsaw CS3000 50cm Rear Handle Chainsaw CS3000 50cm Rear Handle Chainsaw E60 Power* Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment P7785100 Hedge Trimmer Attachment E60 Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 21N LB7650E Blower 21N LB7650E Blower 26N LB6000E Backpack Blower 19.2N LB781000 Blower 32N LB781000 Multi-Tool Line Trimmer Attachment STA1700 Multi-Tool Line Trimmer Attachment F60 Power* Multi-Tool Sirne Hedge Trimmer Attachment H72000 Multi-Tool Hedge Trimmer Attachment H72000 Multi-Tool Line Trimmer Attachment F60 Power* Multi-Tool Sirne Hedge Trimmer Attachment H72000 Multi-Tool Line Trimmer Attachment H72000 Multi-Tool Line Trimmer Attachment H72000 Multi-Tool Line Trimmer Attachment H72000 Multi-Tool Sirne Hachment H72000 Multi-Tool Hedge Trimmer Attachment H72000 Multi-Tool Hedge Trimmer Attachment H72000 Multi-Tool Sirne Hodge Trimmer Attachment H72000 Multi-Tool Sirne Hodge Trimmer Attachment H72000 Multi-Tool Hedge Trimmer Attachment H72000 Multi-T		
HT2000E 61cm Hedge Trimmer HT2410E 61cm Hedge Trimmer HT2600E 65cm Hedge Trimmer HT5100E 51cm Hedge Trimmer HT6500E 65cm Hedge Trimmer HT6500E 65cm Hedge Trimmer HT6500E 65cm Hedge Trimmer HT6500 55cm Hedge Trimmer*** HTX7500 75cm Hedge Trimmer*** HTX7500 75cm Hedge Trimmer*** HTX5300-PA 53cm Long-reach Articulating Pole Hedge Trimmer E60 Power* Chainsaws CS1410E 35cm Chainsaw CS1410E 35cm Chainsaw CS1410E 35cm Chainsaw CS140E 45cm Chainsaw CS1400E 45cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS1200E 30cm Top Handle Chainsaw CSX3000 50cm Rear Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 15cm Rear Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 15cm Rear Handle Chainsaw CSX5000 50cm Rea		
HT2410E 61cm Hedge Trimmer HT2600E 66cm Hedge Trimmer HT5500E 65cm Hedge Trimmer HT6500E 65cm Hedge Trimmer HTX6500 65cm Hedge Trimmer HTX6500 Fosch Hedge Trimmer HTX6500 Fosch Hedge Trimmer HTX5300-P 53cm Short-reach Fixed Pole Hedge Trimmer HTX5300-P 53cm Short-reach Fixed Pole Hedge Trimmer HTX5300-P 53cm Short-reach Fixed Pole Hedge Trimmer  660 Power* Chainsaw CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1600E 50cm Chainsaw CS1200E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS2000E 50cm Chainsaw CSX3000 30cm Top Handle Chainsaw CSX3000 30cm Top Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 Fosch Fosc		
HT2600E 66cm Hedge Trimmer HT5100E 51cm Hedge Trimmer HTX6500 65cm Hedge Trimmer HTX6500 65cm Hedge Trimmer** HTX7500 75cm Hedge Trimmer** HTX7500 75cm Hedge Trimmer** HTX5300-PA 53cm Short-reach Fixed Pole Hedge Trimmer HTX5300-PA 53cm Long-reach Articulating Pole Hedge Trimmer E60 Power* Chainsaws CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1610E 45cm Chainsaw with Auto Chain Tensioning CS2000E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS1200E 30cm Top Handle Chainsaw CS33000 30cm Top Handle Chainsaw CS33000 30cm Top Handle Chainsaw CS35000 50cm Rear Handle Chainsaw E60 Power* Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment E60 Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6150E Blower 21N LB7650E Blower 21N LB7650E Blower 26N LB8000 Backpack Blower 36N LB81000 Backpack Blower 36N LB81000 Blower 36N LBX1000 Blower 36N LBX1000 Blower 36N LBX1000 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Line Trimmer Attachment STA1600 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment STA1700 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment STA1700 Multi-Tool Hedge Trimmer Attachment HTA2000 M		•
HT6500E 65cm Hedge Trimmer HTX6500 75cm Hedge Trimmer** HTX5300-P 33cm Short-reach Fixed Pole Hedge Trimmer HTX5300-PA 53cm Long-reach Articulating Pole Hedge Trimmer EGO Power* Chainsaws CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1800E 45cm Chainsaw CS1800E 45cm Chainsaw CS1200E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS1200E 30cm Top Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 10cm Top Handle Chainsaw CSX5000 10cm Top Handle Chainsaw CSX5000 Flower* Telescopic Pole Products PS1000E Telescopic Pole Products PS100DE Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment EGO Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 28N LB6700E Blower 28N LB78000 Backpack Blower 19.2N LB78500 Backpack Blower 19.2N LB78500 Backpack Blower 26N LBRX1100 Backpack Blower 26N LBRX100 Blower 32N LBX1000 Blower 32N LBX1000 Blower 32N LBX6000 Blower 19.2N*** EGO Power* Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology BCA1200 Multi-Tool Hedge Trimmer Attachment STA1600 Multi-Tool Line Trimmer Attachment STA1700 Multi-Tool Hedge Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment STA1700 Multi-Tool Hedge Trimmer Attachment STA1	HT2600E	66cm Hedge Trimmer
HTX6500 65cm Hedge Trimmer*** HTX7500 75cm Hedge Trimmer** HTX5300-PA 53cm Short-reach Fixed Pole Hedge Trimmer  600 Power* Chainsaws CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1610E 45cm Chainsaw with Auto Chain Tensioning CS2000E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS1200E 30cm Top Handle Chainsaw CS32000 30cm Top Handle Chainsaw CS32000 30cm Top Handle Chainsaw CS32000 50cm Rear Handle Chainsaw CS32000 For Handle Chainsaw CS3200		•
HTX500		
HTX5300-P 53cm Short-reach Fixed Pole Hedge Trimmer EBO Power* Chainsaws CS1410E 35cm Long-reach Articulating Pole Hedge Trimmer EBO Power* Chainsaws CS1800E 45cm Chainsaw CS1800E 45cm Chainsaw with Auto Chain Tensioning CS2000E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CS1200E 30cm Top Handle Chainsaw CSX3000 30cm Top Handle Chainsaw CSX3000 50cm Rear Handle Chainsaw CSX3000 50cm Rear Handle Chainsaw EGO Power* Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment EGO Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 19.5N LB6700E Blower 21N LB78000 Backpack Blower 19.2N LB78000 Backpack Blower 36N LB71100 Backpack Blower 36N LBX1000 Blower 32N LBX000 Blower 32N LBX1000 Blower 32N LBX5000 Blower 32N LBX5000 Blower 19.2N*** EGO Power* Multi-Tool Line Trimmer Attachment STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology BCA1200 Multi-Tool Hedge Trimmer Attachment HTA2000 Multi-Tool Hedge Trimmer Attachment STA1700 Multi-Tool Hedge Trimmer Attachment HTA2000 Multi-Tool Delog Saw Attachment EA0800 Multi-Tool Delog Saw Attachment CTA9500 Multi-Tool Delog Attachment SSA1200 Multi-Tool Short Hedge Trimmer Attachment SSA1200 Multi-Tool Short Hedge Trimmer Attachment SSA1200 Multi-Tool Short Hedge Trimmer Attachment SSA1200 Multi-Tool Delog Saw Attachment SSA1200 Multi-Tool Delog Saw Attachment SSA1200 Multi-Tool Delog Shaker Attachment SSA1200 Multi-Tool Delog Delog Attachment SSA1200 Multi-Tool Delog Delog Attachment SSA1200 Multi-Tool Delog Delackper Attachment SSA1200 Multi-Tool Delog Delackpe		
CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1800E 45cm Chainsaw CS1200E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CSX3000 30cm Top Handle Chainsaw CSX3000 50cm Rear Handle Chainsaw CSX5000 Fole Saw CSX5000 Fole Products PS1000E Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment EGO Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 26N LB6700E Blower 26N LB7650E Blower 26N LBPX8000 Backpack Blower 19.2N LBPX8000 Backpack Blower 36N LBY100 Backpack Blower 36N LBX1000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 19.2N*** EGO Power* Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Brush Cutter Attachment HTA2000 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Brush Cutter Attachment HTA2000 Multi-Tool Brush Cutter Attachment HTA2000 Multi-Tool Short Hedge Trimmer Attachment HTA2000 Multi-Tool Short Hedge Trimmer Attachment HTA2000 Multi-Tool Dien Short Hedge Trimmer Attachment EA0800 Multi-Tool Dien Short Hedge Trimmer Attachment SSA1000 Multi-Tool Outive Shaw Attachment SSA1200 Multi-Tool Outive Shawer Attachment SSA1200 Multi-Tool Dethatcher Attachment SSA1200 Multi-Tool Outive Shawer Attachment SSA1200 Multi-Tool Outive Shawer Attachment SSA1200 Multi-Tool Dethatcher Attachment SSA1200 Multi-Tool Dethatcher Attachment SSA1200 Multi-Tool Dethatcher Attachment SGO Power* Snow Throwers	HTX5300-P	53cm Short-reach Fixed Pole Hedge Trimmer
CS1410E 35cm Chainsaw CS1610E 40cm Chainsaw CS1800E 45cm Chainsaw with Auto Chain Tensioning CS2000E 50cm Chainsaw CS1200E 30cm Top Handle Chainsaw CSX3000 30cm Top Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw EGO Power+Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment EGO Power+Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6150E Blower 21N LB7650E Blower 26N LB7650E Blower 26N LB7650E Blower 26N LBPX1000 Backpack Blower 19.2N LBPX8000 Backpack Blower 36N LBY100 Backpack Blower 36N LBX1000 Blower 32N LBX1000 Blower 32N LBX5000 Blower 19.2N*** EGO Power+Multi-Tool STA1500 Multi-Tool Line Trimmer Attachment STA1500 Multi-Tool Line Trimmer Attachment STA1700 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Brush Cutter Attachment STA1700 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Hedge Trimmer Attachment STA1700 Multi-Tool Brush Cutter Attachment STA1700 Multi-Tool Short Hedge Trimmer Attachment EA0800 Multi-Tool Delegar Attachment EA0800 Multi-Tool Delegar Attachment BBA2100 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Olive Shaker Attachment BBA2100 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Dethatcher Attachment EGO Power+Snow Throwers		
CS1610E 40cm Chainsaw  CS1800E 50cm Chainsaw with Auto Chain Tensioning  CS2000E 50cm Chainsaw  CS1200E 30cm Top Handle Chainsaw  CSX3000 30cm Top Handle Chainsaw  CSX5000 50cm Rear Handle Chainsaw  CSX5000 Fole Products  PS1000E Telescopic Pole Saw  PSX2500 Pole Saw Attachment  PTX5100 Hedge Trimmer Attachment  EGO Power* Blowers  Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB6700E Backpack Blower 26N  LBPX8000 Backpack Blower 26N  LBPX8000 Backpack Blower 36N  LBY1100 Backpack Blower 36N  LBY1100 Backpack Blower 36N  LBX1000 Blower 32N  LBX6000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BTA1500 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BTA1500 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BTA1500 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BTA1500 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BTA1500 Multi-Tool Line Trimmer Attachment  STA1500 Multi-Tool Beger Trimmer Attachment  STA1500 Multi-Tool Delegar Trimmer Attachment  BCA1200 Multi-Tool Delegar Trimmer Attachment  EA0800 Multi-Tool Short Hedge Trimmer Attachment  EA0800 Multi-Tool Short Hedge Trimmer Attachment  STA1500 Multi-Tool Short Hedge Trimmer Attachment  BBA2100 Multi-Tool Short Hedge Trimmer Attachment  SSA1200 Multi-Tool Delive Shaker Attachment  SSA1200 Multi-Tool Delive Shaker Attachment  BCO Power* Snow Throwers		
CS2000E 50cm Chainsaw  CS1200E 30cm Top Handle Chainsaw  CSX3000 30cm Top Handle Chainsaw  CSX5000 50cm Rear Handle Chainsaw  EGO Power* Telescopic Pole Products  PS1000E Telescopic Pole Saw  PSX2500 Pole Saw Attachment  PTX5100 Hedge Trimmer Attachment  EGO Power* Blowers  Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LBPX6000 Backpack Blower 19.2N  LBPX8000 Backpack Blower 19.2N  LBPX8000 Blower 32N  LBX1000 Blower 32N  LBX6000 Blower 32N  LSX1000 Blower 19.2N***  EGO Power* Multi-Tool Line Trimmer Attachment  STA1500 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Pole Saw Attachment  HTA2000 Multi-Tool Pole Saw Attachment  HTA2000 Multi-Tool Pole Saw Attachment  EGO Multi-Tool Pole Saw Attachment  EAR800 Multi-Tool Fole Saw Attachment  EAR800 Multi-Tool Pole Saw Attachment  EAR800 Multi-Tool Cultivator Attachment  EAR800 Multi-Tool Dole Saker Attachment  EAR800 Multi-Tool Olive Shaker Attachment  EGO Power* Snow Throwers		
C\$1200E 30cm Top Handle Chainsaw C\$X5000 30cm Top Handle Chainsaw C\$X5000 50cm Rear Handle Chainsaw E60 Power* Telescopic Pole Products P\$1000E Telescopic Pole Saw P\$\$2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment E60 Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 21N LB7650E Blower 26N LB8000E Backpack Blower 19.2N LBPX8000 Backpack Blower 19.2N LBPX1100 Backpack Blower 36N LBX1000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 19.2N*** E60 Power* Multi-Tool Line Trimmer Attachment STA1500 Multi-Tool Line Trimmer Attachment STA1500 Multi-Tool Line Trimmer Attachment STA1700 Multi-Tool Line Trimmer Attachment STA1700 Multi-Tool Line Trimmer Attachment HTA2000S Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment STA100 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment STA100 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment STA100 Multi-Tool Line Trimmer Attachment STA100 Multi-Tool Clire Trimmer Attachment STA100 Multi-Tool Clire Short Hedge Trimmer Attachment STA100 Multi-Tool Clire Short Hedge Trimmer Attachment  EA0800 Multi-Tool Fole Saw Attachment  EA0800 Multi-Tool Fole Saw Attachment  CTA9500 Multi-Tool Cultivator Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		
CSX3000 30cm Top Handle Chainsaw CSX5000 50cm Rear Handle Chainsaw EGO Power* Telescopic Pole Products PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment EGO Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 21N LB7650E Blower 21N LB7650E Blower 26N LB8000E Backpack Blower 19.2N LBPX8000 Backpack Blower 36N LBPX1100 Backpack Blower 36N LBN1000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 19.2N*** EGO Power* Multi-Tool Line Trimmer Attachment STA1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Dine Trimmer Attachment HTA2000 Multi-Tool Line Trimmer Attachment HTA2000 Multi-Tool Line Grimmer Attachment HTA2000 Multi-Tool Dine Trimmer Attachment HTA2000 Multi-Tool Dine Trimmer Attachment  BBA2100 Multi-Tool Brort Hedge Trimmer Attachment  EA0800 Multi-Tool Brort Hedge Trimmer Attachment  BBA2100 Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Dine Saw Attachment  EA0800 Multi-Tool Dine Saker Attachment  BBA2100 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  BGO Power* Snow Throwers		
EGO Power* Telescopic Pole Products  PS1000E Telescopic Pole Saw PSX2500 Pole Saw Attachment  PTX5100 Hedge Trimmer Attachment  EGO Power* Blowers  Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB8000E Backpack Blower 26N  LBPX8000 Backpack Blower 36N  LBX1000 Blower 36N  LBX1000 Blower 36N  LBX1000 Blower 36N  EGO Power* Multi-Tool  STA 1500 Multi-Tool Line Trimmer Attachment  STA1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  STA1700 Multi-Tool Hedge Trimmer Attachment  STA1500 Multi-Tool Jene Trimmer Attachment  STA1500 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  STA1500 Multi-Tool Brush Cutter Attachment  HTA2000 Multi-Tool Brush Cutter Attachment  BBA2100 Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  STA1200 Multi-Tool Brush Cuttivator Attachment  BBA2100 Multi-Tool Brush Cuttivator Attachment  STA12300 Multi-Tool Olive Shaker Attachment  BGO Power* Snow Throwers		
PS1000E Telescopic Pole Saw  PSX2500 Pole Saw Attachment  PTX5100 Hedge Trimmer Attachment  EGO Power* Blowers  Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBFX8000 Backpack Blower 36N  LBX1100 Blower 32N  LBX1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool Line Trimmer Attachment  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment  STA1700 Multi-Tool Line Trimmer Attachment  STA1700 Multi-Tool Line Trimmer Attachment  STA1700 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Hedge Trimmer Attachment  HTA2000 Multi-Tool Fole Saw Attachment  EA0800 Multi-Tool Fole Saw Attachment  EA0800 Multi-Tool Fole Gay Attachment  STA1000 Multi-Tool Cultivator Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Dive Shaker Attachment  BBA2100 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  MID SA1400 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment		
PSX2500 Pole Saw Attachment PTX5100 Hedge Trimmer Attachment  EGO Power* Blowers Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 36N  LBPX1100 Backpack Blower 36N  LBX1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  EA0800 Multi-Tool Cultivator Attachment  STA1500 Multi-Tool Cultivator Attachment  EA0800 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  BBA2100 Multi-Tool Dethatcher Attachment  BBA2100 Multi-Tool Dethatcher Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Dethatcher Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		
EGO Power* Blowers Run time in Mins LV5000E Leaf Vacuum 15N LB6150E Blower 18.5N LB6700E Blower 21N LB7650E Blower 26N LB6000E Backpack Blower 19.2N LBPX8000 Backpack Blower 26N LBPX1100 Blower 32N LBX6000 Blower 32N LBX6000 Blower 32N LBX6000 Blower 19.2N***  EGO Power* Multi-Tool STA1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Hedge Trimmer Attachment HTA2000S Multi-Tool Fole Saw Attachment  EA0800 Multi-Tool Fole Saw Attachment EA0800 Multi-Tool Cultivator Attachment  EA0800 Multi-Tool Cultivator Attachment SA1000 Multi-Tool Briste Brush Attachment SA2000 Multi-Tool Ober Saw Attachment SA300 Multi-Tool Short Hedge Trimmer Attachment SA300 Multi-Tool Fole Saw Attachment Attachment BBA2100 Multi-Tool Short Shaker Attachment SA1200 Multi-Tool Ober Saw Attachment BBA2100 Multi-Tool Osnow Shovel Attachment SA1200 Multi-Tool Show Shovel Attachment		
Run time in Mins  LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 36N  LBY1000 Blower 32N  LBX1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool Line Trimmer Attachment  STA1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  BCA1200 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Hedge Trimmer Attachment  EA0800 Multi-Tool Fole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Cultivator Attachment  SSA1200 Multi-Tool Sristle Brush Attachment  SSA1200 Multi-Tool Sristle Brush Attachment  SSA1200 Multi-Tool Sonow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  RTA2300 Multi-Tool Dethatcher Attachment  BA4400 Multi-Tool Dethatcher Attachment  BA4400 Multi-Tool Dethatcher Attachment  BA4400 Multi-Tool Dethatcher Attachment		
LV5000E Leaf Vacuum 15N  LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 36N  LBY1100 Backpack Blower 36N  LBX1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000 Multi-Tool Sprimmer Attachment  HTA2000 Multi-Tool Fledge Trimmer Attachment  EA0800 Multi-Tool Fledge Trimmer Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Edger Attachment  SSA1200 Multi-Tool Bristle Brush Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Rotocut Attachment  SSA1200 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers	EGO Power+ Blowers	
LB6150E Blower 18.5N  LB6700E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 26N  LBPX1100 Backpack Blower 36N  LBX1000 Blower 32N  LBX6000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  BA400 Multi-Tool Dethatcher Attachment  BTA2300 Multi-Tool Dethatcher Attachment  BA400 Multi-Tool Dethatcher Attachment		4-00
LB6700E Blower 21N  LB7650E Blower 26N  LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 26N  LBNX1100 Blower 32N  LBX6000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Brush Cutter Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Hedge Trimmer Attachment  HTA2000 Multi-Tool Short Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  EA0800 Multi-Tool Short Hedge Trimmer Attachment  EA0800 Multi-Tool Cultivator Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Dristle Brush Attachment  SSA1200 Multi-Tool Osnow Shovel Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  BA1400 Multi-Tool Dethatcher Attachment  DA1400 Multi-Tool Dethatcher Attachment		
LB6000E Backpack Blower 19.2N  LBPX8000 Backpack Blower 26N  LBYX1100 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  EA0800 Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		=
LBPX8000 Backpack Blower 26N  LBY1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  OSA1000 Multi-Tool Snow Shovel Attachment  SSA1200 Multi-Tool Rotocut Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers	LB7650E	
LBYX100 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Hedge Trimmer Attachment  PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  OSA1000 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		
LBX1000 Blower 32N  LBX6000 Blower 19.2N***  EGO Power* Multi-Tool  STA 1500 Multi-Tool Line Trimmer Attachment  STA 1500 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA 1200 Multi-Tool Brush Cutter Attachment with Line IQ™ and Powerload™ Technology  HTA 2000 Multi-Tool Hedge Trimmer Attachment  HTA 2000 Multi-Tool Short Hedge Trimmer Attachment  PSA 1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA 9500 Multi-Tool Cultivator Attachment  BBA 2100 Multi-Tool Brush Attachment  OSA 1000 Multi-Tool Olive Shaker Attachment  SSA 1200 Multi-Tool Snow Shovel Attachment  RTA 2300 Multi-Tool Rotocut Attachment  DA 1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		
EGO Power <sup>+</sup> Multi-Tool  STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  OSA1000 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power <sup>+</sup> Snow Throwers		
STA1500 Multi-Tool Line Trimmer Attachment  STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology  BCA1200 Multi-Tool Brush Cutter Attachment  STA1700 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  OSA1000 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Snow Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers	LBX6000	Blower 19.2N***
STA1600 Multi-Tool Line Trimmer Attachment with Powerload™ Technology BCA1200 Multi-Tool Brush Cutter Attachment STA1700 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology HTA2000 Multi-Tool Hedge Trimmer Attachment HTA2000S Multi-Tool Short Hedge Trimmer Attachment PSA1000** Multi-Tool Pole Saw Attachment EA0800 Multi-Tool Edger Attachment CTA9500 Multi-Tool Cultivator Attachment BBA2100 Multi-Tool Bristle Brush Attachment OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Show Shovel Attachment RTA2300 Multi-Tool Solocut Attachment BA1400 Multi-Tool Olive Shaker Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power*Snow Throwers		
BCA1200 Multi-Tool Brush Cutter Attachment  STA 1700 Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology  HTA2000 Multi-Tool Hedge Trimmer Attachment  HTA2000S Multi-Tool Short Hedge Trimmer Attachment  PSA1000*** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment  CTA9500 Multi-Tool Cultivator Attachment  BBA2100 Multi-Tool Bristle Brush Attachment  OSA1000 Multi-Tool Olive Shaker Attachment  SSA1200 Multi-Tool Show Shovel Attachment  RTA2300 Multi-Tool Rotocut Attachment  DA1400 Multi-Tool Dethatcher Attachment  EGO Power* Snow Throwers		
HTA2000 Multi-Tool Hedge Trimmer Attachment HTA2000S Multi-Tool Short Hedge Trimmer Attachment PSA1000*** Multi-Tool Pole Saw Attachment EA0800 Multi-Tool Edger Attachment CTA9500 Multi-Tool Cultivator Attachment BBA2100 Multi-Tool Bristle Brush Attachment OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Snow Shovel Attachment RTA2300 Multi-Tool Rotocut Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power* Snow Throwers	BCA1200	Multi-Tool Brush Cutter Attachment
HTA2000S Multi-Tool Short Hedge Trimmer Attachment PSA1000** Multi-Tool Pole Saw Attachment EA0800 Multi-Tool Edger Attachment CTA9500 Multi-Tool Cultivator Attachment BBA2100 Multi-Tool Bristle Brush Attachment OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Snow Shovel Attachment RTA2300 Multi-Tool Rotocut Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power* Snow Throwers		
PSA1000** Multi-Tool Pole Saw Attachment  EA0800 Multi-Tool Edger Attachment CTA9500 Multi-Tool Cultivator Attachment BBA2100 Multi-Tool Bristle Brush Attachment OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Snow Shovel Attachment RTA2300 Multi-Tool Rotocut Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power* Snow Throwers		
EA0800         Multi-Tool Edger Attachment           CTA9500         Multi-Tool Cultivator Attachment           BBA2100         Multi-Tool Bristle Brush Attachment           OSA1000         Multi-Tool Olive Shaker Attachment           SSA1200         Multi-Tool Snow Shovel Attachment           RTA2300         Multi-Tool Rotocut Attachment           DA1400         Multi-Tool Dethatcher Attachment           EGO Power* Snow Throwers		Multi-Tool Pole Saw Attachment
BBA2100 Multi-Tool Bristle Brush Attachment OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Snow Shovel Attachment RTA2300 Multi-Tool Rotocut Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power* Snow Throwers	EA0800	Multi-Tool Edger Attachment
OSA1000 Multi-Tool Olive Shaker Attachment SSA1200 Multi-Tool Snow Shovel Attachment RTA2300 Multi-Tool Rotocut Attachment DA1400 Multi-Tool Dethatcher Attachment EGO Power* Snow Throwers		
SSA1200         Multi-Tool Snow Shovel Attachment           RTA2300         Multi-Tool Rotocut Attachment           DA1400         Multi-Tool Dethatcher Attachment           EGO Power* Snow Throwers		
DA1400 Multi-Tool Dethatcher Attachment EGO Power * Snow Throwers		
EGO Power <sup>+</sup> Snow Throwers		
SN12400E 2 Stage Snow Thrower	SNT2400E	2 Stage Snow Thrower
SNT2120E-AP Auger Propelled Snow Thrower	SNT2120E-AP	Auger Propelled Snow Thrower
EGO Power* Lifestyle		e
Run time in Mins HPW2000E Pressure Washer		Pressure Washer
WDV0900E Wet/Dry Vacuum		
BSP3500E Chemical Sprayer		Chemical Sprayer
LT1000E Portable Area Light		•
LT0300E Prism Light FN1000E 25cm Misting Fan		
FN1800E 45cm Misting Fan		
SK1800E Outdoor Speaker		Outdoor Speaker
ETA0800 Earth Auger ITA0800 Ice Auger		•
IIAVOVV I ICE MUYEI	HAUOUU	ive nugei

			BATTERY															BACKPACK BATTERY					
	2.5Ah	3A14007 / 140Wh (	(Up to)		40T/BA2 1/224Wh			3A2800 <sup>-</sup> / 280Wh			3 <b>A3360</b> 7 /336Wh			3A4200 / 420Wh			3A5600T 1/560Wh			3A6720T 1/672Wh (		BAX1500 28Ah / 1568Wh (Up	to)
	Cuts up to 400sqm Cuts up to 300sqm		GO Power <sup>+</sup> Mowers Cuts up to 400sqm			00sqm	Cuts	up to 80	0sqm	Cuts	up to 90	Osqm	Cuts ı	ıp to 110	00sqm	Cuts u	ıp to 150	0sqm	Cuts	ıp to 180	0sqm	-	
			0sqm		up to 50			up to 70			up to 80			p to 100			ip to 140			p to 160		-	
	-			Cuts	up to 60	0sqm	Cuts	up to 80	0sqm	Cuts up to 900sqm				ip to 110			ip to 150			ip to 180		-	
				Cuto	- up to 60	Noam	Cuto	– up to 75	Ocam		up to 80 ip to 100			ip to 100 ip to 120			ıp to 140 ıp to 175			ip to 1600 ip to 2000		<u> </u>	
		-		Cuts	up to 60	osqiii		up to 75 up to 90			ip to 100			ip to 120			ip to 175 ip to 165			ip to 2000 ip to 2000			
		-			-			p to 165			ip to 215			p to 260			p to 350			ip to 420		_	
	EGO Po	ower <sup>+</sup> Lii	ne Trimn	ners, Bru	ısh Cutte	er and Ro																	
	70 mins				110 min			140 min			170 mins			210 mins			280 mins			340 mins		-	
	60 mins 45 mins 18 mins 42 mins			90 mins			120 min:			135 mins			165 mins			240 mins			270 mins		660 mins		
				72 mins			90 mins 45 mins			108 mins 55 mins			135 mins 72 mins			180 mins 90 mins			216 mins 110 mins		240 mins		
				67 mins			84 mins			101 mins			126 mins			168 mins			202 mins		475 mins		
		-			30 mins			40 mins			50 mins			65 mins			80 mins			100 mins		270 mins	
		-			40 mins			50 mins			60 mins			75 mins			97 mins			120 mins		420 mins	
		-			40 mins			50 mins			60 mins			72 mins			97 mins			116 mins		420 mins	
		25 mins			40 mins	3		52 mins 140 mins			65 mins 175 mins			80 mins 220 mins			105 mins 300 mins			125 mins 355 mins		325 mins 840 mins	
		-						75 mins			90 mins			115 mins			155 mins			190 mins		450 mins	
	EGO Po	ower+ He	edge <u>Tri</u> r	mm <u>ers</u>							20 111113											TOO IIIIII	
		75 mins		_	120 min	s		150 min:			210 mins			225 mins			300 mins			360 mins		-	
		75 mins			120 min			150 min			180 mins			225 mins			300 mins			360 mins		-	
		60 mins			90 mins			120 mins			145 mins			180 mins			240 mins			270 mins		- 402 mino	
		40 mins 33 mins			65 mins			82 mins 72 mins			100 mins 87 mins			125 mins 110 mins			164 mins 144 mins			195 mins 173 mins		492 mins 420 mins	
		-			55 mins			72 mins			85 mins			1 10 mins			144 mins 150 mins			173 mins 180 mins		420 mins	
		-			45 mins			60 mins			75 mins			95 mins			128 mins			166 mins		380 mins	
		70 mins			112 min			140 min			168 mins	6	:	210 mins	3		280 mins		;	336 mins		784 mins	
		54 mins			86 mins	3		108 min:	S		128 mins	3		162 mins	3	2	216 mins	3		253 mins		599 mins	
		ower <sup>+</sup> Ch			220 004	c		300 cuts			220			4E0 at			600 cuts			720 cuts		_	
	130 cuts 130 cuts 55 cuts 130 cuts		130 cuts 220 cuts 130 cuts 220 cuts					300 cuts		330 cuts 330 cuts			450 cuts 450 cuts				600 cuts			720 cuts			
				220 cuts			300 cuts			330 cuts			450 cuts			600 cuts			720 cuts		-		
			55 cuts 90 cuts 130 cuts –				110 cuts			135 cuts			165 cuts			225 cuts			270 cuts		-		
							-						-								-		
		140 cuts				265 cuts	265 cuts 330 cuts 10 cuts 130 cuts				420 cuts			560 cuts			700 cuts		-				
						i iv cuts				165 cuts		220 cuts				265 cuts							
					200 cuts	cuts 240 cuts			300 cuts			400 cuts			480 cuts			780 cuts					
		110 cuts	;		182 cuts			231 cuts			330 cuts			379 cuts			455 cuts			565 cuts		1280 cuts	
		65 mins			95 mins	3		120 min:	S		140 mins	3	:	210 mins	6	2	260 mins		;	310 mins		720 mins	
		ower+ Bl		1	10.1	14.	1	115-4	14-	1	118-4	14-	1	112-4	14-	1	115-4	14-	1	11:-2	Men	14. *	
	Low 38	High 6	Max -	Low 60	High 10	Max -	Low 75	High 12	Max -	Low 90	High 15	Max -	Low 110	High 18	Max -	Low 150	High 24	Max -	Low 180	High 30	Max -	Max*	
	100	15	10	160	24	14	200	30	18	240	36	22	300	45	30	400	60	40	480	72	48	1120 mins	
		-		140	25	13	200	30	15	240	36	18	300	45	23	400	60	30	480	72	36	1120 mins	
		-	_	120	20	14	150	25	17	180	30	18	225	37	26	300	50	34	360	60	40	-	
	75	13	9	96	17	12	120	22	15	150	27	18	180	33	23	240	44	30	290	52	36	<u> </u>	
		-		40	10	8	50 50	13 9	10 7.5	70 60	16 10	12 9	75 75	20 14	15 11	100 100	26 18	20 15	120 120	32 21	24 18		
		-			-		50	17	10	60	20	12	75	25	15	100	33	20	120	40	24	280 mins	
		-			- 30		60 mins		75 mins		93 mins		120 mins		120 40 24 144 mins		280 mins 340 mins						
	EGO Power <sup>+</sup> Multi-Tool		wer <sup>+</sup> Multi-Tool						70 mine														
		18 mins 18 mins			35 mins			45 mins			55 mins			72 mins			93 mins 90 mins			110 mins 110 mins		300 mins	
		18 mins 27 mins			35 mins			45 mins 60 mins			55 mins 75 mins			70 mins 95 mins			90 mins 125 mins			1 10 mins 150 mins		240 mins 372 mins	
		30 mins			48 mins			60 mins			72 mins			90 mins			120 mins			144 mins		240 mins	
		37 mins			65 mins	3		82 mins			98 mins			122 mins	3	•	157 mins	;		188 mins		480 mins	
		37 mins			65 mins			82 mins			98 mins			122 mins			157 mins			188 mins		480 mins	
		70 cuts			110 cuts			140 cuts			170 cuts			210 cuts			285 cuts			340 cuts		720 cuts	
		- 40 mins			50 mins			60 mins 80 mins			76 mins 100 mins			100 mins 120 mins			132 mins 160 mins			152 mins 200 mins		420 mins 480 mins	
		50 mins			90 mins			80 mins 120 mins			140 mins			120 mins			200 mins			200 mins 280 mins		660 mins	
		50 mins			70 mins			100 min			120 mins			160 mins			210 mins			240 mins		600 mins	
		45 mins			75 mins	3		90 mins			110 mins	3		135 mins	3		180 mins		:	216 mins		504 mins	
		25 mins			40 mins			52 mins			60 mins			80 mins			105 mins			125 mins		325 mins	
		17 mins		worc	27 mins	5		34 mins			41 mins			52 mins			68 mins			82 mins		190 mins	
	EGO Power <sup>+</sup> Snow Thro 14 mins		wers 22 mins 28 mins					30 mins			44 mins`		į	56 mins č			67 mins		-				
		-			-			23 mins			28 mins			34 mins			45 mins			56 mins		-	
		ower+ Lit																					
	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*	
	25 30	12.5 16	6.25 9	40 48	20 26	10 14	50 60	25 33	12.5 18	60 72	30 39	15 21	75 90	37.5 49	18.75 27	100 120	50 66	25 36	120 144	60 79	30 43	-	
	90	-	35	144	-	56	180	-	70	216	-	84	270	49	105	360	-	140	432	-	168		
	1080	150	****	1728	240	****	2160	300	****	2592	360	****	3240	450	****	4320	600	****	5184	720	****	-	
	1800	300	-	2880	480	-	3600	600	-	4320	720	-	5400	900	-	7200	1200	-	8640	1440	-	-	
		to 30 ho			to 48 ho			to 60 ho			to 72 ho			to 90 ho			to 120 ho			o 144 ho		-	
		to 30 ho			to 48 ho			to 60 ho			to 72 ho			to 90 ho			to 120 ho			o 144 ho		-	
		to 25 ho to 30 ho			to 40 ho to 50 ho			to 50 ho to 60 ho			to 60 ho to 75 ho			to 75 ho to 90 ho			to 100 ho to 125 ho			to 120 ho to 150 ho			
		to 30 m			to 50 m			to 60m			to 75 m			to 95 m			to 125 m			to 150 m			
	υþ			- Op			υþ			υþ	, , , , , , ,		υþ			υþ			Οþ				





WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.







# THE POWER OF PETROL WITHOUT THE EMISSIONS

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power\* mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge, our battery gives you up to 1,900 sqm cutting area\*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.



<sup>\*</sup>Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.







# A MOWER FOR EVERY LAWN THE RIGHT TOOL FOR THE JOB

The EGO Power\* mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 54cm deck width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power\* mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.

#### **Choosing the RIGHT mower:**



### Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



#### Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP or our 55cm model LM2230E-SP which makes even the biggest



#### Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP, LM1900E-SP, LM2130E-SP, LM2020E-SP, LM2230E-SP and LMX5300SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.

#### Additional comfort.

If comfort is a priority, selfpropelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.

Choose the cutting capacity to suit the size of your lawn- a wider cutting capacity will mean less passes required to cut the lawn.



LM2020E-SP **50CM MOWER** ON A SINGLE CHARGE 5Ah Battery



ON A SINGLE CHARGE 7.5Ah Battery

LM2230E-SP 55CM MOWER

12Ah BATTERY

LMX5300SP 53CM MOWER

1000sqm is approximately the size of 4 tennis courts. Based on recommended battery supplied with kit. For all battery run times see pages 34-35.



#### Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

#### **REAR ROLLER KITS**

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model - see below).



AR1700 available for LM1700E, LM1700E-SP AR1900 available for LM1900E-SF AR2100 available for LM2130E-SP

#### Grass cutting options.

There are 3 different ways that EGO Power<sup>+</sup> mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.





#### **MULCHING KITS**

The EGO Power<sup>+</sup> Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ABP1700 available for LM1700E, LM1700E-SP ABP1900 available for LM1900E-SP ABP2100D-E available for LM2130E-SP



Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP



#### LM1700E 42CM MOWER



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.





#### LM1900E-SP 47CM SELF-PROPELLED MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collection bag.





#### LM1700E-SP 42CM SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





#### LM2020E-SP 50CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collection bag.





#### LM2130E-SP 52CM SELF-PROPELLED MOWER





The wide cutting width is perfect for precision mowing of larger gardens and wider spaces.

Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The
Select Cut interchangeable multi-blade cutting system that allows you to choose between

new super-

# SZCM SELF-POLY CUTTING CAPACITY COLLECTION BAG STORES UPRIGHT LED LIGHTS AUTOMATIC VARIABLE AS KIT IM 2135E-SP PROTECTIVE COVER CUTTING SPEED AUTOMATIC VARIABLE AS KIT IM 2135E-SP CUTS UP TO 1000 SQ M ON A SIMBLE CHARGE

specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.

#### LM2230E-SP 55CM SELF-PROPELLED MOWER



The wider cutting width is perfect for mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for larger and sloping lawns. The new super-composite cutting deck is robust, lightweight and stable for prolonged use. Includes extra-large 85L collection bag.



		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP	LM2230E-SP
CUTTING	PADACITY						
CUTTING CAPACITY		42cm	42cm	47cm	50cm	52cm	55cm
SELF-PROPELLED SPEED		No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)	0.4 - 1.4 m/s (1.4 - 5km/h)
CUTTING DECK MATERIAL		Poly	Poly	Poly	Steel	Poly	PC PBT
CUTTING AREA*	2.5Ah	Cuts up to 400sqm	Cuts up to 300sqm	-	-	-	-
AILLA	4.0Ah	Cuts up to 600sqm	Cuts up to 500sqm	Cuts up to 600sqm	-	Cuts up to 600sqm	-
	5.0Ah	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 800sqm	-	Cuts up to 750sqm	Cuts up to 900sqm
	6.0Ah	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 1000sqm	Cuts up to 1000sqm
	7.5Ah	Cuts up to 1100sqm	Cuts up to 1000sqm	Cuts up to 1100sqm	Cuts up to 1000sqm	Cuts up to 1200sqm	Cuts up to 1250sqm
	10.0Ah	Cuts up to 1500sqm	Cuts up to 1400sqm	Cuts up to 1500sqm	Cuts up to 1400sqm	Cuts up to 1750sqm	Cuts up to 1650sqm
	12.0Ah	Cuts up to 1800sqm	Cuts up to 1600sqm	Cuts up to 1800sqm	Cuts up to 1600sqm	Cuts up to 2000sqm	Cuts up to 2000sqm
CUTTING S	SPEED CONTROL	Constant speed	Constant speed	Constant speed	Automatic variable speed**	Automatic variable speed**	Automatic variable speed**
NO LOAD S	SPEED	3,000rpm	3,000rpm	2,850rpm	2,700-3,000rpm	2,700-3,000rpm	2,600 - 3,200rpm
CUT HEIGH	IT SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm	25/33/43/54/66/79/92/105mm
HANDLE HEIGHTS		Three – user adjustable	Three – user adjustable	Three – user adjustable	Three – user adjustable	Three – user adjustable	Three – user adjustable
BAG CAPACITY		55L	55L	55L	60L	70L	85L
FUNCTIONS		Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, side discharge	Mulch† and collect	Mulch, collect, side discharge <sup>†</sup>
NOISE RAT	ING LpA/LwA	78dB(A) / 95dB(A)	78dB(A) / 95dB(A)	80dB(A) / 95dB(A)	80dB(A) / 93dB(A)	80dB(A) / 90dB(A)	83dB(A) / 96dB(A)
VIBRATION	N (M/S²)	2.4	1.5	1.4	1	0.6	1.35
VERTICAL	STORAGE	Yes	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY		22kg	25kg	25kg	27kg	26kg	31.2kg
MOTORTY	PE	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
DOMESTIC	WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSI	ONAL WARRANTY	1 year	1 year	1 year	2 years	2 years	2 years
AVAILABLI	E AS A KIT	LM1701E: Includes mower, 2.5Ah battery and standard charger	LM1702E-SP: Includes self-propelled mower, 4Ah battery and standard charger	LM1903E-SP: Includes self-propelled mower, 5Ah battery and rapid charger	LM2021E-SP: Includes self-propelled mower, 5Ah battery and rapid charger	LM2135-SP: Includes self- propelled mower, 7.5Ah battery and rapid charger	LM2236E-SP: Includes self -propelled mower, 10Ah battery and rapid charger

<sup>\*</sup>Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

<sup>\*\*</sup>Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

LM2230E-SP includes intregrated mulching kit.

highlighted cutting area is optimal for battery.









DUAL BATTERY PORTS

Combines two EGO ARC Lithium™
Batteries to provide extra
PeakPower™ when required

LED HEADLIGHTS Work further into the day

GO

# ALL DAY POWER FOR THE TOUGHEST CUTTING CONDITIONS

The LMX5300SP has been designed with the professional user in mind. The backbone of the mower is the cast aluminium deck, which ensures that the mower is robust, stable and performs to a high level.

The dual battery ports provide Peak Power™ to the mower when more energy is needed, while the 1600W motor has ample torque, providing high power for tough cutting conditions.

Part of the Pro X range, ideal for users who demand tough and durable tools, the mower is also comfortable for all day use with self-propelled variable-speed adjustment, and adjustable handle height.



MULCHING PLUG\*\*

ROBUST BARRIER BARS
Protect the motors and housings,
can also be used as handles

NEW PRO X Charging System

For the ultimate in powerful all day working

Portable and super-fast – the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.

\*\*Optional accessories sold separately mulching plug and side discharge chute.















#### SIMPLE DURABLE CONTROLS

For self-propelled drive speed adjustment, blade speed adjustment, Bluetooth connectivity and headlight control

LARGE CAPACITY 85L COLLECTION BAG WITH LEVEL INDICATOR

Efficient grass collection, collects more grass and requires emptying less often



### 53CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

The wider cutting width is designed for mowing of large and wide spaces. Self-propelled with automatic variable cutting speed, two battery ports, and Peak Power™ Technology, ideal for all day working. The cast aluminium deck gives a robust stable performance. Includes an extra-large 85L collection bag.




















\*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. Cutting areas are based on using x2 Batteries of the same capacity.

CAST ALUMINIUM DECK Provides stability, durability and ensures outstanding performance

**8 CUTTING HEIGHT ADJUSTMENTS** Via front and rear wheel levers, from 20mm to 105mm. A versatile and robust system

SELF PROPELLED





EGO'S RIDE-ON RANGE DELIVERS POWER THAT GOES BEYOND THE COMPETITION. PEAK POWER™ TECHNOLOGY COMBINES THE OPTIMAL POWER OF UP TO 6X 56V EGO ARC LITHIUM  $^{\scriptscriptstyle\mathsf{TM}}$ BATTERIES FOR TRULY EXCEPTIONAL PERFORMANCE.





# OUTSTANDING BATTERY-POWERED RIDE-ON PERFORMANCE

The development of EGO's new ride-on mowers range is a testament to the ground-breaking success of the EGO Z6 ride-on mower. The world's first battery-platform compatible zero-turn ride-on mower proved that the combined power of EGO's revolutionary ARC Lithium™ batteries could more than match petrol-powered equivalents.

Also utilising up to six EGO ARC Lithium™ portable batteries, EGO's new Ride-on Tractor Mowers are set to equal the success of the EGO Z6 series. Allowing you to not only match the amount of energy you need for your mowing needs but also to use the same batteries with other EGO tools.

EGO ride-on mowers deliver the equivalent power of a 22-horsepower petrol engine, with less noise and none of the emissions. You can tailor the combination of batteries to suit the size of your lawn and grasscutting preferences, while fully customisable digital controls give you the flexibility to match set-up and performance to the job in hand.







Dialling up the power for those tough tasks has never been easier.

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower, automatically increasing the power for tougher cutting tasks.

















# UNMATCHED PERFORMANCE, EFFORTLESS CONTROLUTIMATE EFFICIENCY

The new EGO ride-on tractors set the standard in battery powered collection and side-discharge mowers.

The powerful twin blades and pressed steel decks ensure that the mowers perform robustly with either efficient grass collection into the grass box at the rear of the mower, or rapid side-discharge. The central LCD control display is located on the dash making it easy to make adjustments to travel and blade speeds. Bluetooth connectivity allows the user to monitor machine performance as well as to ensure batteries are charged and ready for cutting.









#### TR3800E-B 98CM RIDE-ON COLLECTION TRACTOR MOWER

The EGO Collection Tractor benefits from efficient grass collection into a large rear 300 litre collection box to maximise cutting times.





















#### TR4200E

#### 107CM RIDE-ON SIDE DISCHARGE TRACTOR MOWER

The EGO Side Discharge Tractor allows cutting of higher levels of grass faster, as grass collection is not required.

Large areas of grass can be covered on a single charge, throwing grass out to the right side of the mower, making it suitable for paddocks.



















FAST 1600W CHARGER Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours See page 30 for details

	TR3800E-B	TR4200E
NUMBER OF BLADES	2	2
CUTTING WIDTH	98cm	107cm
STEERING	Steering wheel	Steering wheel
SPEED	Up to 10 km/h	Up to 10 km/h
DECKLIFTING	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 12 settings	25mm-100mm, 12 settings
FUNCTIONS	Bagging, mulch	Side discharge, mulch
REAR COLLECTION	300L	-
SEAT	15" high back padded seat	15" high back padded seat
PEAK POWER" TECHNOLOGY	Up to 6 x 56V ARC Lithium <sup>™</sup> batteries	Up to 6 x 56V ARC Lithium™ batteries
NOISE RATING LpA/LwA	84dB(A) / 98dB(A)	84dB(A) / 100dB(A)
WEIGHT	220kg	182kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year
SUPPLIED COMPLETE AS:	TR3801E-B: Includes ride-on mower and 1600W charger	TR4201E: Includes ride-on mower, mulching plug and 1600W charger

\*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The T6 needs a minimum of 15Ah to function.





# TRULY GROUND-BREAKING TECHNOLOGY

Introducing EGO's unique Z6 steering wheel model, featuring e-STEER™ Technology for advanced steering control and confidence.

Our newest Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology – as well as offering the same world-first battery platform-compatibility as all E60 ride-on models.

With zero-turn capability, all EGO ZG mowers can turn a full 360 degrees, on the spot, for perfect about-turns and for cutting around the tightest corners right up to the edge. While customisable driving modes and variable cutting speeds, give maximum flexibility for different cutting conditions.









FAST 1600W CHARGER Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours See page 30 for details

#### ZT4200E-S

#### 107CM Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY

The Z6 ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The innovative precision steering wheel ensures you are in complete control, handling tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.



107CM CUTTING CAPACITY

















#### **ACCESSORIES ALSO AVAILABLE**





















	ZT4200E-S	ZT4200E-L	ZT5200E-L
NUMBER OF BLADES	2	2	3
CUTTING WIDTH	107cm	107cm	132cm
STEERING	Steering wheel	Lap Bar	Lap Bar
SPEED	5-13 km/h	5-13 km/h	5-13 km/h
DECKLIFTING	Manual	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings	25mm-100mm, 10 settings	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge	Mulch, collect, side discharge	Mulch, collect, side discharge
REAR COLLECTION	230L	230L	230L
SEATSUSPENSION	Hydraulic	Hydraulic	Hydraulic
PEAK POWER" TECHNOLOGY	Up to 6 56V ARC Lithium™ batteries	Up to 6 56V ARC Lithium™ batteries	Up to 6 56V ARC Lithium <sup>™</sup> batteries
NOISE RATING LpA/LwA	84dB(A) 96dB(A)	84dB(A) 96dB(A)	84dB(A) 96dB(A)
WEIGHT	185kg	195kg	217kg
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year
SUPPLIED COMPLETE AS:	ZT4201E-S: Includes ride-on mower, mulching plug and 1600W charger	ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger	ZT5201E-L: Includes ride-on mower and 1600W charger

<sup>\*</sup>Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.





# EGO'S ROBOTIC LAWN MOWERS - A MODERN SOLUTION FOR AUTOMATED LAWN MAINTENANCE.








# AUTOMATED LAWN MAINTENANCE

Introducing the EGO RM4000E and RM2000E robotic lawn mowers – your modern solution for automated lawn maintenance. Tailored for lawns up to 4,000m², these robotic mowers redefine the way you care for your outdoor space.

Equipped with smart GPS-supported navigation and capable of navigating gradients up to 50% within the work area, EGO robotic mowers adapt seamlessly to the complexities of your lawn. Using the intuitive 3.5" colour touch screen you can set schedules, adjust settings and send park commands making the control simple.

Designed to work with the new EGO Connect App on your mobile device. Included 46 connectivity allows you to manage and control all functionality remotely. While Bluetooth connectivity enables you to take remote control of the machine and mow both inside and outside the work boundary.

With PIN access control, lift and tilt sensors, and GPS-enabled security features, you can be reassured, knowing your investment is protected against theft and interference.







#### RM4000E / RM2000E ROBOTIC MOWERS

Remote controlled, automated lawn maintenance via the EGO Connect App on your mobile phone, with a choice of 2 models to suit the size of your lawn.













#### **Specifications**

With 2 models to choose from, you can find the right mower to suit the size of your lawn. Your EGO dealer can offer advice in finding the best solution to meet your needs. Powered by integrated Lithuim-Ion batteries to deliver the power and run time to get the job done.

NOTE: Complex layouts and other obstacles may reduce the overall capacity of the machine.

#### Installation kits

**AIKO150** 150m of 3.4mm boundary wire, 300 stakes, 3 connectors, 2 couplers

AIKO300 300m of 3.4mm boundary wire, 500 stakes, 3 connectors, 2 couplers

AIKO400 400m of 3.4mm boundary wire, 750 stakes, 3 connectors, 2 couplers

EGO installation kits include all that you need to install the robot yourself, however, please speak to your EGO dealer who will be able to offer professional installation service and advice.

#### **Accessories**

AB1009R 9 mowing blades and screws to last 6 months.

#### **Features**

GPS assisted navigation, smart docking, systematic cutting: On board GPS capability allows the robot to navigate efficiently around your lawn, and find it's way back to charge without the need for any extra guide wires. Enabling systematic cutting prompts the mower to focus on small areas of the lawn at one time, in order to complete a cutting cycle more efficiently.

Enhanced features and control: Allowing you to expand your control over the mower and provide you with a tailored lawn care experience.

Advanced scheduling: Tailor machine operations to suit your needs.

Rain detection: Prevent the mower from operating in the rain and causing damage.

Live updates: View mowing progress and get instant alerts via EGO Connect App.

Remote control mowing: Connect your phone via bluetooth using the EGO Connect App and remote control your mowing, inside and outside the boundary wire.

Secondary areas: Include additional areas in your boundary wire that the mower cannot reach automatically, and you can manually start machine here to complete mowing.

#### **EGO Connect App integration**

Connect from anywhere: Access and manage your robotic mower from anywhere, whether you're at home, at work, or abroad.

Firmware updates: Your app will prompt you to update the machine keeping your mower running at its best.

#### Usage history and data for all connected EGO

tools: EGO Connect gives you visibility of your tools' operating time to help you understand usage, provides service prompts, recommends maintenance, trouble shooting, fault indication, tool information, accessories lists and more.

	RM4000E   RM2000E	
MAX AREA CAPACITY	4000m <sup>2</sup>   2000m <sup>2</sup>	
SLOPE CAPABILITY IN WORK AREA	50%	
SLOPE CAPABILITY AT BOUNDARY	20%	
GPS ASSISTED NAVIGATION	Yes	
MINIMUM PASSAGE WIDTH	60cm	
DATA SERVICE INCLUDED	10 years	
CUTTING SYSTEM	3 pivoting razor blades	
CUTTING WIDTH	24cm	
EDGE CUTTING	Yes	
CUTTING HEIGHT ADJUSTMENT TYPE	Electronic	
GPS THEFT TRACKING	Yes	
DOMESTIC WARRANTY TOOL	3 years   3 years	
DOMESTIC WARRANTY BATTERY	3 years   2 years	





BUILT FOR THE TOUGHEST JOBS, POWERED BY OUR 56V ARC LITHIUM™ BATTERY TECHNOLOGY, NOTHING GETS IN THEIR WAY.





# BUILT FOR THE TOUGHEST TASKS

The EGO Power<sup>+</sup> chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose the EGO Power<sup>+</sup> CS2000E for the latest in information displays to monitor battery charge level and speed setting, with an impressive 25m/s adjustable chain speed. Or choose Auto Chain Tensioning to maintain tension during use. Alternatively, tool-free chain tensioning is available for easy set-up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

The electronic chain brake protects against kickback while you work. And, the auto-lubrication system keeps the chain moving freely at all times.

Plus with E60's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.



Please note: some features are not available on all models.

Model shown: CS2000E

\*Available on selected models.







## REAL TIME LCD DISPLAY

The innovative LCD display of the EGO Power<sup>+</sup> CS2000E chainsaw allows you to monitor battery charge level, speed setting and chain brake status in real time.

Built-in to the ergonomically designed handle to keep you informed and in control.

With an impressive 25m/s adjustable chain speed, cut through larger logs up to 50cm (19.6 inches) in width.













#### CS1410E 35CM CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.













#### CS1610E 40CM CHAINSAW

An outstanding combination of high torque and chain speed – perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.















#### CS1800E 45CM CHAINSAW

A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.





#### CS2000E 50CM CHAINSAW

AUTO CHAIN TENSIONING

The CS2000E is EGO's highest specification chainsaw for domestic use, boasting 25m/s chain speed and a new configuration for improved balance and handling, ideal for cutting thick branches and larger logs up to 50cm (19.6 inches) in width. Features a new innovative display showing battery charge level and speed setting.



#### BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



See page 149.

	CS1410E	CS1610E	CS1800E	CS2000E
BAR LENGTH	35cm	40cm	45cm	50cm
CHAIN SPEED	20m/s	20m/s	20m/s	25m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 135 cuts 7.5Ah Up to 165 cuts 10.0Ah Up to 225 cuts 12.0Ah Up to 270 cuts
CHAIN BAR	AG1400	AG1600	AG1800	AG2000
CHAINTYPE	AC1400 (14", 1.1mm, 3/8")	AC1600 (16", 1.1mm, 3/8")	AC1800 (18", 1.3mm, 3/8")	AC2000 (20", 1.3mm, 3/8")
OIL RESERVOIR	150ml	150ml	200ml	150ml
CHAIN OIL	Automatic	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	91dB(A) 102dB(A)	91dB(A) 102dB(A)	93dB(A) 104dB(A)	89dB(A) 105dB(A)
VIBRATION (M/S2)	3.4/2.8	3.4/2.8	5.1/3.5	4.7/4.2
CHAINTENSIONING	Tooless	Tooless	Automatic	Manual
WEIGHT WITHOUT BATTERY	4.1kg	4.1kg	4.5kg	5.9kg
MOTORTYPE	Brushless	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	CS1411E: Includes chainsaw, 2.5Ah battery and standard charger	CS1614E: Includes chainsaw, 5Ah battery and rapid charger	-	CS2005E: Includes chainsaw, 6Ah battery and rapid charger

 $<sup>^*</sup>Number of cuts \,may \,vary \,and \,depend \,on \,the \,battery \,used, \,charge \,level \,of \,battery \,and \,user's \,operation \,technique. \,Based \,on \,100mm \,x \,100mm \,cuts.$ 

highlighted cutting area is optimal for battery.



#### POWER PRO REAR HANDLE CHAINSAW

# THE POWER AND SPEED TO PERFORM

The first in a new generation of EGO rear handle chainsaws. Meeting the needs of professional users who need a ground saw to complete the toughest jobs. Balance is a key focus of the new design, ensuring the saw can be used for longer periods.

At a chain speed of 30m/s the saw provides the power and speed comparable to established petrol saws.

The CSX5000 utilises full chisel chains making cutting fast and efficient – with enough power to drive the 50cm chain to perform at its best.

The saw also features a new display screen that clearly shows oil level, battery capacity and adjustable speed.





#### CSX5000 PRO X 50CM REAR HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional user.

















#### For the ultimate in powerful all day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details

	CSX5000
BAR LENGTH	50cm
CHAIN SPEED	20/25/30m/s
CUTS UP TO*	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 130 cuts 7.5Ah Up to 165 cuts 10.0Ah Up to 220 cuts 12.0Ah Up to 265 cuts
CHAIN BAR	AK2035
CHAIN TYPE	AC2035 (20", 1.3mm, 0.325")
OIL RESERVOIR	250ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING Lpa/Lwa	92dB(A) 104dB(A)
VIBRATION (M/S <sup>2</sup> )	3.3/1.7
CHAIN TENSIONING	Manual
WEIGHT WITHOUT BATTERY	6.2kg
MOTORTYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years



## EASIER, SAFER, TREE SURGERY

Created with arborist specialists in mind, EGO's Pro X CSX3000 and Professional CS1200E Top Handle Chainsaws are an exceptional combination of torque and power.

With industry-leading ARC Lithium™ battery technology at their core, the Top Handle Chainsaws provide the optimum combination of power, torque, and chain speed.Benefiting from long run-times and fast recharge, they're built to tackle tough, all day use. The Chainsaws' Chain Brake Safety System stops the tool's motor if kickback occurs, reducing the risk of injury. EGO Top Handle Chainsaws make jobs easier, cleaner, quieter and safer.





#### CSX3000

#### PRO X PLUG-IN TOP HANDLE CHAINSAW

For professional arborists who need a lightweight saw to complete climbing work - designed for use with the EGO Battery Holster which carries the weight of the battery off the tool. Features include Battery Level and Oil Level indicator lights to alert you when you're running low. Range of chain bars available from 30cm to 40cm.



















#### CS1200E

#### PROFESSIONAL TOP HANDLE CHAINSAW

The CS1200E is for professional arborists who need a compact, lightweight saw to complete climbing work. Designed with an on-board battery and perfect balance to enable use for longer periods. Translucent Oil Tank for easy checking of oil level.









#### ABH3000 Battery Holster

#### BA2240T 4AH BATTERY

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.


Available separately, see pages 25 and 26.

	CSX3000	CS1200E
BLADE LENGTH	30cm	30cm
CHAIN SPEED	20m/s	20m/s
CUTS UP TO*	2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts	2.5Ah Up to 130 cuts
CHAIN BAR	AG1200	AK1204Q
CHAIN TYPE	AC1200 (12", 1.1mm, 3/8")	AC1204Q (12", 1.1mm, 1/4")
OIL RESERVOIR	200ml	150ml
CHAIN OIL	Automatic - Worm drive adjustable	Automatic
CHAIN BRAKE	Yes - Mechanical and Electronic	Yes - Mechanical and Electronic
NOISE RATING LpA/LwA	88dB(A) / 98dB(A)	89dB(A) / 97dB(A)
VIBRATION (M/S <sup>2</sup> )	1.7/2.2	TBC
CHAIN TENSIONING	Manual	Manual
WEIGHT WITHOUT BATTERY	3.5kg	2.4kg
MOTOR TYPE	Brushless	Brushless
DOMESTIC WARRANTY	Not suitable	Not suitable
PROFESSIONAL WARRANTY	3 years	2 years
AVAILABLE AS A KIT	CSX3002: Includes top handle chainsaw, 4Ah battery and rapid charger	-

### **=60**\* POWER TELESCOPIC POLE PRODUCTS



# MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES.





# REACH **NEW HEIGHTS**

The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.



#### PS1000E

#### TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.











TELESCOPIC FEATURE



HANDLE ADJUSTER



FELLING LINE FOR TOOL FREE FILLER ACCURATE CUTS WITH LED LIGHT TOOL FREE CHAIN TENSIONING FRONT-MOUNTED

HIGH CHAIN SPEED

FOR CLEAN CUTS

BRANCH-GRABBING HOOK

		P\$1000E	
	BAR LENGTH	25cm	
	CHAIN TYPE	Gauge 0.043", pitch 1/4"	
	CUTS UPTO*	2.5Ah Up to 100 cuts 4.0Ah Up to 160 cuts 5.0Ah Up to 200 cuts 6.0Ah Up to 240 cuts 7.5Ah Up to 300 cuts 10.0Ah Up to 400 cuts 12.0Ah Up to 480 cuts	
	CHAIN SPEED	20m/s	
	TOTAL EXTENDED LENGTH	296cm (tool) 396cm (with one extension pole)	
	OIL RESERVOIR	80ml	
	CHAIN OIL	Automatic	
	NOISE RATING LpA/LwA	82dB(A) 100dB(A)	
	VIBRATION (M/S2)	1.01/1.51	
	CHAIN TENSIONING	Automatic	
	WEIGHT WIHOUT BATTERY	4.25kg	
	MOTORTYPE	Brushless	
	DOMESTIC WARRANTY	5 years	
	PROFESSIONAL WARRANTY	2 years	
	AVAILABLE AS A KIT	PS1003E: Includes telescopic pole saw, extension pole, 4Ah battery and standard charger	

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

- highlighted cutting area is optimal for battery.



#### EP1000

#### **EXTENSION POLE**

Nothing is out of reach with this strong yet lightweight extension pole.

MOTOR AND OIL SYSTEM



#### POWER PROX TELESCOPIC POLE PRODUCTS



# REACH HIGH BRANCHES ADDITIONAL

EGO's Telescopic Pole system enables you to work on those harder-to-reach jobs with ease.

Switch between a Pruning Saw or Hedge Trimmer attachment in a matter of seconds. The Telescopic Pole houses the battery and dual-trigger controls and has an extendable reach of up to 4 metres. When fully extended, the tool maintains great balance, articulation, and ergonomics.







<sup>\*</sup>The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately.

#### PPX1000 PRO X TELESCOPIC POLE

Use with the EGO Power<sup>+</sup> Pro X Pruning Saw and Hedge Trimmer attachments\*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m\*\* in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.







	PPX1000	
LENGTH	172 - 265cm	
IP CLASS	IPX4	
SPEED CONTROL	Variable speed 2 triggers	
SHAFT MATERIAL	Oval, rubber sleeve	
WEIGHT WITHOUT BATTERY	3.5kg	
DOMESTIC WARRANTY	5 years	
PROFESSIONAL WARRANTY	3 years	
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment	

<sup>\*\*\*</sup>Without battery and charger.

<sup>\*\*</sup>Depending on which attachment.



#### POWER PROX TELESCOPIC POLE PRODUCTS





#### PTX5100

#### PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power<sup>+</sup> Pro X Telescopic Pole (sold separately). Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.













	PTX5100	
BLADE LENGTH	51cm	
BLADE GAP	26mm	
BLADE TOOTH DEPTH	1.8mm	
RUNTIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 260 mins 12.0Ah Up to 310 mins	
SPEED CONTROL	Variable Speed	
NO LOAD SPEEDS	3,000spm	
BLADETYPE	Laser cut; diamond ground	
CUTTING ACTION	Dual action double sided	
BLADE TIP PROTECTOR	No	
NOISE RATING LpA / LwA	83 dB(A) / 94 dB(A)	
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°	
WEIGHT WITHOUT BATTERY	2.3kg	
MOTOR TYPE	Brushless	
VIBRATION (M/S²)	1.3 - 1.5	
DOMESTIC WARRANTY	5 years	
PROFESSIONAL WARRANTY	3 years	
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment	

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. \*\*Without battery and charger.









#### PSX2500

#### PRO X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power<sup>+</sup> Pro X Telescopic Pole (sold separately). Cut through branches up to 200mm in diameter with ease.










	PSX2500			
BAR LENGTH	25cm			
CHAIN TYPE	90PX040X (Pitch <sup>3</sup> /8", Gauge 1.1mm)			
CHAIN SPEED	22m/s			
RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 565 cuts 28.0Ah Up to 1280 cuts			
SPEED CONTROL	Variable Speed			
TOTAL LENGTH	140cm			
TOTAL EXTENDED LENGTH	400cm			
OIL TANK CAPACITY	180ml with worm gear			
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)			
WEIGHT WITHOUT BATTERY	2.2kg			
MOTORTYPE	Brushless			
VIBRATION (M/S²)	1.2			
DOMESTIC WARRANTY	5 years			
PROFESSIONAL WARRANTY	3 years			
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment			

<sup>\*</sup>Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. \*\*Without battery and charger.





## THE PERFECT COMBINATION OF POWER, BALANCE AND COMFORT, OUR LINE TRIMMERS AND BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.







## ULTIMATE TRIMMING CONTROL

EGO has revolutionised its range of Power<sup>+</sup> Line Trimmers once more, with the introduction of world-first Line  $IQ^m$  Technology for non-stop performance.

#### **Automatic Line Feeding**

EGO's latest innovation features auto-sensors which monitor and automatically feed the length of line so there's no bump needed. Coupled with EGO's patented Powerload™ Technology, it's designed to eliminate the usual hassle so you can focus on the job at hand.

With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding, professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power<sup>+</sup> Line Trimmers deliver optimum efficiency and run time, as well as low vibration levels and adjustable shaft length for comfortable working conditions.



#### **Automatic Line Feeding**

Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology, there's no need to bump the head, so you can keep trimming for non-stop performance.













#### ST1300E-S 33CM LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.















#### **「POWERLOAD**" TECHNOLOGY / ST1400E-ST 35CM LINE TRIMMER

35cm cutting swathe with Powerload™ Technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.





VARIABLE SPEED













#### ST1510E-T **38CM LINE TRIMMER**

Featuring Powerload™ Technology and 2-speed selection. A telescopic shaft offers adjustment to fit any user with adjustable handle for edge-trimming of lawns.













Single Showlder Harnesco









# POWERLOAD TECHNOLOGY

Solving one of the biggest frustrations of line replacement, EGO's groundbreaking Powerload™ Technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E-T, ST1400E-ST and ST1610E-T.

STEP 2



STEP 1 Thread the line.



Press the Powerload™ button to load new line.



LINE-IQ

TECHNOLOGY



#### ST1530E **38CM LINE TRIMMER**



















#### ST1610E-T **40CM LINE TRIMMER**

Overcome the tricky, time-consuming challenges of loading and feeding line with the industry's most innovative Line Trimmer. EGO Powerload™ and Line IQ™ Technologies make tackling trimming tasks the easiest they've ever been, combined with a 40cm cutting swathe and 2 pre-set speeds. The new ST1610E-T's ergonomic design and industry-first technology features make it a truly remarkable trimming tool.



*POWERLOAD*\*

TECHNOLOGY















	ST1300E-S	ST1400E-ST	ST1510E-T	ST1530E	ST1610E-T	
CUTTING WIDTH  - Line trimmer head	33cm	35cm	38cm	38cm	40cm	
TOTAL LENGTH	173cm	165-183cm	179cm	167cm	184cm	
RUN TIME <sup>*</sup>	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 45 mins 4.0Ah Up to 72 mins 5.0Ah Up to 90 mins 6.0Ah Up to 108 mins 7.5Ah Up to 135 mins 10.0Ah Up to 180 mins 12.0Ah Up to 216 mins	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 42 mins 4.0Ah Up to 67 mins 5.0Ah Up to 84 mins 6.0Ah Up to 101 mins 7.5Ah Up to 126 mins 10.0Ah Up to 168 mins 12.0Ah Up to 202 mins	
SPEED CONTROL	Constant speed	Variable speed	Variable speed	Constant speed	Variable speed	
SPEED CONTROL	Two-speed	Two-speed	Two-speed	Two-speed	Digital 2 speed	
NO LOAD SPEEDS	5,200-6,500rpm	3,500-5,800rpm	4,800-6,000rpm	6,000-7,000rpm	3,500-5,500rpm	
LINE DIAMETER SUPPLIED**	2.0mm	2.4mm	2.4mm 2.4mm		2.4mm	
LINE FEED	Bump feed head	Powerload™ head	ad <sup>™</sup> head Powerload <sup>™</sup> head Rapid reload bump feed head		Line-IQ feed / Powerload™ head	
DUAL LINE	Yes	Yes	Yes	Yes	Yes	
ROTATING DIRECTION	Clockwise	Clockwise	ockwise Clockwise Anti clockwise		Clockwise	
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Quick-adjust	
HARNESS	N/A	N/A	Single shoulder	Single shoulder	Single shoulder	
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.5kg	4.2kg	3.4kg	
VIBRATION (M/S2)	2.1/1.2	3.2/2.3	3.8/2.4	3.9/2.7	4.6/2.7	
MOTORTYPE	Brushless	Brushless	Brushless	Brushless	Brushless	
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	90dB(A) 82.6dB(A) 78dB(A) 96dB(A)		77dB(A) 90dB(A)	
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	1 year	
AVAILABLE AS A KIT	ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger	ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger	ST1511E-T: Includes line trimmer, 2.5Ah battery and standard charger	E-T: Includes line ST161 2.5Ah battery and - trimme		

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 86-87 for more information.

<sup>• -</sup> highlighted cutting area is optimal for battery.



### POWER BRUSH CUTTER/LINE TRIMMER





#### BC3800E

#### 30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.



ANY INSERT HEAD



	BC3800E				
CUTTING WIDTH					
-Three-sided blade	30cm				
- Line trimmer head	38cm				
TOTAL LENGTH	186cm				
RUN TIME*	4.0Ah Up to 30 mins 5.0Ah Up to 40 mins 6.0Ah Up to 50 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins 12.0Ah Up to 100 mins				
BLADE MATERIAL	Three-sided steel blade				
SPEED CONTROL	Constant variable speed				
LINE DIAMETER SUPPLIED**	2.4mm				
LINE FEED	Rapid reload bump feed head				
ROTATING DIRECTION	Anti clockwise				
WEIGHT WITHOUT BATTERY					
-Three-sided blade	4.6kg				
- Line trimmer head	4.4kg				
VIBRATION (M/S2)					
-Three-sided blade	1.5/1.9				
- Line trimmer head	2.3/2.4				
MOTOR TYPE	Brushless				
NOISE RATING LpA/LwA	80dB(A) 96dB(A)				
DOMESTIC WARRANTY	5 years				
PROFESSIONAL WARRANTY	2 years				

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 86-87 for more information.














# CUT WITH POWER AND PROTECTION

The EGO Pro X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. With a low profile on the gear box, it can take on the most difficult-to-reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool, and reducing pavement damage. The blades have been designed to ensure clean and accurate cutting performance whilst maintaining durability.

Rotocut can be used with any rear-motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.





#### RTX2300 PRO X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.





	RTX2300
CUTTING WIDTH	23cm
RUN TIME*	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADE TYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S2)	1.1/1.5
NOISE RATING Lpa/Lwa	79.3dB(A) 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800/BCX3800/ST1530E/ BC3800E/STA1500/BCA1200/ STX4500/BCX4500
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

Run time may vary and depend on the battery used, charge level of battery and user's operation technique.



### POWER PRO LINE TRIMMER/BRUSH CUTTER





#### REAR GEARED MOTOR

Compatible with all portable EGO ARC Lithium™ Batteries – a balanced feel for all day working



IOT READY WITH BUILT IN BLE MODULE



- VARIABLE SPEED Trigger With safety lock-

With safety lock-off for efficient, safe working

> TOOL-FREE HANDLE Adjustment

For greater

BATTERY AND Speed indicator

Conveniently positioned on handle. 3 speeds for different trimming and cutting jobs

The next generation of Pro X line trimmers offer greater versatility and choice for a wide range of professional users. Available in both loop and bike handle versions they are suitable for landscapers, facilities operations and municipal users.

All EGO portable batteries are compatible with the tool making this extremely well balanced for all day use.

Tool speed can be controlled via the handle, which means the tool run time can be increased when working on light loads. The speed can also be increased for heavier working loads, at the touch of a button.

Equipped with a Rapid Reload head and 2.7mm twist line the tools are simple to load with line when empty. This reduces downtime and the need for additional maintenance in the field.

ADJUSTABLE HARNESS POINTS For comfortable all day working

CARBON FIBRE SHAFT For greater strength and stability while reducing weight









#### NEW PRO X Charging System

#### For the ultimate in powerful all day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.







#### BCX4500

### PRO X BIKE HANDLED LINE TRIMMER/BRUSH CUTTER

The Pro X line trimmer provides comparable power and performance as petrol-powered line trimmers. With easy to use controls mounted on the ergonomic bike handle, pair up with any EGO 56V ARC Lithium  $^{\text{IM}}$  portable battery for all day power and comfort.









LCD Interface





















#### STX4500

### PRO X LOOP HANDLED Line trimmer/brush cutter

Leave the fuss and fumes of petrol behind with this powerful, professional tool. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium  $^{\text{\tiny{IM}}}$ portable battery for all day power and comfort.





















	BCX4500		STX4500				
CUTTING WIDTH							
- Line trimmer head	45cm		45cm				
- Three-sided blade	30cm		30cm				
TOTAL LENGTH	183cm		183cm				
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head only				
BAX1500 BATTERY	5.0Ah Up to 75 mins 6.0Ah Up to 90 mins 7.5Ah Up to 115 mins 10.0Ah Up to 155 mins 12.0Ah Up to 190 mins	5.0Ah Up to 140 mins 6.0Ah Up to 175 mins 7.5Ah Up to 220 mins 10.0Ah Up to 300 mins 12.0Ah Up to 355 mins	5.0Ah Up to 75 mins 6.0Ah Up to 90 mins 7.5Ah Up to 115 mins 10.0Ah Up to 155 mins 12.0Ah Up to 190 mins				
BLADE MATERIAL	Three-sided steel blade, a	vailable as accessory	Three-sided steel blade, available as accessory				
SPEED CONTROL	Constant variable speed		Constant variable speed				
NO LOAD SPEEDS	3500/4500/5200rpm ste	pless adjusting	3500/4500/5200rpm stepless adjusting				
SOFT-START	Yes		Yes				
LINE DIAMETER SUPPLIED**	2.7mm		2.7mm				
LINE FEED	Manual wind bump feed h	ead	Manual wind bump feed head				
DUALLINE	Yes		Yes				
ROTATING DIRECTION	Anti-clockwise		Anti-clockwise				
AUXILIARY HANDLE	Tool free		Tool free				
HARNESS	Double shoulder harness		Strap				
WEIGHT	5.1kg		4.1kg				
MOTORTYPE	Brushless		Brushless				
	With trimmer head	With brush cutter head	With trimmer head only				
NOISE RATING LpA/LwA	95dB(A) 82dB(A)	96dB(A) 83dB(A)	95dB(A) 82dB(A)				
VIBRATION (M/S <sup>2</sup> )	1.2	1.5	1.7/1.2				
DOMESTIC WARRANTY	5 years		5 years				
PROFESSIONAL WARRANTY	3 years		3 years				

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.
\*\*Please refer to pages 86-87 for more information.



### POWER PRO LINE TRIMMER/BRUSH CUTTER








## THE TOUGH ANSWER TO ROUGH GROUND

Perfectly balanced for comfortable use, E60's Pro X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.





CARBON FIBRE DRIVE SHAFT Won't bend and lose shape over time, keeping vibration levels to a minimum











#### BCX3800

### PRO X LINE TRIMMER / Brush Cutter (bike handle)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Pro X backpack battery BAX1500 for all day power and comfort.

























RAPID RELOAD BUMP Line feed head For quick, easy line refilling and extending the line as you work



#### STX3800

### PRO X LINE TRIMMER / Brush Cutter (Loop Handle)

Our Pro X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Pro X backpack battery BAX1500 for all day power and comfort.



















4	
JSE WITH	OMPATIBI
GO POWER*	WITH PRO
BACKPACK	HARNESS

	BCX3800		STX3800				
CUTTING WIDTH							
- Line trimmer head	38cm		38cm				
- Three-sided blade	30cm		30cm				
TOTAL LENGTH	186cm		186cm				
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
BAX1500 BATTERY	Up to 240 mins	Up to 420 mins	Up to 240 mins	Up to 420 mins			
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade				
SPEED CONTROL	Constant variable speed		Constant variable speed				
NO LOAD SPEEDS	5800rpm		5800rpm				
SOFT-START	Yes		Yes				
LINE DIAMETER SUPPLIED**	2.4mm		2.4 mm				
LINE FEED	Manual wind bump feed	head	Manual wind bump feed head				
DUAL LINE	Yes		Yes				
ROTATING DIRECTION	Anti clockwise		Anti clockwise				
AUXILIARY HANDLE	Bike handle		Quick adjustable loop handle				
HARNESS	Hip pad (AHP1500)		-				
WEIGHT	6.8kg	6.5kg	6.5kg	6.2kg			
MOTOR TYPE	Brushless		Brushless				
	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
NOISE RATING LpA/LwA	74dB(A) 96dB(A)	83dB(A) 98dB(A)	74dB(A) 96dB(A)	-			
VIBRATION (M/S <sup>2</sup> )	1.9/1.5	1.9/1.3	3.2/2.3 –				
DOMESTIC WARRANTY	5 years		5 years				
PROFESSIONAL WARRANTY	3 years		3 years				

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.

\*\*Please refer to pages 86-87 for more information.



## LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

#### **Lines for Line Trimmers**





Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

#### **Brush Cutting Blades**





For cutting down heavier vegetation, bushes and verges, choose a Brush Cutting blade – available in metal and flexible plastic options, depending on how heavy the task is. The flexible Elastoblade will make lighter work of dense vegetation.

#### **Rotocut Blades**



Replacement Rotocut blades will fit the EGO Power<sup>+</sup>
Rotocut attachments, which are ideal for working
through tough-to-shift growth in paths and drives,
and along the base of walls and curbs. Reduces the
throwing-up of stones, for safer use in areas near
vehicles, windows and other materials prone to damage.

#### **Cutting Heads**








Replacement cutting heads are available for EGO Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.

#### **Straps and Harnesses**





A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.



PART	DESCRIPTION		ST1300E	ST1400E-ST	ST1500E-F	ST1510E-T	ST1530E	ST1610E-T	BC1500E-F	BC3800E	BCX3800	STX3800	BCX4500	STX4500	STA1500	STA1600	BCA1200	RTA2300
ROTOCUT																		
RTX2300	Pro X Rotocut Attachment						0			0	0	0	0	0	0		0	0
ABR2300	Replacement blades (pair) - Rotocut RTX2300						0			0	0	0	0	0	0		0	0
TRIMMER SP	OOLS (WITH LINE)																	
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E		0															
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E		•															
AS3800	Spool w/o line for bump feed cutting head -						0			0	0	0	0	0	0			
TRIMMER LIN	BCX3800, STX3800																	
AL2415T	15m 2.4mm low-noise twist line (STRATUS)	<b></b>					•				•		•	•	•	•		
AL2015T	15m 2.0mm low-noise twist line (STRATUS)	<b>*</b>	0			_			_	_			_		_			
AL2050T	50m 2.0mm twist line - ST1300E (green)	<b>X</b>																
AL2715T	15m 2.7mm twist line [red/green] - STX3800,	<b>Y</b>																
	BCX3800  12m 3.0mm twist line [yellow/green] - STX3800,	<b>V</b>									0	0	0	0				
AL3012T	BCX3800	•									0	0	0	0				
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	•		•	•	•	•	•	•	•	•	•	•	•	•	•		
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	<b>♦</b>									0	0	0	0				
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	<b>\</b>									0	0	0	0				
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0	0	0	0	0		
AL2715R	15m 2.7mm round line [red] - STX3800, BCX3800	•									0	0	0	0				
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	•									0	0	0	0				
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•									0	0	0	0				
AL3060R	60m 3.0mm round line [yellow] - STX3800,										0	0	0	0				
CUTTING HEA	BCX3800																	
AH1520	Powerload" cutting head - ST1510E-T					•												
AH1522	Powerload <sup>™</sup> cutting head - ST1400E-ST			•														
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F																	
AH1531	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500						•			•	•				•			
AH1600	Powerload* cutting head - STA1600						_			_						•		
AH1620	Powerload* cutting head - ST1610E-T							•										
AH3800	Bump feed cutting head - STX3800, BCX3800																	
AH3810	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STX3800, STA1500, BCX3800						0			0	•	•	•	•	0			
AH4500	Auto-feed trimmer head - STX4500												0	0				
ABT3800	Bump feed button - AH3800										•	•	•	•				
CUTTING BLA	IDES																	
ABB1203	3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200						0			•	•	0	0	0	0		0	
ABB0903P	Elastoblade - STX3800, BCX3800, ST1530E, BC3800, BCA1200						0			0	0	0	0	0	0		0	
STRAPS AND	HARNESSES																	
AP1500	Single-shoulder harness with one hook - multi-tool and all grass trimmers.				•	•	•	•	•					•				
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)									•			•					
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000								0	0	0		0					
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000								0	0	•		0					
AP4500	Double shoulder harness for new commercial string trimmer (incl. hip pad)												0					
AHP4500	Hip pad for new commercial string trimmer												0					
	plied = Compatible with																	



LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.









## COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-lon battery, the EGO Power<sup>+</sup> shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.



HEDGE SHRUB SHEAR ATTACHMENT Easy to change 20cm laser cut blade with 8mm blade gap



Model Shown: CHT2001E







#### CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.









	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUNTIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADETYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGETIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-






### BALANCED, PRECISE, **POWERFUL**

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmers well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 75cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.



Model Shown: HT2600E





ELECTRIC SAFETY BRAKE Stops blade when trigger is released

DUAL ACTION BLADES For less vibration when cutting



TWO-SPEED SELECTOR Select the correct speed for each trimming task



ROTATING REAR HANDLE Adjustable for comfort and control in use



SAFETY BLADE GUARD Helps prevent injuries



Please note: some features are not available on all models.









#### HT2000E 51CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.











#### HT2410E 61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.













#### HT2600E 66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.















#### HT5100E

#### 51CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.






#### HT6500E

#### 65CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.





	HT2000E	HT2410E	HT2600E	HT5100E	HT6500E	
BLADE LENGTH	51cm	61cm	66cm	51cm	65cm	
BLADE GAP	25mm	26mm	30mm	33mm	33mm	
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm	20mm	
RUNTIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 40 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins	2.5Ah Up to 33 mins 4.0Ah Up to 57 mins 5.0Ah Up to 72 mins 6.0Ah Up to 87 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 173 mins	
SPEED CONTROL	Single speed	Single speed	Single speed	Two-speed	Two-speed	
NO LOAD SPEEDS	3,000spm	3,000spm	3,400spm	2,800/3,200spm	2,800/3,200spm	
BLADETYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground Laser cut; diamond ground		Laser cut; diamond ground	
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge	
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes	Yes	
NOISE RATING Lpa/Lwa	81dB(A) 94dB(A)	83dB(A) 96dB(A)	84dB(A) 94dB(A)	81dB(A) 92dB(A)	81.4dB(A) 93dB(A)	
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right	45° and 90° left and right	
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.1kg	3.6kg	3.8kg	
MOTORTYPE	Brushless	Brushless	Brushless	Brushless	Brushless	
VIBRATION (M/S²)	2/1.5	1.8/1.7	2.4/1.7	3.4/1.9	5.3/3.1	
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years	
AVAILABLE AS A KIT	HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger	-	-	

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

<sup>• -</sup> highlighted cutting area is optimal for battery.







# PRO X PERFORMANCE WITH EXTRA REACH

ADJUSTABLE HARNESS POINTS For comfortable all day working

The Pro X long-reach hedge trimmers allow professional users to cut more with less effort. Tall and deep hedges can be cut in a single sweep and without the need for use of ladders.

Carbon fibre shafts make the tools sturdy and durable, while flex at the end of the tool is reduced. The Long Reach Hedge Trimmer has an articulating head making it simple to change the cutting angle for different tasks.

Both trimmers have 3 speeds, suitable for different hedge cutting jobs, plus double-sided triple-sharpened blades for the toughest hedges.

The power unit is part of the new generation Pro X platform and compatible with all EGO portable ARC Lithium™ batteries.

 3 SPEEDS Suitable for different trimming and cutting tasks







CARBON FIBRE Shaft With Internal Steel Drive Shaft


For greater durability

VARIABLE TRIGGER For precise cutting control









	HTX5300-P	HTX5300-PA				
BLADE LENGTH	53cm	53cm				
BLADE GAP	28mm	28mm				
BLADE TOOTH DEPTH	21mm	21mm				
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 112 mins 5.0Ah Up to 140 mins 6.0Ah Up to 168 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 336 mins 28.0Ah Up to 784 mins	2.5Ah Up to 54 mins 4.0Ah Up to 86 mins 5.0Ah Up to 108 mins 6.0Ah Up to 128 mins 7.5Ah Up to 162 mins 10.0Ah Up to 216 mins 12.0Ah Up to 253 mins 28.0Ah Up to 599 mins				
SPEED CONTROL	Variable	Variable				
NO LOAD SPEEDS	3200   3600   4000 rpm	3200   3600   4000 rpm				
BLADETYPE	Triple-sided	Triple-sided				
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge				
BLADE TIP PROTECTOR	Yes	Yes				
ROTATING HANDLE	No	No				
WEIGHT	4.2kg	5.6kg				
MOTORTYPE	Brushless	Brushless				
NOISE RATING LpA/LwA	81dB(A) 101dB(A)	81dB(A) 101dB(A)				
VIBRATION (M/S <sup>2</sup> )	3.7/2.8	3.9/3.5				
DOMESTIC WARRANTY	5 years	5 years				
PROFESSIONAL WARRANTY	3 years	3 years				

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.



#### HTX5300-P

#### 53CM PRO X SHORT-REACH FIXED POLE HEDGE TRIMMER

Variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action, makes light work of any job, big or small.





#### HTX5300-PA

#### 53CM PRO X LONG-REACH ARTICULATING POLE HEDGE TRIMMER

Ideal for wider, larger hedges, with longer 2.5m reach and an articulating cutting head – with variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action – makes light work of any job, big or small.



## POWER PRO MEDGE TRIMMER





## TACKLE TOUGH HEDGES WITH EASE

Designed for professionals, the Pro X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

### Blades that cut cleanly.

The high-quality EGO Power<sup>+</sup> blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



Model Shown: HTX7500







#### HTX6500 65CM PRO X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.



















#### HTX7500

#### 75CM PRO X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.



















LASER CUT DIAMOND GROUND BLADES

	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME <sup>*</sup> WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADETYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTORTYPE	Brushless	Brushless
NOISE RATING LpA/LwA	80 dB(A) 90.1dB(A)	83.9 dB(A) 95.4dB(A)
VIBRATION (M/S2)	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

BLADE TIP PROTECTOR Prevents blades becoming damaged by fences and walls

65CM/75CM BLADE Length with 33MM Cutting Capacity

Walana .





WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY BRUSHLESS MOTORS, EGO POWER\* BLOWERS DELIVER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.







BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

EGO have developed even more power and performance for their 2025 leaf blower ranges. See page 105 for EGO's new domestic garden blowers and pages 109-111 for the new powerful Pro X models.

Powered by a high-efficiency brushless motor, EGO Power<sup>+</sup> blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.

Model Shown: LB7650E











TURBO MODE For a 1,300m³/h petrol-blower beating output



HIGH-EFFICIENCY BRUSHLESS MOTOR Delivers more power and greater run time

TURBINE FAN ENGINEERING Utilises advanced aeronautics technology



Please note: some features are not available on all models.







Compatible with EGO Power\* backpack batteries.

KEY



EGO POWER+





LV5000E LB6150E LB6700E LB7650E **LBX6000** LBX1000 LOW HIGH LOW HIGH LOW HIGH LOW HIGH BOOST BOOST BOOST **BOOST** SPEED SPEED SPEED SPEED SPEED SPEED SPEED **RUNTIME\* WITH** Up to Up to Up to Up to Up to 2.5Ah BATTERY 38 mins 6 mins 100 mins 15 mins 10 mins **RUNTIME\* WITH** Up to 60 mins 4.0Ah BATTERY 160 mins 24 mins 25 mins 20 mins 60 mins 10 mins 14 mins 140 mins 13 mins 120 mins 14 mins **RUN TIME\* WITH** Up to Up to Upto Up to Up to Up to Up to Up to Unto Up to Up to Up to 75 mins Up to 50 mins 5.0Ah BATTERY 75 mins 12 mins 200 mins 30 mins 18 mins 200 mins 30 mins 15 mins 150 mins 25 mins 17 mins **RUN TIME\* WITH** Up to Up to Up to Up to Up to Upto Up to Up to Up to Up to Up to Up to 93 mins Up to 60 mins 6.0Ah BATTERY 36 mins 18 mins 30 mins **RUN TIME\* WITH** Up to Up to Up to Up to Up to Upto Up to Up to Upto Up to Up to Up to 120 mins Up to 75 mins 7.5Ah BATTERY 110 mins 300 mins 45 mins 30 mins 45 mins 23 mins 37 mins 26 mins **RUN TIME\* WITH** Up to 100 mins Up to 144 mins 10.0Ah BATTERY 150 mins 24 mins 400 mins 60 mins 40 mins 400 mins 60 mins 30 mins 300 mins 50 mins 34 mins **RUN TIME\* WITH** Up to 120 mins Up to 340 mins 12.0Ah BATTERY 180 mins 30 mins 480 mins 72 mins 36 mins 480 mins 72 mins 36 mins 360 mins 60 mins 40 mins Level 1 Up to 350 mins Up to 210 mins **RUNTIME\*WITH** Up to 1120 mins Up to 1120 mins Up to 140 mins Up to 280 mins Level 3 **BAX1500 BATTERY** Up to 100 mins Level 4 **Boost** Up to 70 mins Max Max Max Max Max Max AIR VOLUME (M3/H) 850m³/h Max 1138m3/h Max 1700m3/h Max 1045m3/h Max 1300m3/h Max 1014m3/h Max AIR SPEED (KM/H) 335km/h 274km/h 290km/h 313km/h 212km/h 299km/h FORCE (N) 15 18.5 21 26 19.2 32 Variable speed with lock-on Variable speed with lock-on Variable speed with lock-on Variable speed with **SPEED SETTING** Variable speed with lock-on 4 level settings and boost +boost + boost + boost lock-on + boost WEIGHT WITHOUT 5.8kg (vacuum) 2.15kg 2.2kg 2.1kg 2.7kg 3.3kg BATTERY 4.2kg (blower) MOTOR TYPE Brushless Brushless Brushless Brushless Brushless Brushless NOISE RATING 88dB(A) 88dB(A) 91dB(A) 83dB(A) 80 dB(A) 86dB(A) LpA/LwA 102dB(A) 99dB(A) 101dB(A) 98dB(A) 93dB(A) 98dB(A) VIBRATION (M/S2) 0.68 0.53/0.93 1.8 1.3 0.8 1.2 **DOMESTIC** 5 years 5 years 5 years 5 years 5 years 5 years WARRANTY **PROFESSIONAL** 1 Year 1 Year 1 Year 3 years 3 years 2 years WARRANTY VARIABLE SPEED Nο Yes Yes Yes Yes

5Ah Battery and fast charger

5Ah Battery and standard charger

LV5004E: includes Leaf Vacuum, LB6151E: includes Leaf Blower, 2.5Ah LB6704E: includes Leaf Blower,

Battery and standard charger

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of the battery and user's operation technique





NEW FOR 2025

#### LV5000E

#### 3 IN 1 LEAF VACUUM

After blowing fallen leaves into a pile, they can be quickly cleared up using the new EGO Power<sup>+</sup> 3 in 1 Leaf Vacuum. Collection bag space is maximised as leaves are efficiently mulched as they are collected up.

With variable speed dial control, the tool has the power to tackle small to medium household leaf clean-ups. Easily converts from blower to vacuum by simply replacing the blower tube with a vacuum bag and a suction tube.













#### LB6700E BLOWER

Variable speed thumb selector for added air flow control with single handed use. With 1,138m³/h output in Boost and 21N of air force, can bigger tasks across wider areas and large gardens.







Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzles.







#### LB6150E **BLOWER**

Variable speed thumb selector for added air flow control with single handed use. With 1,045m³/h output in Boost, and 18.5N of air force, can clear large areas with ease.











#### LBX6000

#### PRO X BLOWER

Designed to be used with the Pro X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.















## THE POWER TO CLEAR MORE GROUND

Tough tasks need powerful tools. And that's exactly what EGO's range of Professional Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting four hours run time\*, you can cover plenty of ground too.





#### LB7650E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost – one of the industry's most powerful hand-held blowers, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.









\*Based on model LB6000E: 240 minutes at 1300m³/h with 1 x 10Ah battery - Low air setting.







	LB6000E			LBPX8000			LBPX1100		
	Low	High	Max	Low	High	Max	Low	High	Max
RUNTIME**WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins	50 mins	13 mins	10 mins	50 mins	9 mins	7.5 mins
RUNTIME**WITH 6.0Ah BATTERY	150 mins	27 mins	18 mins	70 mins	16 mins	12 mins	60 mins	10 mins	9 mins
RUNTIME**WITH 7.5Ah BATTERY	180 mins	33 mins	23 mins	75 mins	20 mins	15 mins	75 mins	14 mins	11 mins
RUNTIME**WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins	100 mins	26 mins	20 mins	100 mins	18 mins	15 mins
RUNTIME**WITH 12.0Ah BATTERY	290 mins	52 mins	36 mins	120 mins	32 mins	24 mins	120 mins	21 mins	18 mins
AIR VOLUME (M³/H)	440	850	1020	590	1105	1360	760	1550	1870
AIR SPEED (KM/H)	80	160	193	123	212	305	108	216	306
SPEED SETTING	Variable speed with boost			Variable speed with boost			Variable speed with boost		
FORCE(N)	19.2 Max			26 Max			36 Max		
MOTORTYPE	Brushless			Brushless			Brushless		
PEAK POWER" TECHNOLOGY	-			Up to 2 56V ARC Lithium™ batteries			Up to 2 56V ARC Lithium <sup>™</sup> batteries		
NOISERATING LpA/LwA	83dB(A)/97dB(A)			86dB(A)/98dB(A)			83dB(A) / 96dB(A)		
VIBRATION (M/S²)	1.5			1.5			0.25		
WEIGHT WITHOUT BATTERY	5.7kg			7.4kg			9.4kg		
DOMESTICWARRANTY	5 years			5 years			5 years		
PROFESSIONAL WARRANTY	2 years			3 years			3 years		
AVAILABLE AS A KIT	LB6002E: Includes backpack blower, 5.0Ah battery and rapid charger			-			-		

 $<sup>^{\</sup>star\star}\text{Run time may vary and depend on the battery used, charge level of battery and user's operation technique.}$ 

<sup>•</sup> highlighted run time is optimal for battery.





# THE FIRST OF ITS KIND

Part of EGO's next generation of Pro X tools, the new LBX1000 puts the full power of a backpack blower into the hands of the user.

The most powerful hand-held battery blower on the market, with new brushless motor and high-efficiency axial fan for impressive air flow and higher air-speed. Tackles the most demanding clear-ups, ensuring performance, comfort and durability – built to work in the toughest environments.





The most powerful hand-held blower on the market







#### LBX1000 PRO X BLOWER

With the power of a backpack blower in a handheld unit, this is the most powerful handheld battery blower on the market with 32N of blowing force. Equipped with a secondary front handle for easy pick-up-and-go without the fuss of a Backpack. Features include variable speed trigger with Boost, LCD display screen showing operating status and battery fuel gauge, plus powerful LED light for working in low light levels. Forms part of the new generation of Pro X tools with BLE connectivity built in.





















# THE ULTIMATE IN CLEARING POWER

Part of EGO's next generation of Pro X tools, the new LBPX1100 is the most powerful backpack blower on the market.

With new brushless motor and high-efficiency axial fan for impressive air flow and higher air-speed, it will tackle the most demanding clear-ups, ensuring performance, comfort and durability – built to work in the toughest environments.









#### LBPX1100 PRO X BACKPACK BLOWER

Active Peak Power harnesses the power of two EGO batteries, making this the most powerful battery blower on the market with 36N of blowing force, maximising output and run time. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. Forms part of the new

NEW FOR 2025















60

#### LBPX8000 PRO X BACKPACK BLOWER

Active Peak Power™ Technology combines the power of two EGO batteries to maximise output and runtime, making clearing large areas faster. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. Forms part of the new generation of Pro X tools with IoT BLE connectivity built in.























# EXTREME POWER FOR EXTREME WEATHER CONDITIONS

EGO's Power<sup>+</sup> Snow Throwers use Peak Power<sup>™</sup> Technology to deliver petrol-matching performance without noise, fuss or emissions.

Peak Power™ Technology combines the power of any two industry-leading EGO 56V ARC Lithium™ batteries to tackle the toughest snowy conditions efficiently.

Self-propelled control ensures ease of use, while reverse gears and wheel drive systems make getting out of tight spots easier.







#### SNT2120E-AP

#### AUGER PROPELLED SNOW THROWER

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths. The auger clears the snow and discharges it through the chute in a single motion.





















# 61CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™ TECHNOLOGY

This powerful 2-stage snow thrower has variable speed, self-propelled control with serrated steel augers, to handle even the deepest snow with ease. Snow is thrown into a high-speed impeller which then discharges the snow up and out of the multi-directional chute. The generous 61cm clearing width and 51cm intake height work with the shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate – even when wearing bulky winter gloves.















	SNT2120-AP	SNT2400E		
CLEARING AREA @ 15CM DEPTH	160m <sup>2</sup>	223m <sup>2</sup>		
NUMBER OF BATTERY PORTS	2 parallel	2 parallel		
CLEARING WIDTH	52cm	61cm		
INTAKE HEIGHT	30cm	51cm		
CHUTE ROTATION	180°	200° Joystick control		
THROWING DISTANCE (MAX)	Up to 14m	13m		
THROWING DISTANCE (HEAVY SNOW)	5m	7.6m		
AUGER MATERIAL & DIAMETER	Metal frame/rubber auger 18cm	Steel 28cm		
NUMBER OF STAGES	1	2		
SELF-PROPELLED SPEED	Single	0.4-1.2m/s		
SELF-PROPELTYPE	Auger propel	-		
REVERSE	Yes	Yes		
WEIGHT WITHOUT BATTERY	27kg	68kg		
MOTORTYPE	Brushless	Brushless		
DOMESTIC WARRANTY	5 years	5 years		
PROFESSIONAL WARRANTY	1 year	2 years		
AVAILABLE AS A KIT	SNT2124E-AP: Includes snow thrower, 2x 6Ah batteries and rapid charger	SNT2400E-K2753: Includes snow thrower, 2x7.5Ah batteries and 2xrapid chargers		





WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND ALL WITHOUT THE FUSS AND FUMES OF PETROL.





# ONE TOOL, MULTIPLE OPTIONS

The EGO Power<sup>+</sup> Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio. Switching between different jobs is simple thanks to the secure toolfree coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.

Power up with our new, more intelligent carbon fibre Power Head or the new Pro X Power Head with upgraded motor and BLE connectivity. Compatible with our latest Line Trimmer and Dethatcher attachments and all existing Multi-Tool attachments.



10 EGO POWER\*
SNOW SHOVEL

Keeps pathways clear of snow



# 03 EGO POWER\*

Trim grass along fences and walls with precision





Cuts through tough undergrowth, thick grass and weeds with ease



# 05 EGO POWER+

Cuts through grass, weeds and moss on concrete, pathways and verges without throwing up stones and debris



- EGO Power+ Professional Power Head with brushless motor
- EGO Power+ Pro X Power Head with brushless motor



# 06 EGO POWER\*

Achieving a perfect edge to any lawn has never been easier



09 EGO POWER+
OLIVE SHAKER

Shake ripe olives off branches



EGO POWER<sup>+</sup> Cultivator

The simple way to prepare soil for planting



Clears moss, wet leaves and water from hard surfaces with ease










# THE POWER TO TACKLE ANY TASK



#### PH1420E MULTI-TOOL POWER HEAD

With more power, better ergonomics and an upgraded motor the PH1420E is compatible with all current and future attachments.





## EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.













#### PHX1600 PRO X MULTI-TOOL POWER HEAD

EGO's first Pro X Multi-tool head provides all day working for the professional user. The motor and PCB have both been upgraded to ensure the powerhead is robust and suitable for the toughest tasks. Forms part of the new generation of Pro X tools with BLE connectivity built in - allowing monitoring of firmware status, battery capacity and run times.













	PH1420E	PHX1600
MOTOR TYPE	Brushless	Brushless
SPEED CONTROL	Two speed Variable speed	Three speed
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVE TUBE TYPE	Carbon fibre	Carbon fibre
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	2.8kg	2.95kg
TOTAL LENGTH	97cm	100cm
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	2 years	3 years



## ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



## **01** HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



## **02** POLE SAW

Slices through tree branches fast and efficiently. Combines with the carbon fibre extension pole to reach further and cut more.



## 03 LINE TRIMMERS

Trim grass along fences and walls with precision. Line Trimmer options include:

Rapid Reload Head - for quick line replacement.

Powerload™ Head - for fast line replacement at the touch of a button.

Line IO™ Head with Powerload™

- for automatic line feeding on the go.



## **04** BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



## **05** ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.



## 06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.







## **07** CULTIVATOR

The cultivator prepares soil prior to planting. Removing weeds and introducing air, it creates a loose bed, encouraging the growth of healthy plant life.



## 08 BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.







## 09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.



## 10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.







## 11 DETHATCHER

Removes the thatch layer between grass and soil for a healthier lawn.





#### HTA2000

#### **HEDGE TRIMMER ATTACHMENT**

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.







#### STA1500 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



#### HTA2000S

#### SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



#### BCA1200

#### **BRUSH CUTTER ATTACHMENT**

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.



#### PSA1000

#### **POLE SAW ATTACHMENT**

25cm guide bar and chain make cutting branches fast and efficient.







#### EA0800

#### **EDGER ATTACHMENT**

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.









#### CTA9500 **CULTIVATOR ATTACHMENT**

The easier way to prepare soil for planting, the cultivators rotating teeth remove weeds and aerates soil.





#### OSA1000 **OLIVE SHAKER ATTACHMENT**

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



#### BBA2100 **BRISTLE BRUSH ATTACHMENT**

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.



#### SSA1200 **SNOW SHOVEL ATTACHMENT**

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



## ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades, which prevent debris from being thrown, make it ideal for use in delicate areas.







#### STA1600 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently. Powerload™ feature only compatible with PH1420E and PHX1600.









#### STA1700 LINE TRIMMER ATTACHMENT

Featuring Line  $IQ^m$  and Powerload<sup>m</sup> Technologies for automatic line feeding and fast line replacement. The carbonfibre shaft adds strength and robustness for tough tasks.

TECHNOLOGY



#### NEW FOR 2025

#### DA1400


#### **DETHATCHER ATTACHMENT**

Removes the thatch layer between grass and soil for a healthier lawn. Also removes debris and dead grass from the surface.



#### **DETHATCHING EXPLAINED**


Dethatching is the process to remove excess thatch, typically carried out once or twice a year in Spring and Autumn.



On healthy lawns, there is little thatch layer so that the sunshine, water and other nutrients can reach the soil.



As time passes by, a thatch layer develops between the healthy grass and soil that can obstruct nutrients being absorbed.




Gradually, the healthy grass will become yellow and withered.

#### THE EGO ADVANTAGE



#### **Competitor Dethatchers**

Separated cylinders cause missing area in the middle



#### **EGO Dethatcher**

One complete cylinder means no missing area

	HTA2000 / HTA2000S	PSA1000	STA1500	STA1600	STA1700	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.6kg	1.53kg	1.7kg	1.8kg	2kg
LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	97cm	97cm	97cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins	2.5Ah Up to 18 min 4.0Ah Up to 35 min 5.0Ah Up to 45 min 6.0Ah Up to 55 min 7.5Ah Up to 70 min 10.0Ah Up to 90 min 12.0Ah Up to 110 min	2.5Ah Up to 30 mins 4.0Ah Up to 48 mins 5.0Ah Up to 60 mins 6.0Ah Up to 72 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 144 mins	2.5Ah Up to 27 mins 4.0Ah Up to 47 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	_	-	_	_	_	_
CUTTING WIDTH	-	-	38cm	40cm	43cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm dual line	2.4mm	2.4mm	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	Powerload™	Powerload™	-	-
SHAFTTYPE	-	-	Straight	Carbon Fibre	Carbon Fibre	_	-
ARBOUR SIZE	-	-	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	_	_	_	_	_	_
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12/9 articulating cutting angles	-	-	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm. 1.1mm	-	-	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-	_	-
ROTATING DIRECTION	-	-	-	-	-	-	Two blades counter rotation
BLADETYPE	-	-	-	-	-	-	High strength alloy steel
VIBRATION (M/S <sup>2</sup> )	-	-	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200	DA1400
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg	7.2kg
LENGTH	92cm	92cm	102cm	140cm	176cm	176.5cm
RUNTIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 76 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 152 mins	2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 200 mins	2.5Ah Up to 50 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 120 mins 7.5Ah Up to 150 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins	2.5Ah Up to 50 mins 4.0Ah Up to 70 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 240 mins	2.5Ah Up to 45 min 4.0Ah Up to 75 min 5.0Ah Up to 90 min 6.0Ah Up to 110 min 7.5Ah Up to 135 min 10.0Ah Up to 180 min 12.0Ah Up to 216 min	2.5Ah Up to 17 mins 4.0Ah Up to 27 mins 5.0Ah Up to 34 mins 6.0Ah Up to 41 mins 7.5Ah Up to 52 mins 10.0Ah Up to 68 mins 12.0Ah Up to 82 mins
BLADE LENGTH	20cm	24cm	-	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-	-
CUTTING DEPTH	Up to 75mm	-	-	-	-	-
BLADETHICKNESS	3mm	-	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	-	-
CUTTING WIDTH	-	21/24cm	-	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm	381mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm	2600-3000 rpm
WORKING RANGE	-	-	-	58cm-33cm	-	-
BRISTLE GAUGE	-	-	1.5mm	-	-	-
ARBOUR SIZE	25.4mm	-	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	-	-
ROD MATERIAL	-	-	-	Carbon fibre	-	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-	-
MAX THROWING DISTANCE	-	-	-	-	7.5m	-
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.




# BE READY FOR ANYTHING WITH EGO POWER+ MULTI-TOOL KITS



#### MHBC1240E

MULTI-TOOL KIT Includes all these tools:






#### A great value way to enjoy all the benefits of petrol-free power.

EGO Power<sup>+</sup> multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.



#### MRC2306E

#### MULTI-TOOL KIT Includes all these tools:























# INTELLIGENT **TECHNOLOGY** FOR THE GREAT OUTDOORS

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ Battery can connect with any of EGO's latest lifestyle products - all designed to enhance the enjoyment of our outdoor spaces, and beyond.

To help make more of spending time in the garden or away camping, staying cool in hot weather, extending a summer's day into the evening, or efficiently cleaning and maintaining your outdoor space without the inconvenience of an electric cord, EGO have developed and engineered new innovations in portable outdoor power sources, bright lighting, essential cooling for hot conditions, high powered pressure washing and... EGO's latest development in wet/dry vacuuming.



















## The EGO Power+ Pressure Washer has a nozzle for every cleaning situation

All nozzles have a bayonet system which makes switching between them easy and simple. Design of each nozzle has been optimised to create a uniform fan of water, for optimal efficiency.



#### TURBO NOZZLE (1/4" connection)

The Turbo nozzle is the most powerful nozzle in the EGO range. Only for use on hard surfaces not for use on cars and wooden surfaces.

#### 15° NOZZLE (1/4" connection)

The 15° nozzle is ideal for tough surfaces - brick, concrete walls, flagstones, driveways and metal surfaces.





#### 25° NOZZLE (1/4" connection)

The 25° nozzle provides a powerful clean, perfect for cleaning a boat or tractor, efficiently removing algae, dust and dirt.

#### 40° NOZZLE (1/4" connection)

The 40° nozzle is ideal for cleaning cars and any surface that requires a gentler clean.





#### RINSE NOZZLE (3/8" connection)

The rinse nozzle connects to the short pressure washer gun for high-flow rinsing\*. Ideal for rinsing soap residue, cleaning outdoor furniture, and rinsing landscaping.

\*Only compatible with short pressure gun.



#### HPW2000E

#### PRESSURE WASHER

Heavy duty cleaning power with remote information display and power control, dual battery port with Peak Power™ Technology, premium hose fittings and inclusion of 5 nozzles for different cleaning tasks.

	HPW2000E
MAX PRESSURE	135 bar/2000 psi
MAX FLOW RATE	390 L/H
WEIGHT	17kg
NOZZLES	Turbo, 15°, 25°, 40°, rinse
	Inlet hose
ACCESSORIES INCLUDED	Inlet filter
	Foam cannon
ACCESSORIES SOLD SEPARATELY	Premium brass foam canon
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year



# VACUUMING POWER FOR INDOORS AND OUTDOORS

The new EGO POWER<sup>+</sup> 34 Litre Wet/Dry Vacuum delivers industryleading performance with over 180m<sup>3</sup>/h of suction power.

Adapt to the demands of your cleaning tasks with 3 power modes, controlled onboard or via the wireless remote control. Battery run time will provide up to 60 minutes on ECO, 33 minutes on high, or 18 minutes on turbo, when powered by EGO's 56V 5Ah ARC Lithium™ battery.

Onboard storage, provides a convenient space for nozzles, extensions, and hoses. Accessories include; two extension tubes, crevice nozzle, round brush dust nozzle, small floor nozzle with brush bar, wide nozzle with rubber bar, and a 2.1m hose. A built-in filter cleaning function maintains optimal performance.

#### Wireless remote functions





# The EGO Power<sup>+</sup> Wet/Dry Vacuum has an accessory for every cleaning situation

Accessories included:



CREVICE TOOL (with LED light)



HORSE BRUSH NOZZLE



SMALL FLOOR BRUSH



WIDE NOZZLE (with rubber scraper)



EXTENSION WANDS





#### WDV0900E

#### WET/DRY VACUUM







# CONTROLLED, PROFESSIONAL CHEMICAL SPRAYING

The EGO Professional Backpack Sprayer has a new innovative flow control system with a comfortable carrying harness for long working hours.

High efficiency and pressure, comparable to petrol engine equivalents, provides users with an effective variable spray action.

The unique flow adjustment system is convenient to use, allowing users to easily control the amount of spray from the lance handle.





#### BSP3500E **CHEMICAL SPRAYER**

Professional chemical spraying control, with innovative onboard variable flow control of up to 24 Bar for different applications.

CONTROLS ON SPRAY HANDLE



VARIABLE FLOW DIAL FOR DIFFERENT APPLICATIONS Pressure up to 24 Bar (150+ psi can reach higher places, or carry out light cleaning work)

Shut-off and flow adjustment with comfort grip handle, can be easily operated whist wearing heavy-duty work gloves



#### FILTRATION SYSTEM

Reduces clogging - the water inlet of the tank, the liquid suction are all equipped with filtration devices STAINLESS STEEL

24 BIR

SPRAY WAND

BATTERY COVER Anti-liquid protection

HEAVY-DUTY RUBBER HOSE



#### 15L TRANSLUCENCE TANK

BRUSHLESS MOTOR AND THREE PLUNGER PUMP Provides higher pressure and flow to meet the needs of different applications









# PORTABLE POWER WHEREVER YOU NEED IT

Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 220-240V AC outlet and three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 400 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is light weight and small enough to carry in a rucksack or store in a tent.





#### PAD1800E

#### **180W NEXUS ESCAPE POWER INVERTER**

The EGO Power<sup>+</sup> Nexus Escape's 220-240V 180W AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The light-weight design and carry handle make the device easy to transport. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.





#### PAD5000E

#### **400W NEXUS ESCAPE POWER INVERTER**

With three USB ports of varying type and a 240V AC 400W power outlet, the new EGO Power<sup>+</sup> Nexus Escape is capable of charging or powering devices up to 400 Watts. Use of the USB-C PD port can provide 100W charging of compatible devices, plus charging of EGO portable batteries when used with a USB-C PD compatible charger. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

	111020002	111200002		
AC OUTPUT	180W	400W		
CONNECTION METHOD	Compatible with any EGO portable battery	Compatible with any EGO portable battery		
WEIGHT WITHOUT BATTERY	0.7kg	1.6kg		
DOMESTIC WARRANTY	5 years	5 years		
PROFESSIONAL WARRANTY	-	-		
AVAILABLE AS A KIT	-	PAD5001E: Includes Nexus power inverter and 2.5Ah battery		

### CAPABLE OF POWERING OR CHARGING\*

\*Based on 7.5Ah battery BA4200T



**10 LAPTOPS** 



**36 MOBILE PHONES** 



42" TV FOR 8 HOURS





**OUTDOOR LIGHTING** 



# OUR COOLEST INNOVATIONS YET

## With up to double the airflow of standard fans, the EGO Power<sup>+</sup> Misting Fans are essential tools for warm conditions.

Complete with two misting modes: intermittent and continuous, six speed settings, the EGO Power<sup>+</sup> Misting Fans have an impressive Cooling Area Capacity (up to 50m<sup>2</sup> with the 45cm Fan). With a minimal noise level of up to 68dB and up to 60 hours run time (with 5Ah battery) on speed one, these fans are suitable for both indoor and outdoor cooling. Their light-weight and advanced portable features make them ideal for hot working conditions, sporting events, camping trips and BBQs, with two sizes and specifications to choose from.





#### FN1800E

#### **45CM MISTING FAN**

With a Cooling Area Capacity of 50m², two misting modes, five speed settings and double the airflow of a standard 45cm fan, the EGO Power<sup>+</sup> 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.















#### FN1000E

#### **25CM MISTING FAN**

A compact portable Misting Fan, folds down for easy storage and transport - with 3 misting settings, 5 speeds + turbo, oscillation, and garden hose connector. The EGO Power<sup>+</sup> 25cm Misting Fan can be conveniently controlled with your smartphone via the EGO Connect App, ideal for cooling both indoor and outdoor environments.



	FN1800E	FN1000E
RUNTIME	2.5Ah Up to 30 hours 4.0Ah Up to 48 hours 5.0Ah Up to 60 hours 6.0Ah Up to 72 hours 7.5Ah Up to 90 hours 10.0Ah Up to 120 hours 12.0Ah Up to 144 hours	2.5Ah Up to 30 hours 4.0Ah Up to 48 hours 5.0Ah Up to 60 hours 6.0Ah Up to 72 hours 7.5Ah Up to 90 hours 10.0Ah Up to 120 hours 12.0Ah Up to 144 hours
WEIGHT WITHOUT BATTERY	10.4kg	4.6kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year



# PORTABLE, FLEXIBLE BRIGHT LIGHTING







#### LT1000E

#### PORTABLE AREA LIGHT

With adjustable power of up to 10,000 lumens, the EGO Power<sup>+</sup> Portable Area Light is the world's most powerful cordless outdoor area light. With five brightness settings, turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 degree illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port.

	LT1000E					
BRIGHTNESS LEVEL	1	2	3	4	5	BOOST
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1600lm	3200lm	4800lm	6400lm	10000lm
APPROXIMATE RUN TIME* (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	1h
WEIGHT (WITHOUT BATTERY PACK)	4.3kg					
DOMESTIC WARRANTY	5 years					
PROFESSIONAL WARRANTY	1 year					

\*The light will illuminate at 10,000lm in ambient temperature 25°C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time.



EGO's powerful LED lights are compatible with any portable EGO ARC Lithium™ Battery. The light level can be tailored to suit the conditions, so these versatile tools are perfect for bright task lighting, illuminating larger areas and ambient mood lighting.





#### CONTROL PANEL

With adjustable brightness and colour temperature, Bluetooth connection and 3 light modes











#### LTO300E

#### **PRISM LIGHT**

Adjustable in brightness from 600-3,000 lumens, with 3 lighting modes, the EGO Power<sup>+</sup> Prism Light also has adjustable colour temperature from 2700K - 5000K to suit ambient lighting needs. All of which are controllable from your mobile device via EGO Connect App with Bluetooth connectivity. Compact, with a rafter hook for hanging overhead and a tripod mount to help cast light over an entire area. Includes a USB C Port, allowing powering or charging of essential devices.

	LTO300E
LUMINOUS FLUX/BRIGHTNESS	600lm-3000lm
APPROXIMATE RUN TIME* (ON BRIGHTEST MODE WITH 5.0AH BATTERY)	6.5hrs
WEIGHT (WITHOUT BATTERY PACK)	1.8kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year





# A HIGH-QUALITY OUTDOOR AUDIO EXPERIENCE

The new EGO Outdoor Speaker boasts an impressive 180W RMS power and a sophisticated configuration of 7 advanced transducers. This powerful combination includes 1 woofer, 2 mid-range, 2 tweeters and 2 passive radiators for a dynamic and rich audio experience.

Engineered for durability, the E60 Outdoor Speaker carries an IP54 weather rating, providing protection against dust and water. Whether you're at the beach, on a picnic, or in the garden, this speaker is built to withstand the elements, ensuring uninterrupted playback from your Bluetooth device, or via a 3.5mm AUX cable.

The integrated USB-C PD port also lets you charge your devices, from phones to laptops up to 100W, ensuring your gadgets stay powered. For a bigger party sound – connect up to 100 EGO Outdoor Speakers.



#### SK1800E OUTDOOR SPEAKER

For high-quality portable sound, the EGO Outdoor Speaker carries an IP54 weather rating, built to withstand the elements with up to 50 hours of playtime, compatible with all EGO portable batteries





# HEAVY-DUTY HOLE DRILLING FOR SOIL & ICE



High speed drilling of soil and ice made easy - with convenient user controls including 2 speeds, variable speed trigger, reverse function and ergonomic handle design.

An Anti-Kickback system (electronic and gyroscopic protection) combined with Soft Stop in case of overload, ensure user safety. Quick-Connect Auger drill bits are designed with seamless steel tube construction for better balance and strength for improved reliability.



2 FORWARD AND 1 REVERSE SPEED With variable speed trigger for user control







#### PHA7400E **EARTH & ICE AUGER**

Makes heavy duty hole drilling in soil and ice easy, with many features designed with user convenience, comfort and safety in mind. Optional drill bit accessories available, see page 151 for details. Includes ETAO800 Earth drill bit and ITAO800 Ice drill bit.





# EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

#### **EGO POWER+ MOWERS**

#### **Blades**

#### AB1701

42cm standard (bagging) blade for LM1700E, LM1700E-SP



#### **AB1700**

42cm mulching blade for LM1700E, LM1700E-SP



#### AB1901

47cm standard (bagging) blade for LM1900E, LM1900E-SP



#### AB1900

47cm mulching blade for LM1900E, LM1900E-SP



#### AB2001

High lift blade for LM2010E, LM2010E-SP



#### **AB2000**

Standard blade for LM2000E, LM2010E, LM2010E-SP



#### AB2101

52cm high lift blade for LM2100E-SP



#### AB2100

52cm standard blade for LM2100E-SP



#### AB2102D-E

52cm dual-blade standard (bagging) for LM2130E-SP (2 blades set)



#### AB2100D-E

52cm dual-blade mulching for LM2130E-SP (2 blades set)



#### AB5301

Single blade for LMX5300SP



#### AB2211D-E

55cm high performance blade set for LM2230E-SP



#### AB2212D-E

55cm high lift bagging blade set for LM2230E-SP



#### **Mulching Kits/Side Discharge**

#### ARP1700

42cm mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP



47cm mulching kit (blade & mulching plug) for LM1900E, LM1900E-SP



#### ABP2100D-E

52cm mulching kit (mulching blade set & mulching plug) for IM213NF-SP



#### AM5300

Mulch plug for LMX5300SP



#### ASD2230

Side discharge chute for LM2230E-SP



#### ASD5300

Side discharge chute for LMX5300SP



#### Storage cover

#### **CM001**

Storage cover for lawnmowers



#### **Rear Roller Kits**

#### AR1700

42cm rear roller kit for LM1700E. LM1700E-SP



47cm rear roller kit for LM1900E-SP



#### AR2100

52cm rear roller kit for 52cm walk-behind mowers



### EGO POWER+ RIDE-ON MOWERS

#### **Rlades**

#### AB3801TD

Bagging blades (2 pcs) for 98cm bagging tractor TR3800E-B



#### AB4201

53cm high-lift blade (improved bagging) for TR4200E, ZT4200E-L, ZT4200E-S - single blade



#### AB4200

53cm standard blade (side discharge, mulching & bagging) for TR4200E, ZT4200E-L, ZT4200E-S - single blade



#### AB5201

46cm bagging blade for ZT5200E-L



#### AB5200

46cm standard blade for ZT5200E-L



### **Bagging & Mulching Kits**

#### ABK4200-A

Bagging kit for ZT4200E-L



#### ABK5200-A

Bagging kit for ZT5200E-L



#### AMP3800T

Mulching plug for 98cm Tractor TR3800E-B



#### AMP4200

Mulching plug for ZT4200E-L



#### ABP5200

Mulching kit (include mulching plug) for ZT5200E-L



#### General

#### AMB1000

Rear bumper for ride-on mowers



#### AMG1000

On-board storage for Z6



#### AMS1000

Sun shade for Z6



#### CRM001

Storage cover for Z6



# EGO POWER+ LINE TRIMMERS & BRIISH CUTTERS

#### Line

#### AL2015T 🔷

15m 2.0mm low-noise twist line (STRATUS)

#### AL2050T 🔷

50m 2.0mm twist line with line cutter for ST1300E

#### AL2415T ◆

15m 2.4mm low-noise twist line (STRATUS) | orange/green

15m 2.7mm low-noise twist line (STRATUS) | red/green

#### AL3012T 🔷

12m 3.0mm low-noise twist line (STRATUS) | yellow/green

75m 2.4mm low-noise twist line (STRATUS) | orange/green

#### AL2760T 🔷

60m 2.7mm low-noise twist line (STRATUS) | red/green

#### AL3050T 🔷



50m 3.0mm low-noise twist line (STRATUS) | yellow/green



15m 2.4mm round line (NYLGRASS) | orange

#### AL2715R



15m 2.7mm round line (NYLGRASS) | red

#### AL3012R -



12m 3.0mm round line (NYLGRASS) | yellow

#### AL2490R 🛑



90m 2.4mm round line (NYLGRASS) | orange

#### AL278OR



80m 2.7mm round line (NYLGRASS) | red

#### AL3060R -

60m 3.0mm round line (NYLGRASS) | yellow

#### **Line Heads**

#### AH1520

Powerload™ head w/ line for ST1510E-T



#### AH1522

Powerload™ head w/ line for ST1400E-ST



#### AH1530

AnyInsert Rapid Reload head w/ line (clockwise rotation) for ST1500E-F. BC1500E-F



#### AH1531

AnyInsert Rapid Reload head w/ line (anti clockwise rotation) for ST1530E, STA1500, BC3800



#### AH3810

Pro Anylnsert Rapid Reload head w/o line (anti clockwise rotation) for STX3800, BCX3800



#### AH4500

Auto-feed Trimmer Head for STX4500



#### AH1600

Trimmer head for new multi head STA1600



#### AH1620

Line-IQ trimmer head for Line-IQ string trimmer ST1610E-T



#### **ABT3800**

Bump feed button for AH3800



#### AH3800

Bump Feed Line Trimmer Head





# EGO POWER+ LINE TRIMMERS & BRUSH CUTTERS continued

#### **Line Spools**

#### AS1300

Trimmer spool for standard bump feed head for ST1500E & BC1500E



#### AS1301

Trimmer spool for standard bump feed head for ST1210E w/ line



#### AS1302

Trimmer spool for standard bump feed head for ST1300E w/ line



#### AS3800

Trimmer spool for BCX3800 w/o line



#### **Blades**

#### ABB0903P

Elastoblade



#### ABB1203

Brush cutter blade for ST1530E, BC3800E, STX3800, BCX3800, BCA1200



#### ABR2300

Replacement blades for Rotocut



#### Harnesses

#### AP4500

Double shoulder harness for Pro X line trimmer (incl.hip pad)



#### AHP4500

Hip pad for Pro X line trimmer



#### AP1500D

Standard double-shoulder harness



#### AHP1300

Leg protector/line trimmer harness attachment for AFH1300 (BAX1300) & BH1001



#### AHP1500

Leg protector/line trimmer harness attachment for AFH1500 (BAX1500 & BHX1000)



#### Guards

#### AD4500

Brush cutter guard



# EGO POWER<sup>+</sup> Chainsaws & Pole Saws

#### Chains

#### AC1001

Pole saw chain for PSA1000, PSX2500 [TRILINK]



#### AC1200

chain for CSX3000



#### AC12040

30cm chainsaw chain for CS1200E



#### AC1401

35cm replacement chainsaw chain for CS1400E [TRILINK]

#### AC1601

40cm replacement chainsaw chain for CS1600E [TRILINK]

#### AC1801

45cm replacement chainsaw chain for CS1800E [TRILINK]

#### AC2005

50cm replacement chainsaw chain for CS2000E

#### AC1635

40cm replacement chainsaw chain for CSX5000

#### AC1835

45cm replacement chainsaw chain for CSX5000

#### AC2035

50cm replacement chainsaw chain for CSX5000

#### AC10000

25cm chainsaw chain for PS1000E



#### Bars

#### AG1001

Pole saw bar for PSA1000, PSX2500



#### AG10000

25cm chainsaw bar for PS1000E



#### AG1200

30cm replacement chainsaw bar for CSX3000

35cm replacement chainsaw bar for CS1400E

#### AG1601

40cm replacement chainsaw bar for CS1600E

#### AG1801

45cm replacement chainsaw bar for CS1800E



#### AG2005

50cm chainsaw bar for CS2000E



#### Bar & Chain Kits

#### AK1204Q

30cm replacement bar and chain kit for CS1200E



#### AK1635

40cm replacement bar and chain kit for CSX5000



#### AK1835

45cm replacement bar and chain kit for CSX5000



#### AK2035

50cm replacement bar and chain kit for CSX5000



#### General

#### BCS1000

Chainsaw bag



#### EGO POWER+ MULTI-TOOL

#### General

#### BMH1000

Wheeled multi-tool kit bag



#### ACB9500

Cultivator blade set



#### ABS2100

Bristle brushes (pair)



#### ARB2100

Rubber paddles (pair)



#### A0F3300

Olive shaker fingers (10 pcs)



#### **AEB0800**

Edger blade for EA0800



### **EGO POWER+ HEDGE TRIMMERS**

#### General

#### ATP2000

Tip protector for HTA2000



# EGO POWER+ Pressure Washer

#### General

#### AFC2000E

Premium Foam Cannon for HPW2000E



#### ANZ2000E-T

Turbo nozzle for HPW2000E



#### ANZ2015E

15° nozzle for HPW2000E



#### ANZ2025E

25° nozzle for HPW2000E



#### ANZ2040E

40° nozzle for HPW2000E



#### ANZ2000E-R

Rinse nozzle for HPW2000E





#### **EGO POWER+ SNOW THROWERS**

#### General

#### ARP2120

52cm snow blower rubber paddle (PAIR)



#### ASS2120

52cm snow blower scraper bar



#### AKS2400D

Skid shoes (pair) for SNT2400E



#### ACT2400

Chute cleaning tool for SNT2400E



#### ADC2400

Drift cutters for SNT2400E



#### **CB002**

Snow blower cover for SNT2120E-SP



#### **CB003**

Cover for SNT2400E



# EGO POWER+ BATTERY & CHARGER ACCESSORIES

#### General

#### AWH1500

Wall mounted frame for BAX



#### ACH1500

Harness clip for BAX & BH cable management



#### AP1300

Comfort harness straps for BAX1300



#### BBOX2550

Large battery storage & transport box



#### BB0X3000

Small battery storage & transport box



#### ACE0700

70cm cable for PGX1400PB/ PGX3000D



#### ACE1500

150cm cable for PGX1400PB/ PGX3000D



#### **AEK1000**

E-track mounting attachment kit



#### **EGO POWER+ ROBOTIC MOWERS**

#### General

#### AB1009R

9pcs blades for robotic mower



#### **AIK0150**

Small installation kit with 150m 3.4mm boundary wire for robotic mower



#### AIKO300

Medium installation kit with 300m 3.4mm boundary wire for robotic mower



#### AIKO400

Large installation kit with 400m 3.4mm boundary wire for robotic mower



### **EGO POWER+ BLOWERS**

#### General

#### AST1000

Short tube attachment for handheld leaf blower



#### AGC1001

Gutter cleaning kit + safety glasses (clear)



#### AP4800

Shoulder strap with two hooks for LB4800E



#### ALB5000

Leaf Vacuum Bag for LV5000E



#### EGO POWER+ WET/DRY VAC

#### General

#### AVF0900

Wet/Dry Vacuum flat filter for WDV0900E



#### AVG0905

Wet/Dry Vacuum dust bag (5 pcs) For WDV0900E



# EGO POWER+ Earth & ICE Auger

#### General

#### ITA0800

20cm ice auger bit



#### AB08001

20cm ice auger blade set (2 pcs) for ITA0800E



#### ETA0800

20cm earth auger bit



#### ABE2000

50cm auger extension



### **EGO POWER+ GREASE**

#### General

#### AGT1000

100g bio grease tube



### EGO POWER+ SHOULDER STRAP

#### General

#### AP1500

Shoulder strap with carrying ring



#### EGO POWER+ WORKWEAR

#### General

#### GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XXX-Large available



#### GS001E

Safety glasses - Clear



#### GS002E

Safety glasses - Grey



#### GS003E

Safety glasses - Yellow



#### GSV021E-XL

Safety glasses -Grey + synthetic work gloves (XL)







Your local dealer:



www.egopowerplus.com







